

**Government of India
Ministry of Railways
(Railway Board)**

No. 2023/EnHM/06/05/New Chemicals/Technologies

Dated: 07.03.2024

**The Principal Chief Mechanical Engineer,
Central Railway,
Mumbai.**

**Sub:- Odour Free Toilets in Railways Trains, Platforms, Offices etc. – for
the first time in India, “Colonon Concentrate” of M/s Dimple Chemicals
and Services Pvt. Ltd.**

Enclosed please find attached herewith a proposal dt.04.03.2024 received from M/s Dimple Chemicals and Services Pvt. Ltd. requesting to use their product “Colonon Concentrate” for train toilets, platform toilets and office toilet.

The firm has stated that the aforesaid products would be cost effective, with appropriate technologies for ecological safe and sustainable sanitation. The firm has mentioned that the aforementioned product has been successfully test trials in various trains of Central Railway.

The request of M/s Dimple Chemicals and Services Pvt. Ltd. is forwarded herewith for necessary examination and action accordingly.

DA : As above.

**(Shailendra Singh)
Principal Exe. Director/ME(EnHM & Proj.)
Railway Board**

**Copy to : M/s Dimple Chemicals and Services Pvt. Ltd., Gat no.281, Village: Ghotawade,
Hinjewadi-Pirangut Road, Taluka: Mulshi, District: Pune -412115(Maharashtra) India.**

DCSPL/MKT/2023-24/26

To,
Mr. Shailendra Singh
Executive Director Mech. Engg.(EnHM & Projects)
Railway Board, Room No 152-B
Rail Bhawan
New Delhi 110001.

Subject: Odour Free Toilets in Railways Trains, Platforms, Offices Etc - For the First time in India

Dear Sir,

The Main Objective of Swachh Bharat Mission is to improvement in the general quality of human life by promoting cleanness, hygiene & an odour free environment. Also implementing the cost effective & appropriate technologies for ecological safe & sustainable sanitation.

As you are aware that the Toilets in Trains, Offices and platforms have very bad odour making it difficult to use for the Railway officials, visitors and passengers. This odour issue has been a perennial problem for decades and till date many solutions have been tried with zero success on removing bad odour. It will be a major change in the history of railways to have odour free Toilets in Trains, offices and platforms etc.

This will be unique and an exceptional project (First Time in India) of odour free Toilets of Trains, Offices and Platforms under Swachh Bharat Mission.

Looking into the need for odour free Toilets, we have developed **Clonon Concentrate** that eliminates odour within seconds & creates odour free environment.

The Product - Clonon Concentrate - Make in India under PM initiative

It is revolutionary water based broad-spectrum odour remover. It kills odour releasing bacteria. It makes an odour-free environment. Clonon concentrate is not harmful for any human being by smell or any other way by using their hands, eyes and any other body parts. Its thoughtful composition automatically delivers an immediate response to any smell. It removes the bad odour in seconds and provide a pleasing experience. Moreover, due to non-corrosive material the corrosion will not give any effect on metal structure, paints etc.

We are proud to inform you that our Clonon Concentrate registered in-

- Central Railway for Surgical items
- IREPS
- Western Railway for Surgical item
- Ministry of Defense - Canteen Stores Department
- Municipal Corporation of Greater Mumbai
- Pune Municipal Corporation
- Brihanmumbai Municipal Corporation
- Maharashtra Industrial Development Corporation

Factory: Gat No. 281, Village: Ghotawade,
Hinjewadi-Pirangut Road, Taluka: Mulshi, District:
Pune 412115. (Maharashtra) India.
☎ +91-20-25887143 / 8888855400
✉ sales@dimplechem.com



DIMPLE[®]
CHEMICALS & SERVICES PVT. LTD.
Visit us at www.dimplechem.com

Clonon tested at following labs:

1. Haffkine Institute for Training , Research & Testing - Approved by govt. of Maharashtra
2. TUV India Pvt. Ltd.
3. APT Testing and Research Pvt. Ltd.
4. D Technology Pvt. Ltd
5. Equinox Labs

Various Trials in Railways:

1. We have done 15 days successful trials for bad odour removal using Clonon Concentrate in toilets of Bogie at Mumbai - Chennai - Egmore train (22157/22158) Primary & Secondary. (Reference letter : File no. CR- HQ0MECH(COGM)/79/2021-O/0DY CME©/M/HQ/CR I/20688/2022)
2. We also did successful trials for 3 months at Ghorpadi Coaching railway yard (CR- Pune) for (Reference letter: RB Letter No 2020/EnHm/06/02)
 - PA DNR SF Express (12149/12150),
 - PA HWH Azad Hind SF Express (12129/12130),
 - PA JAT Jhelum Express (11077/11078),
 - PA ADI Durgam Express (12297/12298)
3. Suburban CSMT station

We have collected hundreds of reviews with passengers PNR numbers, the passengers were excited to find the toilets in the train's odour free.

Performance certificates from CR railway & other Govt. authorities

1. Sr. DCM (Works) CSMT
2. ACM (Cog)/CSMT-/DRM©/CSMT
3. SSE/(C&W)/Pune
4. Brihanmumbai Municipal Corporation
5. Pune Corporation
6. Pune Cantonment Board
7. Market Yeard pune

Some of the government purchase order for reference:

1. Pune Municipal Corporation
2. Ministry of Defense - Canteen Stores Department
3. Brihanmumbai Municipal Corporation

In view of the above subject, we are seeking for your valuable time to discuss and share our concept of implementing Clonon for Train Toilets, Platform Toilets and Office Toilet with you. This will be a game changer for Indian Railways having odour free toilets in trains, platforms, and offices.

We are looking forward to be a part of the journey for making all the urinals in the Indian Railways completely odour free.

Thanking you,

With Regards

For **Dimple Chemicals & Services Pvt. Ltd**



Nikhil Kelkar

Director

E Mail: nikhil@dimplechem.com

Mob. 9850095600

CENTRAL RAILWAY

Office of the
Chief Medical Director
Mumbai CST-400001

No.H.244/SD/Registration/2021-24/ 779

Date 10/12/2021

**M/s. DIMPLE CHEMICALS & SERVICES PVT LTD
GAT NO. 281, VILLAGE - GHOTAWADE,
HINJEWADI - PIRANGUT ROAD, TALUKA- MULASHI,
DISTRICT - PUNE 412115**

Sub: -Registration of your firm on Central Railway for surgical items
Ref: - 1) Railway Board's Letter No. 2014/RS (G)/779/13 dated 03/02/2015
2) Your letter No. Nil dated 29/09/2021

In terms of Railway Board's letter number quoted under reference, sanction of competent authority has been accorded for registration of your firm on Central Railway for MEDICAL STORES / CONSUMABLES the period from DEC 2021 to NOV 2024. Payment towards renewal fees has been received vide receipt MR number - 010121017609 dated 10.12.2021 issued by Chief Cashier, Central Railway, Mumbai CST.

Your registration number is CR/SURG/REG/21-24/ 779

For all the correspondence with this office you may please quote the above registration number allotted to your firm. The renewal of your registration will be done after three year of original registration and you should submit the renewal application at least three months before expiry of the original registration. However, your registration does not carry any guarantee of awarding enquiries or order to your firm on the basis of being registered with this Railway and you cannot claim for the same.


Offers for medicines from manufacturing units not inspected by Indian Railways would not be considered valid.

Your firm is registered for **MEDICAL STORES / CONSUMABLES**.

The performance of your company / firm will be taken into account as per following standards.

- ▶ Analysis report.
- ▶ Response to tender enquiries.
- ▶ Proper tendering process followed or not.
- ▶ Supply of items within time frame or not.
- ▶ Full quantity supplied as per order or not.

Kindly acknowledge receipt.


Mrs. Sujata Surwade
Asst. Pharmacy Officer
/-Pr. Chief Medical Director

Report Output

By Regd Post A/D

CENTRAL RAILWAY

www.ireps.gov.in

File No. S/2022/01/22811/22811

To

**DIMPLE CHEMICALS
AND SERVICES PRIVATE
LIMITED-PUNE**
GAT NO 281 VILLAGE
GHOTAWADE
PUNE 412115



PRINCIPAL CMM's OFFICE, Material
Management Department, 1st Floor,
New Administrative Building, D. N.
Road, CSMT, Mumbai - 400001

Date : 21/10/22

Sub : Renewal of registration of your firm as approved supplier of stores

Ref : Your Letter No.DCSPL/MKT/2022-23/15 File No. 11875 dated 27-SEP-22

1.0 I am directed to inform you that, your application for renewal of registration of your concern in the approved list of supplier to this Railway has been carefully considered and it has been decided to renew the registration of your firm on the list of approved suppliers with the details mentioned below :

Registration No.	:22811
Monetary limit/Category (per individual order) :	Category "D" (Value Limitation Rs. 50 Lakh And above but below 1 Crore)
Validity :	Upto 20/10/25

The following trade groups are allotted :

Grp	Description of Trade Group	Grp	Description of Trade Group
0336	Pest Control Treatments including Anti-termite Treatments, F	7741	Putty- Wood and Metal, in Wet and Dry Form, Fillers, Gums, R
6116	Waterproofing Compound for Buildings	8108	Chemicals General
7704	Paints- Primer	8120	Disinfectants, Deodorants and Insecticides
7709	Bituminous Paints	8415	Silica Sand
7710	Paints-Acid, Alkali and Heat Resisting	7719	Special Paints not covered by Standard Specification
		8035	Rust Preventive and Rust Removers

2.0 It should be noted that this registration is valid for the Trade Groups and monetary value as indicated above, and any quotation received for other than the above mentioned trade groups and monetary limit, will be treated at par with the offers received from un-registered firms and will be dealt accordingly.

3.0 The registration is subject to constant review from time to time in consistent with your performance for supply of stores to this Railway. Please note that you may apply for renewal of registration, well in advance, before the expiry of the present registration and ensure to attach the details of the orders executed by you during the last 3 years.

4.0 Please note that as an approved registered supplier of this Railway, you shall abide by the **IRS Conditions of Contract** supplemented by the **Instructions to tenderers** contained in the IREPS website under the link [public documents/stores/supply].

5.0 You are also advised that any subsequent changes in the constitution of working of the firm should be promptly communicated to this office.

Copy to :

Yours sincerely,

सुरेश चं. नेगा
For PRINCIPAL CHIEF MATERIALS
MANAGER
सहायक (प्रशा.) प्रबंधक (प्रशा.)
Assistant Material Manager (Admin)
प्र. प्र. मा. प्रबंधक का कार्यालय
Office of the PCMM
मध्य रेल, स.डी.म.उ. मुंबई-1
Central Railway, CSMT, Mumbai-1

WESTERN RAILWAY
MEDICAL DEPARTMENT

Office of the
Principal Chief Medical Director
Headquarter office,
Churchgate, Mumbai-400 020

No MD 86/3/Registration Surgical.

Date : 11th Mar 2022

M/s -Dimple Chemicals and Services Pvt. Ltd.
Gat No 281, Village, Ghotawade, Hinjawadi-
Pirangut Road, Taluka, Mulshi, Dist-Pune, Pin-412108(Maharashtra)

Subject : Registration for supply of Surgical Items in Western
Railway as per Railways Terms & Condition.

As per approval of Competent Authority, your firm has been placed on the list of Registered Firms in Medical Department of Western Railway, valid from 11.02.2022 to 10.02.2025 as per Money Receipt No. A0579972 dated 15.02.2022.

This however does not carry any guarantee of awarding tender enquiries or orders from this Railway and no claim will be entertained for the same.

This Railway reserves the right to de-register/remove your name from the list of Registered Firms for unsatisfactory performance, regarding any product supplied to this Railway if found not to be of standard quality or failure to abide by the IRS Condition of Contract or any such special terms and conditions as decided by the Chief Medical Director.

Renewal of Registration:

Renewal of registration will be done every 3 years after original registration. It is advised to apply at least three month before the expiry of registration. The performance of the company will be taken into account as per following standards:

- Product Performance
- Response to Tender Enquiries.
- Proper tendering process followed or not.
- Supply within time frame or not
- Full quantity supplied as per order or not.

Inspection will be done if there are some adverse reports.

42
(Rahul S. Balvir)
APHO
For Principal Chief Medical

भारत सरकार Govt. of India
रक्षा मंत्रालय Ministry of Defence
कैंटीन स्टोर्स डिपार्टमेन्ट
CANTEEN STORES DEPARTMENT

"अदेलफी", 119, एम के रोड, मुंबई - 400 020
'ADELPHI', 119, M K Road, Mumbai - 400 020

Ref : 1/Sectt/BoA/692/Cors/ 1402

Date: 31 Aug' 2021

To
M/s. Dimple Chemicals & Services Pvt. Ltd.
Gat No. 281, Village - Ghotawade,
Taluka - Mulshi,
District - Pune
Maharashtra - 412115.

Email : sales@dimplechem.com

Dear Sirs,

NEW INTRODUCTION OF ITEMS IN CSD INVENTORY RANGE

1. Reference your application No.4719 for new introduction in CSD inventory range.
2. The following products **have been approved** by the Board for being listed in the CSD inventory.

(a)	Clonon All Purpose Cleaner & Odour Remover - 450ml
-----	--

3. For your kind information please.

Yours faithfully


(S S Bhaumik)
Asst. General Manager (Secy.)
For General Manager



हाफकिन प्रशिक्षण, संशोधन व चाचणी संस्था

महाराष्ट्र शासन अनुदानित सोसायटीज रजिस्ट्रेशन अक्ट १८६० अधिनियमान्वये नोंदणी कृत स्वायत्त संस्था
भारत सरकार, विज्ञान व प्रौद्योगिक मंत्रालय, मान्यताप्राप्त "वैज्ञानिक आणि औद्योगिक संशोधन संस्था"

Haffkine Institute for Training, Research & Testing

An Autonomous Grant in aid Institute of Govt. of Maharashtra Registered under Societies Registration Act 1860
Recognised as "Scientific & Industrial Research Organisation" (SIRO) by Govt. of India, Ministry of Science & Technology.



05 OCT 2021

HITRT/BYR/ 2285

1.

Report on *In vitro* Antibacterial & Antifungal efficacy testing of sample labeled as "CLONON", submitted by M/s. DIMPLE CHEMICALS & SERVICES PVT LTD, GAT.NO.281, VILLAGE- GHOTAWADE, HINJEWADI-PIRANGUT ROAD, TALUKA- MULSHI, PUNE 41208, Vide your letter dated: 16.08.2021. The sample was received on 03-09-2021, whereas, the testing charges were received on 06-09-2021.

Sample labeled as: "CLONON"

Compositions: Benzalkonium chloride - 0.5-2.0%
Gluteraldehyde - 0.5-2.0%
DM Water - QS to 100%

Batch No. : 020/021-404.

Manufacturing date: 09/20220

Expiry date: 08/2023

Concentration: As it is.

Test Method: The test is based on following EN standards:
EN 1040 (1997)-phase 1, EN 1656 (1999)-phase 2, EN 1275 (1997) - Phase 1 and EN1657 (1999)-phase 2. (Ref: Seymour S. Block- "Disinfection, Preservation and sterilization" IV & V Edition, publisher: Lippincott, Williams & Wilkins, 2000 to 2005). EN 14561 (2002), EN 14562 (2002), EN 14563 (2002), EN 12353 (2005) and EN 13727 (2007).

Contd. On page no. 2.

पत्ता : आचार्य दोंडे मार्ग, परळ, मुंबई - ४०० ०१२. दूरध्वनी क्र. ०२२-२४१६०९४७, २४१६०९६१, २४१६०९६२, फॅक्स - ०२२-२४१६१७८७

Address : Acharya Donde Marg, Parel, Mumbai - 400 012. Tel: 022 - 24160947, 24160961, 24160962. Fax : 022 - 24161787

email : haffkineinstitute@gmail.com, info@haffkineinstitute.org, website: www.haffkineinstitute.org



हाफकिन प्रशिक्षण, संशोधन व चाचणी संस्था

महाराष्ट्र शासन अनुदानित सोसायटीज रजिस्ट्रेशन अक्ट १८६० अधिनियमान्वये नोंदणी कृत स्वायत्त संस्था
भारत सरकार, विज्ञान व प्रौद्योगिक मंत्रालय, मान्यताप्राप्त "वैज्ञानिक आणि औद्योगिक संशोधन संस्था"

Haffkine Institute for Training, Research & Testing

An Autonomous Grant in aid Institute of Govt. of Maharashtra Registered under Societies Registration Act 1860
Recognised as "Scientific & Industrial Research Organisation" (SIRO) by Govt. of India, Ministry of Science & Technology.



HITRT/BYR/2285

05 OCT 2021
2.

Number of control counts and the number of the sample treated counts i.e. colony forming unit (CFU), mentioned in the following table are the average of the duplicate experiment carried out for the above mentioned sample.

Result and observation: (For Killing Contact Time of 30 sec.)

Sr No	Test Organism	Killing contact time (sec)	Initial Control counts (CFU)*	Recovery of organism after the killing / inactivation contact time by "CLONON" in undiluted form	Percentage killed/ inactivated after the killing/ Inactivation contact time
1	<i>Escherichia coli</i> (ATCC-10148)	30	1.04×10^7	1×10^1	99.999%
2	<i>Escherichia coli</i> (ATCC-25922)	30	1.17×10^8	1×10^1	99.999%
3	<i>Klebsiella pneumoniae</i> (Clinical isolate)	30	6.90×10^7	1×10^1	99.999%
4	<i>Klebsiella pneumoniae</i> (ATCC-700603)	30	6.60×10^7	1×10^1	99.999%
5	<i>Klebsiella aerogens</i> (Clinical isolate)	30	1.11×10^8	1×10^1	99.999%
6	Methicillin Resistant <i>Staphylococcus aureus</i> (ATCC-25923)	30	7.40×10^7	1×10^1	99.999%
7	<i>Staphylococcus aureus</i> (ATCC-6538)	30	8.40×10^7	1×10^1	99.999%
8	<i>Staphylococcus aureus</i> (ATCC-3750)	30	7.6×10^7	1×10^1	99.999%
9	<i>Salmonella typhi</i> (NCTC-786)	30	6.4×10^7	4.4×10^3	99.993%
10	<i>Shigella flexneri</i> (Clinical isolate)	30	6.8×10^7	2.8×10^3	99.996%
11	<i>Salmonella enterica</i> (NCIM-5256)	30	1.14×10^6	1×10^1	99.999%

Contd. On page no 3



हाफकिन प्रशिक्षण, संशोधन व चाचणी संस्था

महाराष्ट्र शासन अनुदानित सोसायटीज रजिस्ट्रेशन अक्ट १९६० अधिनियमान्वये नोंदणी कृत स्वायत्त संस्था
भारत सरकार, विज्ञान व प्रौद्योगिक मंत्रालय, मान्यताप्राप्त "वैज्ञानिक आणि औद्योगिक संशोधन संस्था"

Haffkine Institute for Training, Research & Testing

An Autonomous Grant in aid Institute of Govt. of Maharashtra Registered under Societies Registration Act 1860

Recognised as "Scientific & Industrial Research Organisation" (SIRO) by Govt. of India, Ministry of Science & Technology.



05 OCT 2021

HITRT/BYR/ 2285

3

Result and observation: (For Killing Contact Time of 30 sec.)

Sr No	Test Organism	Killing contact time (sec)	Initial Control counts (CFU)*	Recovery of organism after the killing / inactivation contact time by "CLONON" in undiluted form	Percentage killed/ inactivated after the killing/ Inactivation contact time
12	<i>Proteus mirabilis</i> (Clinical isolate)	30	9.2×10^7	3.2×10^2	99.999%
13	<i>Proteus vulgaris</i> (Clinical isolate)	30	9.4×10^7	4.6×10^3	99.995%
14	<i>Enterococcus faecalis</i> (ATCC-29212)	30	9.0×10^6	1×10^1	99.999%
15	<i>Pseudomonas aeruginosa</i> (Fisher's Immunotype IV)	30	4.40×10^6	1×10^1	99.999%
16	<i>Pseudomonas aeruginosa</i> (Clinical isolate)	30	6.25×10^6	1×10^1	99.999%
17	<i>Sarcina lutea</i> (Environmental isolate)	30	4.2×10^6	1.2×10^2	99.997%
18	<i>Sarcina lutea</i> (NCTC-2470)	30	3.3×10^7	1×10^1	99.999%
19	<i>Bacillus subtilis</i> (ATCC-9372)	30	6.1×10^6	1.3×10^2	99.998%
20	<i>Bacillus cereus</i> (ATCC-11778)	30	1.9×10^6	2.2×10^2	99.988%
21	<i>Candida albicans</i> (ATCC-10231)	30	2.7×10^6	1×10^1	99.999%
22	<i>Aspergillus niger</i> (ATCC-16404)	30	2.1×10^6	1.8×10^2	99.991%

*Colony Forming Unit

Contd. On page no 4.

पत्ता : आचार्य दोंडे मार्ग, परळ, मुंबई - ४०० ०१२. दूरध्वनी क्र. ०२२-२४१६०९४७, २४१६०९६१, २४१६०९६२, फॅक्स - ०२२-२४१६१७८७

Address : Acharya Donde Marg, Parel, Mumbai - 400 012. Tel: 022 - 24160947, 24160961, 24160962. Fax : 022 - 24161787

email : haffkineinstitute@gmail.com, info@haffkineinstitute.org, website: www.haffkineinstitute.org

TEST REPORT

Report No: TUV(I)/1212/20-21/0062000055

Date: 12 Jun 2020

TUV INDIA PRIVATE LIMITED
TUV India House,
Survey No. 42, 3/1 & 3/2,
Sus, Tal. Mulshi,
Dist. Pune - 411 021
CIN U74140MH1989PTC052930
Tel. : 020-8790 0000 / 01
Toll Free : 1800-209-0902
Email : pune@tuv-nord.com
Website : www.tuv-nord.com/in

Name & Address of Customer : Dimple Chemicals & Services P Ltd
Gat No 281, Village Ghotawade Near
Shelkewadi, Tal-Mulshi,
Pune, Maharashtra - 412115

Name of the Sample : Clonon

Name of the Test : Disinfectant / Sanitizer Effectiveness Test

CA No. : 006200055

Date of sample receipt : 01 Jun 2020

Date(s) of analysis : 01 Jun 2020- 12 Jun 2020

Objectives Of Test : To determine the effectiveness of the disinfectant /
Sanitizer used for the sanitation



DAY-3

Time-Kill Results for Test Sample				
Microorganism (ATCC #)	Exposure time	Replicate	Log ₁₀ Reduction	Average Log ₁₀ Reduction
<i>E.coli</i> ATCC 8739	30 sec	1	>5.91	>5.91
	60 sec	1	>5.91	
	90 sec	1	>5.91	
<i>Staphylococcus aureus</i> ATCC 6538	30 sec	1	>5.92	>5.92
	60 sec	1	>5.92	
	90 sec	1	>5.92	
<i>Salmonella typhimurium</i> ATCC 23564	30 sec	1	>5.93	>5.93
	60 sec	1	>5.93	
	90 sec	1	>5.93	
<i>Shigella flexnerii</i> ATCC 12022	30 sec	1	>5.92	>5.92
	60 sec	1	>5.92	
	90 sec	1	>5.92	
<i>Listeria monocytogens</i> ATCC 19111	30 sec	1	>5.92	>5.92
	60 sec	1	>5.92	
	90 sec	1	>5.92	
<i>Streptococcus faecalis</i> ATCC 8043	30 sec	1	>5.93	>5.93
	60 sec	1	>5.93	
	90 sec	1	>5.93	

Table 5: Percentage & Log Reduction of Challenge Organisms

Test Microorganisms	Percentage & Log Reduction of Challenge Organisms									
	Reduction	Time Intervals								
	Replicates	30 Sec			60 Sec			90 Sec		
		1	2	3	1	2	3	1	2	3
<i>E.coli</i>	Percentage	>99.999	>99.999	>99.999	>99.999	>99.999	>99.999	>99.999	>99.999	>99.999
	Log	> 5.91	> 5.91	> 5.91	> 5.91	> 5.91	> 5.91	> 5.91	> 5.91	> 5.91
	Log	>5.93	>5.92	>5.92	>5.93	>5.92	>5.92	>5.93	>5.92	>5.92
<i>Staphylococcus aureus</i>	Percentage	>99.999	>99.999	>99.999	>99.999	>99.999	>99.999	>99.999	>99.999	>99.999
	Log	>5.93	>5.92	>5.92	>5.93	>5.92	>5.92	>5.93	>5.92	>5.92
	Log	>5.93	>5.92	>5.92	>5.93	>5.92	>5.92	>5.93	>5.92	>5.92
<i>Salmonella typhimurium</i>	Percentage	>99.999	>99.999	>99.999	>99.999	>99.999	>99.999	>99.999	>99.999	>99.999
	Log	>5.93	>5.92	>5.92	>5.93	>5.92	>5.92	>5.93	>5.92	>5.92
	Log	>5.93	>5.92	>5.92	>5.93	>5.92	>5.92	>5.93	>5.92	>5.92
<i>Shigella flexnerii</i>	Percentage	>99.999	>99.999	>99.999	>99.999	>99.999	>99.999	>99.999	>99.999	>99.999
	Log	>5.93	>5.92	>5.92	>5.93	>5.92	>5.92	>5.93	>5.92	>5.92
	Log	>5.93	>5.92	>5.92	>5.93	>5.92	>5.92	>5.93	>5.92	>5.92
<i>Listeria monocytogens</i>	Percentage	>99.999	>99.999	>99.999	>99.999	>99.999	>99.999	>99.999	>99.999	>99.999
	Log	>5.92	>5.92	>5.92	>5.92	>5.92	>5.92	>5.92	>5.92	>5.92
	Log	>5.92	>5.92	>5.92	>5.92	>5.92	>5.92	>5.92	>5.92	>5.92
<i>Streptococcus faecalis</i>	Percentage	>99.999	>99.999	>99.999	>99.999	>99.999	>99.999	>99.999	>99.999	>99.999
	Log	>5.93	>5.93	>5.93	>5.93	>5.93	>5.93	>5.93	>5.93	>5.93
	Log	>5.93	>5.93	>5.93	>5.93	>5.93	>5.93	>5.93	>5.93	>5.93



Report No: TUV/I/1212/20-21/0062000055
Date: 12 Jun 2020

1. Interpretation:

- The initial load of microorganisms were tested for the product and found to be sterile. Hence the Effectiveness test had been initiated.
- The test demonstrated that the product Clonon shows > 5 log reduction/ > 99.999 % reduction at 30s, 60 Sec & 90 sec time intervals against challenge organisms.
E.coli, Staphylococcus aureus, Salmonella typhimurium, Shigella flexneri, Listeria monocytogens Streptococcus faecalis

Terms and Conditions

1. Test Results are based on & related only to the particular sample(s) tested.
2. This Report cannot be re-produced, except when in full, without the written permission from TUV India Pvt. Ltd.
3. This Certificate reflects our findings at the time and place of testing.
4. Sample(s) will be retained by us for a period of one month for non-perishable items only. Perishable items will be destroyed after completion of tests.
5. The Report, in full or in part, shall not be used to make any misleading claims or for any legal purposes.
6. All terms and conditions of our quotation on the basis of which this testing service has been provided are deemed to be fully accepted by the customer and are deemed to be in full force and effect.
7. This Report is exclusively for the use of the customer whose name and address is indicated above. No third party can derive rights against the company on the basis of this report. No third party has any right to raise any claims on the company.
8. For Biological and mycotoxin Analysis: Our analytical findings reflect the quality of the sample at the time of testing. No responsibility can be accepted for the possible consequences of further development of micro-organisms or mycotoxin which may depend upon storage, handling & weather conditions which may influence the results at a later date/time respectively.
9. The laboratory tests are conducted by TUV India as per mutual agreement, without any implied warranty of merchantability and fitness for any general or particular use. TUV India .not be liable for any claims for indirect, incidental or consequential damages including but not limited to loss of revenue, loss of profits and similar claims. TUV India will also not be liable under any strict liability, product liability or negligence. The total liability, scientifically and legally proven, if any, of TUV India, in any case, shall not exceed the invoiced amount for the services provided and paid for.
10. For Pesticide Residue analysis, reported values at LOQ level may vary within analytical variation of 50% considering Uncertainty of Measurement.

-- End of Report --



Authorized by
Shaine Premkumar
Incharge - Microbiology

APT TESTING AND RESEARCH PRIVATE LIMITED

APPROVED BY FDA - MAHARASHTRA STATE LIC NO. - 37-PD/TL/7
ISO 9001:2015 CERTIFIED LABORATORY (Regd No QMS.91.002.04 16)

Regd. Office: S No. 36/1/1, M.N. 199, Vadgaon Khurd, Pune 411 041, Maharashtra, India

• Tel.: +91 9607352020 • E-mail: info@ntc-apl.com, ntc-pune@gmail.com

• Web: ntc-apl.com • CIN NO.: U74220PN2008PTC132043



Date: 24/June/2020.

C E R T I F I C A T E

This is to certify that the Acute Dermal Irritation/Corrosion of the test material "CLONON- ALL PURPOSE CLEANER & ODOUR REMOVAL" supplied by DIMPLE CHEMICALS & SERVICES PVT. LTD., according to the OECD Guidelines 404, Adopted 28th July 2015, in rabbits was found to be SAFE at the dose level of 0.50 ml/patch.

The Skin Irritation Index was found to be 0.00.

The test material was found to be a NON - IRRITANT to the skin in rabbits and hence it can be concluded that "CLONON- ALL PURPOSE CLEANER & ODOUR REMOVAL" is NON -TOXIC and SAFE for use.

The report of the toxicity test conducted has been submitted through Study Code No. "CH199/2021/1791/024"

This test report is valid for the specified test material tested at the time of study under the stated environmental conditions.

ATR is approved by the Food & Drug Administration, Maharashtra State, Pune, through License No. 37-PD/TL/7.


Dr. K. G. Apte

Test Facility Management.



Date: 27/July/2020.

CH199/2021/1791/IRb(f)

CERTIFICATE

This is to certify that the test material "CLONON-ALL PURPOSE CLEANSER & ODOUR REMOVER", supplied by DIMPLE CHEMICALS & SERVICES PVT. LTD., Gate No. 281, Village: Ghotawade, Hinjewadi-Pirangut Road, Taluka: Mulshi, District: Pune 412115, (Maharashtra) India caused NON IRRITATION to the eye in rabbits, according to the OECD Guidelines 405, Adopted 9th October 2017.


The Irritation Score was found to be 0.00. The test material is termed as a NON IRRITANT to eye.

The report of the toxicity test conducted has been submitted through Study Code. "CH199/2021/1791/IRb(f)"

This test report is valid for the specified test material tested at the time of study under the stated environmental condition.

ATR is approved by the Food & Drug Administration, Maharashtra State, Pune, through License No. 37-PD/TL/7.


Dr. K. G. Apte
Test Facility Management.


Ms. Shriya Shende
Study Director.



d technology Pvt. Ltd.

Unit No-19, Building No-F-8, Bhumi World Industrial Park, Opp. Tata Amantra,
Pimplas, Mumbai-Nashik Highway, Thane-421302

Date: 09.07.2020

CERTIFICATE

This is to certify that “Clonon – All purpose Cleaner & Odour Remover” supplied by Dimple Chemicals and Services Pvt Limited when tested for antiviral activity by ASTM E1052-20 using MS2 Bacteriophage, a surrogate for SARS-CoV-2 (COVID-19), over a contact time of 90 seconds, demonstrated a percentage kill of 87.2366 and a log reduction of 0.8940.

The test was conducted on the sample ‘as submitted’ without any dilution, in a single procedure, at a temperature of $25^{\circ}\text{C} \pm 1^{\circ}\text{C}$.

This test report is valid for the specified test material tested at the time of study under the stated environmental conditions for Batch No: 19/20-782 vide our test report number dtech/20-21/10015.

Authorized Signatory / Technical Head

Name: Dr. Deepa Bhajekar

EQUINOX TEST CERTIFICATE

Reference Number : EQNX:001:LAB: S 22-02-01881

ULR - TC682022000005224F

PARTICULARS OF SAMPLE ANALYSED

Client Name : Dimple Chemicals and Services Private Limited
Address : Mazgaon Coaching Depto -Central Rly. Mumbai, City: Mumbai
State: Maharashtra, Country: India
Pincode : 400010.
Contact Person : Mr. Milind Atre
Sampling Location : Lab No. 04
Sample Description : Swab - Toilet No. 04
T. No. 22157
C. No. 024056 (Before)
Time: 11:45 AM
Sample Drawn By : Equinox Labs - Mr. Brijesh Sharma

Sampling Protocol : SOP-MCB-42-01
Date of Sampling : 11-Feb-22
Date of Receipt : 11 Feb 22
Date of Start of Analysis : 11-Feb-22
Date of End of Analysis : 16-Feb-22
Date of Report : 18-Feb-22

RESULTS OF ANALYSIS

Sr.No.	Microbiological Parameters	Units	Methods	Results of Analysis	Limits
1	Total Bacterial Count	CFU/ Swab	SOP-MCB-46-01	8.5×10^2	Not Specified
2	Coliform	/ Swab	SOP-MCB-46-01	Absent	Absent
3	E.coli	/ Swab	SOP-MCB-46-01	Absent	Absent
4	Salmonella	/ Swab	SOP-MCB-46-01	Absent	Absent
5	Shigella	/ Swab	SOP-MCB-46-01	Absent	Absent
6	Staphylococcus aureus	/ Swab	SOP-MCB-46-01	Absent	Absent
7	Pseudomonas	/ Swab	SOP-MCB-46-01	Absent	Absent
8	Yeast	CFU/ Swab	SOP-MCB-46-01	<10	<10
9	Mold	CFU/ Swab	SOP-MCB-46-01	<10	<10

Remark : The results of analysis of the Swab sample Conforms to the Recommended Limits for the tested parameters only. Hence the Sample is Acceptable with respect to Personal Hygiene based on the Tests carried out

Supriya

Technical Manager - Microbiology
(Authorised Signatory)
Mrs. S.Gunjal



TC-6820

Note:

1. This report is valid for the tested sample only
2. Test report shall not be reproduced except in full & with written approval of Equinox Labs Private Limited
3. This report should not be used for advertisement / judicial purpose.

Equinox Labs Private Limited

CIN No. U74999MH2017PTC297024

Equinox Center, R 05, TTC, Rabale, Navi Mumbai - 400701

+91 22 35016970

info@equinoxlab.com

www.equinoxlab.com

EQUINOX TEST CERTIFICATE

Reference Number : EQNX:001:LAB: S-22:02:01882

ULR : TC682022000005225F

PARTICULARS OF SAMPLE ANALYSED

Client Name	: Dimpie Chemicals and Services Private Limited	Sampling Protocol	: SOP-MCB-42-01
Address	: Mazgaon Coaching Depto -Central Rly. Mumbai, City: Mumbai State: Maharashtra, Country: India Pincode : 400010	Date of Sampling	: 11-Feb-22
Contact Person	: Mr. Milind Atrc	Date of Receipt	: 11 Feb 22
Sampling Location	: Lab No. 04	Date of Start of Analysis	: 11-Feb-22
Sample Description	: Swab - Toilet No. 04 T No. 22157 C. No. 024056 (After) Time: 12:55 PM	Date of End of Analysis	: 16-Feb-22
Sample Drawn By	: Equinox Labs - Mr. Brijesh Sharma	Date of Report	: 16-Feb-22

RESULTS OF ANALYSIS

Sr.No.	Microbiological Parameters	Units	Methods	Results of Analysis	Limits
1	Total Bacterial Count	CFU/ Swab	SOP-MCB-46-01	9.0 x 10 ¹	Not Specified
2	Coliform	/ Swab	SOP-MCB-46-01	Absent	Absent
3	E.coli	/ Swab	SOP-MCB-46-01	Absent	Absent
4	Salmonella	/ Swab	SOP-MCB-46-01	Absent	Absent
5	Shigella	/ Swab	SOP-MCB-46-01	Absent	Absent
6	Staphylococcus aureus	/ Swab	SOP-MCB-46-01	Absent	Absent
7	Pseudomonas	/ Swab	SOP-MCB-46-01	Absent	Absent
8	Yeast	CFU/ Swab	SOP-MCB-46-01	<10	<10
9	Mold	CFU/ Swab	SOP MCB 46 01	<10	<10

Remark : The results of analysis of the Swab sample Conforms to the Recommended Limits for the tested parameters only. Hence the Sample is Acceptable with respect to Personal Hygiene based on the Tests carried out

Supriya

Technical Manager - Microbiology
(Authorised Signatory)
Mrs. S.Gunjel



TC-6820

Note:

1. This report is valid for the tested sample only
2. Test report shall not be reproduced except in full & with written approval of Equinox Labs Private Limited
3. This report should not be used for advertisement / judicial purpose

Equinox Labs Private Limited

CIN No : U74999MH2017PTC297024

Equinox Center, R-65, TTC, Rabale, Navi Mumbai - 400701

+91 22 35016970

info@equinoxlab.com

www.equinoxlab.com



Odour Removal Trial in Central Railway (CUG)

Product Name: - Clonon: Concentrate

Equinox Test Report Calculation				
Location	Mazgaon Coaching Depto-Central Rly Mumbai, City: Mumbai PIN : 400010			
Sampling Protocol	SOP-MCB-42-01			
Date of Start of Analysis	11-02-2022			
Date of End of Analysis	16-02-2022			
Date of Report	18-02-2022			
Description	Swab - Toilet No 04 Train. No 22157/58 C No. 024056			
Microbiological Parameter	Time	Bacterial Count	Bacterial count in Nos	Total Percentage of Bacteria Reduced in (%)
Total bacterial Count (Before)	11:45 AM	8.5×10^2	850	89.42%
Total bacterial Count (After)	12:55 PM	9.0×10^1	90	

Factory: Gat No 281, Village Ghotawade,
Hinjewadi-Pirangut Road, Taluka Mulshi,
District Pune 412108 (Maharashtra) India
☎ +91-20-25887143 08888855400
✉ sales@dimplechem.com



DIMPLE
CHEMICALS & SERVICES PVT. LTD.

Visit us at www.dimplechem.com

CIN No.: U24119PN2008PTC133208

I/20688/2022

5

Central Railway

Divisional Office
Mechanical Branch
Mumbai CSMT

February 2, 2022

M/s Dimple Chemicals & Services Pvt. Ltd.
Gat No. 281, Village: Ghotawade
Hinjewadi - Pirangut Road, Taluka: Mulshi
District: Pune - 412108
email: sales@dimplechem.com

Sub: Trial of Clonon Concentrate products of M/s Dimple Chemicals & Services Pvt. Ltd. in coach cleaning
Ref: Your letter dated 22.12.2021

This is in connection to proposal for free trials of product Clonon Concentrate for odour removal submitted vide your letter no. SALES/QUOT/2021-22/076 dated 22.12.2021.

Approval of competent authority is hereby communicated to carry out one time free trial of the above product in train no. 22157 / 58 Mumbai MAS Express which is maintained at Mazgaon coaching depot of Mumbai division of Central Railway for a period of fifteen days to ascertain the effectiveness of the product.

It is hereby advised to carry out the trial at the earliest and submit a detailed report immediately on conclusion of the trial to this office.

(Sudeep Prasad)
Sr. DME (Cog.) BB

C/- SSE (C&W) MZN - for necessary action please.
C/- ACDO WB - for necessary action please.

RAILWAY

PA C&W Misc. Trial In

SSE/C&W Office, Pune

Date: 26/09/2022

By: S. DME PA

Subj: Trial report for use of Chlorine concentrated Dimple Chemicals & services PM L&E Unit

Ref: RB Letter No. 2020/141111, 196 dated 27.07.2021

Vide above, trial was conducted on following trains/coaches for odour removal in toilet area during obhs

Sr. No.	Train No.	Train name	No. of AC coaches	No. of Rakes	Type
1	12149/12150	PA DMK SF Express	8	4	PM
2	12129/12130	PA HWH Azad Hind Exp	8	4	PM
3	11077/11078	PA JAT Jhelum Exp	8	5	PM
4	12298/12297	PA ADI Daronto Exp	13	1	PM

Said trial was conducted for the period for three months from 21/06/2022 to 19/09/2022 & the analysis of feedback received from passenger is as below

Passenger Feedback

Sr. No.	Train No.	Total	Very good	Satisfactory	Not satisfactory
1	12149/12150	827	461	367	61
2	12129/12130	784	270	470	45
3	11077/11078	614	309	249	120
4	12298/12297	182	0	73	339
	Grand Total	2407	1033	1115	261
	Percentage		42.88%	46.28%	10.83%

During trial there is no any adverse remark from passenger & obhs staff using it. It is water based, disinfects all surfaces & makes an odour free environment. This is for your information, please

DAI

SSE/C&W, PUNE

सहायक प्रमुख इंजीनियर (संसाधन)

Senior Section Engineer (C&W)

पुणे मंडळ रेल. Pune. C. Rly.

26/09/2022

Central Railway

Sr. DCM (Works)
CSMT

Office of
Chief Health Inspector
CSMT
Dt:- 22/06/2023

Subject: Conducting trials for Clonon concentrate (odour remover) at public toilet at Suburban CSMT station , Mumbai.

Ref: Sr. DCM Wks L. No-BB/C/247/GO/P&U/TRIL/2023


This report summarizes the results of the trial conducted for Clonon concentrate, a product that claims to remove foul odours from public toilets. The trial was carried out as per the instructions of Sr. DCM/Works Mumbai on 12.06.2023.

Method:

- The toilet block at Suburban CSMT was selected for the trial as it is one of the busiest and most used public toilets in the city.
- The toilet block was first cleaned with water and brushes to remove any unwanted material.
- Then, Clonon concentrate was sprayed in the entire toilet block using a handheld sprayer. The amount of Clonon concentrate used was as per the manufacturer's recommendation.

Observation: The trial was conducted for a duration of 12 hours, from 6 pm to 6 am. The odour level of the toilet block was monitored every 3 hours. The results showed that after the first spraying of Clonon concentrate, the odour level dropped significantly and the toilet block was almost odourless for a period of one hour. The odour level increased after one hour, but it was still within the acceptable range. The spraying of Clonon concentrate was repeated every 3 hours for a total of 4 times during the trial period. The odour level remained low throughout the trial period, even during the peak rush hour when the toilet block was used by a large number of passengers. The feedback from the passengers and the staff was also positive, as they reported that the toilet block smelled much better and fresher than before.

Conclusion: The trial demonstrated that Clonon concentrate is an effective product for removing foul odours from public toilets. It can reduce the odour level significantly and maintain it at a low level for a long time. It can also improve the hygiene and comfort of the users and the staff of the public toilets.


Chief Health Inspector
CSMT

Central Railway



Divisional Office Commercial Branch Mumbai C. S .M.T.

No/ BB/C/247/GO/P&U/trial/2023

Date: 23.06.2023

Mr. Nikhil Kelkar

Director,

Dimple chemicals & Services pvt. ltd.

Gat no.281, Village:- Ghotawade,

Hinjewadi-pirangut Road,

Taluka:- Mulshi,

Pune, Mob:-08888855400.

**Sub: Conducting trials for Clonal concentrate(Non-toxic odour remover) at
Suburban public toilet at CSMT station.**

With refer to above cited subject, the trial was conducted on 12.06.2023 for a duration of 12 hours, from 06 pm to 6am, and as per report from Cheif Health Inspector/CSMT (**Copy Enclosed**), the product used in toilet was **effective in odour control.**

Jitendra
23/06/2023

(Jitendra Yadav)
ACM(Cog)/CSMT
-/DRM(C)/CSMT

Enclosure:-As stated.

CENTRAL RAILWAY
No. PA/C&W/Misc/Trail/DC

SSE(C&W) Office, Pune,
Date: 26.09.2022.

TO,
Sr.DME/PA

Sub. - Trial report for use of Clononconcentrate[Dimple Chemicals &
services Pvt. Ltd, Pune.

Ref. -RB Letter No. 2020/EnHm/06/02 dated 02/02/2021.

Vide above, trial was conducted on following rakes/coaches for odour removal
in toilet area during obhs.

Sr. No.	Train No.	Train name	No. of AC coaches	No. of Rakes	Type
1	12149/12150	PA DNR SF Express	8	4	PM
2	12129/12130	PA HWH Azad Hind Exp	8	4	PM
3	11077/11078	PA JAT Jhelum Exp	8	5	PM
4	12298/12297	PA ADI DurontoExp	13	1	PM

Said trial was conducted for the period for three months, from 21/06/2022 to
19/09/2022 & the analysis of feedback received from passenger is as below.

Passenger feedback					
Sr. No.	Train No.	Total	Very good	satisfactory	Not satisfactory
1	12149/12150	822	494	267	61
2	12129/12130	781	270	476	35
3	11077/11078	614	269	219	126
4	12298/12297	192	0	153	339
	Grand Total	2409	1033	1115	261
	Percentage		42.88%	46.28%	10.83%

During trial there is no any adverse remark from passenger & obhs staff using
it. It is water based, disinfects all surfaces & makes an odour free environment.
This is for your information, please.

[Signature]
26/09/2022

[Signature]
SSE/ (C&W)/PUNE
सोनियर विभाग इंजीनियर (समाप्ति)
Senior Section Engineer (C&W)
पुणे मध्य रेल. Pune. C. Rly.

BRIHANMUMBAI MUNICIPAL CORPORATION

76, Shrikant Palekar Marg, Chandanwadi, Marinelines (East), Mumbai - 400002

ACCJ 08505

/A.E.M.) Date 14/07/2023

To

Dimple Chemicals & Services Pvt Ltd

Gate No - 281, Village Ghotawade,

Taluka - Mulshi Dist - Pune - 412115

Subject: Disinfection/ fumigation using "Clonon" all purpose cleaner & odour removal.

Location: 'C' Ward office, BMC.

Gentleman,

With reference to Disinfection and Fumigation using "Clonon" All Purpose Cleaner and Odour Remover" done in our office dated 27.06.2023 at 1st & 4th Floor toilet area.

Your team has performed Disinfection and Fumigation well and we found application is user friendly. We observed the following points.

1. Bad odour was eliminated.
2. Reduction in flies.
3. No irritation in eyes.
4. No stain & residue observed on wall etc.

After fumigation we feel odour free environment in the toilet. We are satisfied with this product.

O/C

Res.
A

Assistance Engineer (Maint.) 'C' Ward

14-7-23
SE (M)

BRIHANMUMBAI MUNICIPAL CORPORATION

(SOLID WASTE MANAGEMENT DEPARTMENT)

Ch.Eng / 1521 / SWM dtd 8/6/23

Office of Chief Engineer (SWM)
M.C.G.M.
3rd Floor, Khatav Market Bldg.,
Khatav Wadi, Sleater Road,
Grant Road (W), Mumbai - 400 007.


Performance Certificate

To Whomsoever it may concern

This is to certify that, **M/s Dimple Chemicals & Services Pvt. Ltd., Pune** had been awarded the work of "Procurement of Clonon Concentrate (Odour & Bacteria remover)" against various purchase orders (4500664946, 4500712531, 4800678330) for use at Ch.Engr (SWM)'s office building, Khatav market, Grant Road, Mumbai, during the period Oct-2020 to Dec-2022.

They have completed the work of "Procurement of Clonon Concentrate (Odour & Bacteria remover)" within stipulated time & performance of Clonon Concentrate (Odour & Bacteria remover) is found to be satisfactory.

This certificate is issued on specific request of **M/s Dimple Chemicals & Services Pvt. Ltd., Pune** and meant to be used for bonafide purpose only.


Exec. Engr (P) SWM

Executive Engineer (P)
Solid Waste Management



आरोग्य कार्यालय
पशु वैद्यकीय विभाग
पुणे महानगरपालिका
जा.क्र. ११५०/२८४
दिनांक ०३/०३/२३

प्रमाणपत्र

प्रती ,
डिंपल केमिकल्स अँड सर्विसेस प्रा .लि .
गट नं. २८१ गाव घोटावडे तालुका मुळशी ,
जि . पुणे - ४१२१०८

विषय- कत्तलखाना येथील क्लोज़ान कॉन्सेन्ट्रेट ने दुर्गंधी नाहीशी झाल्याबाबत
संदर्भ-दि.१७/०२/२०२३ रोजी कोंढवा कत्तलखाना येथे केलेली फवारणी.

महोदय,

वरील विषयास अनुसरून आपल्या कंपनी मार्फत कोंढवा येथील कत्तलखाना इमारती मधील टाकाऊ जैविक कचऱ्यावर क्लोनान कॉन्सेन्ट्रेट ने दि.१७/०२/२०२३ रोजी फवारणी केली असता खालील बाबी निदर्शनास आल्या

१. घाण वास गेला (दुर्गंधी नष्ट झाली)
२. माशा कमी झाल्या
३. सेवकांच्या हात, डोळे आणि इतर कोणत्याही शरीर भागावर वापर झालेस अॅलर्जी नाही.
४. दुर्गंधी मुक्त वातावरण निर्माण झाले






105123

डॉ. सारिका फुडे

प्र.मुख्य पशु वैद्यकीय अधिकारी
पुणे महानगरपालिका

Abhijeet

	<p>पुणे छावनी परिषद, भारत सरकार, रक्षा मंत्रालय गोलीबार मैदान पुणे 411001</p>	 सत्यमेव जयते	<p>Pune Cantonment Board Govt. of India, Ministry of Defence, Golibar Maidan, Pune 411001</p>	
<p>दूरभाष संख्या : 020-26452159</p>		<p>ई-मेल आई डी : ceopuncant@gmail.com</p>		
<p>पत्र संख्या: PCB/10/HS/2023</p>		<p>दिनांक : 10 October 2023</p>		

TO WHOMSOEVER IT MAY CONCERN

Performance certificate for Clonon Concentrate® odour remover at

Dhobighat Public Toilet, MahadajiShinde School, BabasahebAmbedkar School,Sardar Vallabhbbhai Patel Cantonment Genral Hospital,&Chatrapati Shivaji Market Camp

This is to certify that we have been using "**Clonon Concentrate®Odour Remover**" at various above mentioned area. We have been facing problem of very bad odour from our urinals. We were given a demonstration of "**Clonon Concentrate® Odour Remover**" and after successful result; we have been using "**Clonon Concentrate® Odour Remover**" for removal of bad odour.

The bad odour was completely eliminated within few seconds and the product is safe to humans i.e. no irritation in eyes, skin etc. Also it was observed that there are no stains& residue on wall, floor, furniture etc.

We have achieved odour free environment in our above mention area & hospital after regular use of this product. We definitely recommend to use "**Clonon Concentrate® Odour Remover**" in above mentioned Area.

Thanking You,

With Warm Regards,


Joint C.E.O

Pune Cantonment Board

यशवंत केळी व्यापारी संघटना

छत्रपती शिवाजी मार्केट, १६ केळी बाजार, गुलटेकडी, पुणे - ४११०३७ मो. ९८२२३५५८९

सल्लागार : **मा.श्री. शिवलाल भोसले** (नगरसेवक, पुणे म.न.पा.) (अध्यक्ष, आडते असोशियन)

श्री. विठ्ठल वायकर अध्यक्ष
श्री. फिरोज साचे सेक्रेटरी
श्री. राजेश जाधव उपाध्यक्ष
श्री. बाळासाहेब खैरे खजिनदार

संदर्भ क्र.

दिनांक :


प्रति,

डिपल डेमिकल्स अँड सर्विसेस ला. लि.

विषय : केळी बाजार मार्केट यार्ड येथील क्लोनात
कॉन्सेन्ट्रेट फवारणी मुळे दुर्गंधी नाहीशी झाल्याबाबत

मा. महोदय,

वरील विषयास अनुसरून आपला कंपनी मार्फत
श्री छत्रपती शिवाजी मार्केट यार्ड, केळी बाजार,
पून्नी उत्पल बाजार समिती, पुणे येथील कचरा
व दुर्गंधी ठिठाणी क्लोनात कॉन्सेन्ट्रेट ने आज रोजी
फवारणी
केली असता अन्चे परीनाम खुप चांगले झाले
वातावरणात दुर्गंधी नाहीशी झाली, माझ्या कमी
झाले, संपुर्ण वातावरण सुगंधीत झाले.


यशवंत केळी व्यापारी संघटना
छत्रपती शिवाजी मार्केट यार्ड,
केळी बाजार, गुलटेकडी, पुणे-३७.



मध्यवर्ती भांडार कार्यालय,

पुणे महानगरपालिका,

जावक क्रमांक - भांडार 19602

दिनांक - 93/2/2028

कार्यादेश

प्रति,

मे. डिपल केमिकल & सर्विसेस प्रा.ली

गेट न.२८१ घोटवडे गाव तालुका.मुळशी जिल्हा -पुणे.

पुणे- ४१२११५

यांस

विषय - उरुळी फुरसुंगी कचरा डेपो येथे व आजूबाजूच्या तसेच हस्तांतरन केंद्र या ठिकाणी परिसरात दुर्गंधीचा प्रादुर्भाव कमी करणेसाठी क्लोरोनॉन कोन्सट्रेट हे जंतुनाशक व दुर्गंधीनाशक औषध खरेदी करणे.

संदर्भ - १. निविदा क्रमांक - GeM Bid No—2023/ B/4327370 दि. 11/12/2023

२. मा. कार्यकारी अभियंता, मध्यवर्ती भांडार कार्यालय, पुणे मनपा यांचेकडील मान्य ठराव

क्र. --४५-- दिनांक १२/०२/२०२४

उपरोक्त विषयांस अनुसरून उरुळी फुरसुंगी कचरा डेपो येथे व आजूबाजूच्या तसेच हस्तांतरन केंद्र या ठिकाणी परिसरात दुर्गंधीचा प्रादुर्भाव कमी करणेसाठी क्लोरोनॉन कोन्सट्रेट हे जंतुनाशक व दुर्गंधीनाशक औषध खरेदी करणे. या कामी संदर्भित १ अन्वये GEM पोर्टल या संकेतस्थळावर राबविण्यात आलेल्या निविदेमधील अटी व शर्तीमधील अनु. क्र. १ ते १२ आपण मान्य केल्यानुसार व दिलेल्या मालाचे स्पेसिफिकेशन व दर या दोन्ही गोष्टींचा विचार करून मा. कार्यकारी अभियंता, मध्यवर्ती भांडार कार्यालय, पुणे मनपा यांनी संदर्भित २ चे ठरावान्वये उरुळी फुरसुंगी कचरा डेपो येथे व आजूबाजूच्या तसेच हस्तांतरन केंद्र या ठिकाणी परिसरात दुर्गंधीचा प्रादुर्भाव कमी करणेसाठी क्लोरोनॉन कोन्सट्रेट हे जंतुनाशक व दुर्गंधीनाशक औषध खरेदी करणे. हे काम मे. डिपल केमिकल & सर्विसेस प्रा.ली यांचेकडून पूर्वगणन पत्रक रक्कम रुपये - ९९८९९८.०० ला रक्कम रुपये - ८९८९७५/- (अक्षरी रक्कम रुपये- आठ लक्ष एकोत्रव्वद हजार नऊशे पंचाहत्तर रुपये मात्र सर्वकरांसह) पर्यंत खरेदी करणेस मान्यता दिलेली आहे.

कोष्टक

मे. डिपल केमिकल & सर्विसेस प्रा.ली

अ.क्र.	साहित्याचे नाव	स्पेसिफिकेशन	परिमाण	कामाची एकूण किंमत
१.	क्लोरोनॉन कोन्सट्रेट जंतुनाशक व दुर्गंधीनाशक औषध	क्लोरोनॉन कोन्सट्रेट हे जंतुनाशक व दुर्गंधीनाशक Efficacy against Virus - Percentage kills of 92.7808% (Tested as per ASTM E1052-20) Features - Non- Combustible, Non Flammable Efficacy against Bacteria - Kills 99.90 Bacteria within 30 seconds (Tested as per ASTM 2315) Shelf Life - 24 month Solubility in Water - Soluble Odour - Characteristic Efficacy against Virus - Percentage kills of 92.7808% (Tested as per ASTM E1052-20) Features - Non- Combustible, Non Flammable Specific Gravity at 30 deg - 1 Appearance - Clear Refractive Index at 30 deg - 1.39 Physical State - Liquid Colour - Yellow	५ लिटरचे (७७ कॅन)	८,९८,९७५/- (सर्व करांसह)

	Efficacy against Bacteria – Kill 99.999% Bacteria within 30 seconds (tested as per ASTM 2315) Generic Shelf Life - 24 month Purpose - Used to eliminate odours from garbage, compost, other extreme and surface cleaner Packaging Size - 5 liter Packaging Type - Can		
एकूण रक्कम रुपये			८,९८,९७५/-

खरेदीतील अटी व शर्तीनुसार करारनामा या विभागाच्या खातेप्रमुखांबरोबर करावयाचे असून, मसुदा तपासणी फी रक्कम रुपये २५००/- पुणे महानगरपालिकेच्या कोष कार्यालयामध्ये जमा करून मा.विधी सल्लागार या विभागाकडून करारनाम्याचा मसुदा घेवून रक्कम रुपये ५००/- च्या स्टॅम्प पेपरवर सदर मसुदयाप्रमाणे करारनामा करणेत यावा. खरेदीतील अटी व शर्तीनुसार सदर कायदेशि दिल्यानंतर पुगप रक्कम रुपये ९,९८,९९८/- चे ५% रक्कम रुपये ४९,९५०/- इतकी होत असून बयाणा रक्कम रुपये ९,९९०/- वजा जाता उर्वरित रक्कम रुपये ३९,९६०/- होत असून सदर कायदेशि दिल्यापासून १० दिवसाचे आत सदर रक्कम पुणे महानगरपालिकेच्या कोष कार्यालयामध्ये जमा करावी अन्यथा सदर रक्कम पहिल्या रनिंग बीलातुन कपात करणेत येईल.

सदर कायदेशि दिल्यापासून खात्याच्या सुचनेनुसार ३० दिवसाचे कालावधीमध्ये संपुर्ण माल निविदा स्पेशिफिकेशन व खात्याच्या मागणीनुसार व निविदेमधील अटी व शर्तीनुसार मालाचा पुरवठा करावयाचा असून जो नमुना या विभागाने मान्य केले आहे तोच माल आपणास या विभागाने केलेल्या सुचनेनुसार मालाचे वाहतुक स्व:खर्चने करावे लागणार आहे. जर तुमचा माल निविदेतील स्पेशिफिकेशन प्रमाणे नसेल तर तो माल नाकारण्याचा अधिकार उपआयुक्त, मध्यवर्ती भांडार कार्यालय, पुणे महानगरपालिका यांनी राखून ठेवलेला आहे.

कायदेशानुसार उपरोक्त वर्णनाप्रमाणे रक्कम रुपये - ८,९८,९७५/- पर्यंत उरुळी फुरसुंगी कचरा डेपो येथे व आजूबाजूच्या तसेच हस्तांतरन केंद्र या ठिकाणी परिसरात दुर्गंधीचा प्रादुर्भाव कमी करणेसाठी क्लोर्नॉन कोन्स्ट्रट हे जंतुनाशक व दुर्गंधीनाशक औषध खरेदी करून पुरवठा करावयाचे असून मध्यवर्ती भांडार कार्यालयाच्या सुचनेनुसार पुणे महानगरपालिकेच्या मध्यवर्ती भांडार कार्यालयाकडे अगर खात्याचे सुचनेनुसार सदर माल सुस्थितीत व निर्देशाप्रमाणे पुरवठा करून संबंधित अधिकाऱ्याकडून पोचपावती व बिल मध्यवर्ती भांडार कार्यालयाकडे वेळेत जमा केल्यास पुरवठा केलेल्या मालाचे बील वेळेत अदा करणे सोईचे होईल.

मा.कार्यकारी अभियंता(भांडार)मा.प्रशासन अधिकारी यांचे देखरेखीखाली सदर काम केले जाईल. मध्यवर्ती भांडार विभागाकडून वेळोवेळी लेखी दिलेल्या आदेशाप्रमाणे साहित्याचा (संख्या) पुरवठा करावा लागेल. त्या प्रमाणे पुरवठा कालावधीत मालाचा पुरवठा न झाल्यास उशिरा पुरवठा केलेल्या मालाच्या किमतीवर ०.५% म्हणजेच अर्धा टक्का प्रति आठवडयाप्रमाणे दंड आकारण्यात येईल. कळावे,


(गणेश सायनी)

उप आयुक्त
मध्यवर्ती भांडार विभाग
पुणे महानगरपालिका

- प्रत - १. मा.मुख्य लेखापरिक्षक, पुणे महानगरपालिका
 २. मा.मुख्य लेखा व वित्त अधिकारी, पुणे महानगरपालिका
 ३. मा.उप आयुक्त, घनकचरा व्यवस्थापन विभाग, पुणे महानगरपालिका
 ४. मा.कार्यकारी अभियंता(भांडार),पुणे महानगरपालिका
 ५. मा.प्रशासन अधिकारी, मध्यवर्ती भांडार कार्यालय, पुणे महानगरपालिका

यांजकडेस माहितीस्तव सादर...



भारत सरकार
GOVERNMENT OF INDIA
कैंटीन भंडार विभाग
CANTEEN STORES DEPARTMENT
रक्षा मंत्रालय
MINISTRY OF DEFENCE



दूरध्वनि Tel : 022 - 66382919
फैक्स Fax : 022-22083329
ई मेल E-Mail : demstor2and3@csdindia.gov.in

"अडेलफी", "ADELPHI",
119, महर्षि कर्वे रोड, 119, M.K RD,
मुंबई 400020, MUMBAI - 400020.

28 Oct 2021

Ref. No. 47GS/GP-II/7508-A/NI-191/2725
6/COSting/19502/395122
M/S Dimple Chemicals & Services Pvt Ltd
Gat No. 281, Village-Ghotawade,
Taluka- Mulshi, District-Pune
Maharashtra-412115

SUB: INTRODUCTION OF NEW ITEMS IN CSD RANGE

Sir,

- Reference your application No. 4719 dated 28-10-2020.
- We are pleased to inform you that your following products have been approved for listing in the CSD inventory range at the rate and terms as stated below:

Sr No	Index No.	Nomenclature	Case Pack	Rate & Terms		MRP	HSN Code	GST %
				Nett Rate per Unit	Nett Rate per Case			
(a)	27344-T	CLONON ALL PURPOSE CLEANER & ODOUR REMOVER -450 ML	12	172.34	2068.08	299.00	3402	18

Tax Structure: ii) GST extra as mentioned above.

Terms of Delivery : F.O.R. Destination (Door Delivery) CSD Area Depots.

Terms of Ordering : On HO Ordering Basis.

Barcode (a) 27344-8908013973002

Special Terms & Conditions, if any : Bank Guarantee valid for 3 years for an amount of Rs. 13,78,788.93 (including 18% GST) has to be submitted.

- Placement of initial and subsequent orders for above items is subject to acceptance of conditions referred to in the information Brochure, enclosed with the said application form No.4719 and that of terms and conditions of enlistment of items and purchase orders for supply of items to Canteen Stores Department issued vide MS Branch letter No.2/MS-13156-1174 dated 06 July 2021 which are as follows:-

Listing of Items

- The primary objective of CSD is to "Provide consumer goods of High Quality to the beneficiaries wherever they are at a price cheaper than the prevailing market rates. Accordingly, items are introduced / listed in CSD inventory range based on popularity and quality. The terms and conditions as mentioned in the introduction form are applicable for all suppliers.

- Any Firm dealing with CSD should either be a manufacturer or brand owner or all India sole selling agent for both CSD and Civil Trade.

Purchase Orders

- All Purchase Orders placed by General Manager CSD, or Officers authorized by General Manager, CSD are placed on behalf of the President of India.

Initial of OIC/DGM (GS-II&III)

**MUNICIPAL CORPORATION OF GREATER MUMBAI
PURCHASE AGAINST RATE CIRCULAR**

Vendor Address & Code	16138
DIMPLE CHEMICALS AND SERVICES PVT LTD PUNE GATE NO.281, HINJAWADI PIRANGUT ROAD VILLAGE GHOTWADE PUNE 412115 Tel: 888855400	

Delivery Address/Storage Loc	1001/0014
Office of Ch Eng (SWM) C S Market Bldg 4th floor M A Road Mumbai 400001	

Vendor PAN	AADCD0413G
Vendor GSTIN	27AADCD0413G1Z7
UIN	
Place of Supply	MAHARASHTRA (27)
Registered Yes	
Reverse Charge	Yes/No

PO No	4500712531
PO Date	27.10.2021
PO Currency	INR
Ref Contract No	
Sanction No	
MCGM GSTIN	27AAALM0042L3Z4
Incoterm	

Header Text:

Supply of Clonon Odour remover sprays bottles & Cans for Ch.Eng. (SWM)'s office at Khatav market building.

Ch.E./6713/SWM dt.27.10.2021


PARTICULARS

PARTICULARS					
Item	Material/Description	UOM	Quantity	Unit Price	Amount
00001	Sup of clonon spraya bottles n Cans fr	AU	1,000	33,309.12 /1 AU	33,309.12
Delivery Date :		30.10.2021			
SAC Code :					
The Item covers the following Services					
10	450ml Clonon Spray Bottle	NOS	48.000	228.05	10,946.40
20	5 Ltr Clonon Can	NCS	12.000	1,863.56	22,362.72
CHARGES					
BASIC PRICE				PERCENTAGE	Amount
CGST				9.00	33,309.12
SGST				9.00	2,997.82
Total Purchase Order Value:-INR39,304.75					2,997.82
Order Value(in Words) :- RUPEES THIRTY NINE THOUSAND THREE HUNDRED FOUR AND SEVENTY SIX PAISE only					

MUNICIPAL CORPORATION OF GREATER MUMBAI

PO No: 4500712531

Authorised Signatory


Executive Engineer (P)
Solid Waste Management

1. Our Purchase Order No. must appear on all Invoice & correspondence.
2. Your Sales Tax Registration Details should be mentioned on all Documents.
3. Kindly submit Invoices in Duplicate alongwith Supplies.
4. This Purchase Order is subject to Terms & Conditions mentioned overleaf.

Received

M. L. Ind. Atre

PO digitally not
signed



UserName:
Designation: