

OPTIMIZATION & INCREASING EFFICIENCY

OF

POINTS MEN & GATE MEN STAFF WORKING UNDER TI/BME, TI/MBNL & TI/SMR

OF

OPERATING DEPARTMENT

OF

JODHPUR DIVISION

(G/HQ/WS/463/06/Optg./JU/2018-19)

GUIDED BY STUDIED BY

P. K. MALIK	1	KAMLESH KUMAR MEENA	CWSI-JP
Sr. ADGM & AWSO/NWR/JP	2	PRAKASH GURNANI	WSI-JP
	3	RAJENDRA SINGH KHIRIA	WSI-JP



WORK STUDY ORGANIZATION NORTH WESTERN RAILWAY JAIPUR

EXECUTIVE SUMMARY

Sr. No.	06
Study No.	G/HQ/WS/463/06/Optg./JU/2018-19
Subject	Optimization and increasing efficiency of Points Men & Gate Men working under TI/BME, TI/MBNL & TI/SMR of Operating department over Jodhpur Division.
Area	Jodhpur division
Division	Jodhpur
Department	Operating
Terms of Reference	Assessment of Man Power requirement
Present Cadre	Sanctioned Staff = 231 On Roll Staff = 172 Vacancies = 59
Proposed Cadre	215
Projected Surplus Man Power	16
Total No. of Recommendations	03
Financial Implication	Rs. 78.37 Lac per annum
Month of Circulation	Sep, 2018

INDEX

Chapter No.	Contents	Page No. From -To
1.	Introduction	4
2.	Acknowledgement	5
3.	Policy regarding elimination of unmanned level crossing.	6-9
4.	Cadre and Duty of staff	10-11
5.	Deployment & Critical Analysis	12-20
6.	Observation & Recommendations	21
7.	Meeting at officer's Level	22
8.	Summary of identified Surplus Posts	23-24
9.	Summary of Recommendations	25
10.	Financial Implications	26

INTRODUCTION

Indian Railways is one of the largest government organizations and transports passengers as well as goods traffic from one place to another with a desired level of safety, security and punctuality. Being a commercial organization, it plays a vital role in Indian economy. On the other way, it is the backbone of national economy. For facing the tough competition with other modes of transport, it is essential to increase the productivity by optimum utilization of existing resources. Now, modernization, advancement in technology and computerization have been absorbed in every sphere by Railways.

It has been noticed by the Work Study Team that modernization, advancement in technology and computerization have been absorbed in every sphere of the Railways but we could not get the ultimate results yet. So, if we want to use, the optimum utilization of our men power and other resources, we have to adopt the following ways to achieve our objectives:-

- Continuous improvement through constant monitoring and upgrading process.
- Effective reductions in unnecessary expenditure.
- Make effective and in proper absolute manner to available equipments, techniques and policies.
- Improving Human Resource and mechanisms like annual assessment, training etc.
- Optimum utilization of man power by using Multi-skilling, closure of duplicate activities and adopt bench marking in key activities.

Keeping all above factors in view, SDGM has ordered a work study on review of staff strength of Points Men and Gatemen working under TI/BME, TI/MBNL and TI/SMR of operating department of Jodhpur division.

ACKNOWLEDGEMENT

2.1 The success and final outcome of this report required a lot of guidance and assistance from many officials and we are extremely fortunate to have got this all along the completion of the Work Study Report. Whatever we have done is only due to such guidance and assistance and we would not forget to thank them. We respect and thank Shri Vijay Singh Meena, Sr. DOM/JU and Shri, Jai Prakash, DOM/JU for giving us an opportunity to do prepare the Work Study Report on time, we are extremely grateful to them for providing such a thoughtful guidance and support.

We are really grateful because we manage to complete this report within the stipulated time. This Work Study Report could not be completed without the efforts and extended cooperation from coordinator of the department Shri Dinesh Mallik, DTI (MPP) and his team. Last but not the least; we would like to express our gratitude to all the staff concern for support and willingness to spend some time with us.

2.2 Terms of Reference:-

This study has been conducted under the following terms of reference:-

- i. Revision of the cadre on the basis of existing workload after introduction of new technology in train operating system.
- ii. Suggesting the ways and means for improving the system economically and efficiently.

2.1 Methodology Adopted:-

The following techniques of method study as well as work measurement have been applied to conduct the study:-

- i) Data collection and its critical analysis to arrive on factual status of present working.
- ii) Discussion with officers & subordinates at various levels with a view to produce fruitful results.
- iii) Sample checks and on spot observations.

2.2 Field units visited:-

The following field units have been visited by Work Study Team during the course of work study:- DRM Office/JU, PRU - BBC, BK - JNZ & SUT - MBGA sections.

GOVERNMENT OF INDIA MINISTRY OF RAILWAYS (RAILWAY BOARD)

No. 2017/CE-IV/LX/100 (Committee)

New Delhi, Dated: 25.07.2018

General Manager All Zonal Railways

Sub: Elimination of Unmanned Level Crossings.

Ref: This office of even letter dated 29.05.18 & 26.06.18.

In continuation of this office letters referred above, it is to inform that some zonal railways represented regarding use of Retired Track Maintainer/Gatemen/Keymen/Gang Mate and home guards as gateman. Issue has been considered by Railway Board and following decision has been taken:

- (i) First preference for deputing a person to work as Gateman should be regular Railway Employee with competency certificate.
- (ii) To mitigate the problem of Shortage/Vacancy, engagement of exservice men on contract was allowed.
- (iii) On the same line, GM's can also engage Retired track maintainer/gatemen to deploy as Gateman on need basis as per extract instructions for re employment of retired personnel.

This has approval of Board (CRB and ME).

(Subodh Kumar) Director CE/B&S-II Railway Board

GOVERNMENT OF INDIA MINISTRY OF RAILWAYS (RAILWAY BOARD)

No. 2017/CE-IV/LX/100 (Committee)

New Delhi dated: 26.06.2018

General Managers, All Zonal Railways.

Sub: Elimination of Unmanned Level Crossings.

Ref: Board's letter of even number dated 29.05.2018.

 With reference above, some of the Zonal Railways have sought clarification on deployment of ex-servicemen, ex-home guards and act-apprentices on hiring/contract basis at manned LCs -

It has been decided that General Manger of Zonal Railways, on need basis, may deploy ex-servicemen on contract basis by executing proper contract agreement as per section 197(2) of the Railway Act as a considered decision with due diligence based on training and competency to man the level crossing gates. Safety of train operation has to be ensured at all times.

- Operation of level crossing through mobile gateman in one train only system sections/Rail Bus route/one/two pair of trains etc -This is agreed subject to observation of provisions in GR/SR.
- It is further reiterated that GMs of Zonal Railway are fully empowered to take decision in connection with elimination of UMLC such as tendering system, grant traffic blocks, speed restrictions, sanction of works, technical decisions regarding manning and interlocking, etc.

This has approval of Board (CRB, ME, MS)

(Subodh Kumar) Director CE(B&S)-II

GOVERNMENT OF INDIA MINISTRY OF RAILWAYS (RAILWAY BOARD)

No.2017/CE-IV/LX/100 (Committee)

New Delhi, Dated: 29.05.2018

General Manager All Zonal Railways

Sub: Elimination of Unmanned Level Crossings.

In view of recent accident at unmanned level crossing, Hon'ble MR had directed to eliminate all the UMLCs by September'2018. GMs of Zonal Railways have raised certain issues/constraints, which have been examined and decided as below:

- GMs are fully empowered to take decision in connection with elimination of UMLC such as tendering system, grant traffic blocks, speed restriction, sanction of work, technical decisions regarding manning and interlocking, etc. No case of any nature should come to Board for decision.
- 2. Total MLC gates should not be more than ten (interlocked / non-interlocked) in a block section or controlled by a station. However, total number of non interlocked manned level crossings in a block section should be limited to five. GM of Zonal Railways can, however, as exception take a well reasoned decision on the number of LCs duly considering various aspects of safety and train operations.
- 3. Manning of unmanned level crossings should be done as per manual as below:
 - a. Manning can be done with Leaf gate/chain barrier till regular lifting boom barrier, road, fencing etc. as per manual provision.
 - b. Till proper gate lodge will be constructed, porta cabin can be used.
 - c. Only proper communication should be ensured for manning. Zonal Railway will examine the availability of quad cable in the section for manning as use of cellular phones can have connectivity issues leading to operational problems.
 - d. Electricity on level crossing gates can also be provided through solar lights.
- Manpower for manning of UMLCs
 - a. Only permanent trackmen should be deployed as gatekeeper and additional manpower should be arranged by hiring Retired trackmen/gatekeepers, ex-servicemen/home guards to substitute the work of trackmen or their gang activities can be outsourced. However, non permanent staff can only be deputed at interlocked gates protected by signal in case of non availability of permanent staff. For re-engagement, only laid down procedure should be followed.
 - b. Validity of RRC panels of erstwhile Group D staff is being extended.
 - c. Recruitment of Course Completed Act Apprentices is not permitted.

- 5. Earlier policy guideline for interlocking of level crossings specifying the TVU criteria exists. However, keeping in view the fact that interlocking enhances safety to a large extent and Railway is extremely concerned about safety, the earlier stipulation regarding TVU for interlocking are being withdrawn and GMs are being fully empowered to decide on interlocking of LC gates (regardless of TVU) based on their assessments of various aspects of train operations.
- Second ASM can be provided for doing commercial and miscellaneous duties so that the ASM on line-clear duty can fully concentrate on ensuring safe train operations.
- Additional expenditure will have to be made for manning UMLCs as an interim measure where LHSs will be constructed at later stage. GM can sanction works within their power.

The overall target for elimination of UMLCs remains September'2018. However, issues, if any, that emerge with respect to elimination of unmanned level crossings by the target date in light of the above instructions; alongwith the plan to eliminate UMLCs on the Zonal Railways should be submitted by 15.06.2018. Doubts/clarifications, if any, may be sought only from PED/Bridge.

This issues with approval of Board (CRB),

(Piyush Agarwal)

Principal Executive Director/Bridge

Railway Board

Copy for kind information: CRB, FC, ME, MT, MTR, MS DG(S&T) PED/Safety

4.0 Cadre Position and Duties of Staff:

4.1 Cadre Position of Points men and Gatemen under TI/BME, TI/MBNL & TI/SMR:

Sr.	Station	San	ctioned S	Strength		On Ro	11	Va	cancies/E	Excess
No.		PM 'A'	PM'B'	Gateman	PM 'A'	PM'B'	Gateman	PM 'A'	PM'B'	Gateman
		(1900)	(1800)	(1800)	(1900)	(1800)	(1800)	(1900)	(1800)	(1800)
	TI/BME									
1.	(MDB-	57	10	08	41	06	09	16	04	-1
	STSN)									
	TI/MBNL									
2.	(PLC-	60	05	12	28	19	07	32	-14	05
	JSM)									
	TI/SMR									
3.	(SUT-	66	05	08	33	21	08	33	-16	0
	MBGA)									
	Total	183	20	28	102	46	24	81	-26	4

4.2 Duty List of operating staff:

Duties of all concern operating staff as described in the operating manual are as under:

4.2.1 Duties of Points man/Shunt man:

- i) He shall obey all lawful orders of the ASM on duty or official in-charge supervising the shunting during the course of shunting operations including coupling or uncoupling of vehicles of wagons. Fixing rubber washers, closing wagon doors, displaying hand signals etc.
- ii) He shall exhibit danger signal to the official supervising the shunting should the crossing be fouled during the shunting operation.
- iii) He shall pilot the trains in case of abnormal working and when ordered by the SM on duty.
- iv) He shall be in proper neat and clean uniform while on duty.
- v) He shall come on duty after taking complete rest and shall not perform duty under the influence of liquor, drugs, or intoxicants.
- vi) Neither shall he absent himself from duty nor shall he exchange his duty without prior permission of his superiors.
- vii) He shall not leave his duty unless properly relieved or authorized by his superiors.
- viii) He shall set the points properly in non-interlocked yard and man them for all shunting movements and shall not interfere with the points while the vehicles are standing and, or passing over them.
- ix) He shall be responsible to see that fouling marks are kept clear after completion of shunting.
- x) He shall always commence his duty equipped with hand signal lamps during night and flags during day.

- xi) He shall verify the correct setting of route before delivering required papers to the loco pilot either through taking 'OFF' the relevant shunt signal or by personal observation.
- xii) In case of track failure he shall assist the SM to ascertain the clearance of line.
- xiii) He shall be responsible for lighting up of the indicators in the evening and putting out in the morning time fixed by DRM office and ensuring that these are burn brightly at night.
- xiv) He shall be responsible for cleaning and oiling the burners and trimming wicks during day time under the supervision of Station Manger/Deputy Station Manager.

4.2.2 Duties of Gate man:

- i) He shall be responsible for proper operation of the gate as per SWRs for the passage of trains.
- ii) He shall ensure that no train suffers any detention on account of late closing of the gate.
- iii) He shall keep the channels of check-rails clean and shall clean the road within the railway limits and water the area regularly.
- iv) He shall clean the gate lamps and hand signal lamps daily. He shall ensure that the wicks of the burners are trimmed so that these are lighted properly and kept burning continuously from sun set to sunrise.
- v) He shall keep the surroundings of his gate lodge clean tidy and neatly planted with shrubs, plants etc.
- vi) He shall remain alert on duty till properly relieved. If he is required to leave the gate in an emergency he shall close and lock the gate booms against the road traffic before leaving the gate.
- vii) He shall ensure that the equipment at L-xing are complete and in working orders.
- viii) He shall produce the public complaint book when required by public for lodging complaint and to the railway officials for inspection.
- ix) He shall ensure that road traffic is not unnecessarily held up at the gate.
- x) He shall stand in attention near the gate lodge facing the track and be prepared to repeat any signal which the guard may intend to convey to the loco pilot or show caution or danger signal should anything appear to be wrong with the train itself as it passes.
- xi) He shall be polite and courteous in his behaviour towards the public.
- xii) He shall report any defect in the gate to the ASM on duty without delay.
- xiii) He shall close the gate on sighting a train or when ordered by the ASM on panel duty.
- xiv) He shall attract the attention of the loco pilots and guards by shouting and gesticulating instead of showing danger signal in case of tram parting. xv) He shall obey all lawful orders of the SM on duty.
- xv) In case of any obstruction, accident or damage to the gates, he shall protect the gate/obstruction as per instructions and rules in force.

CHAPTER 5

- 5.0 Section-wise deployment, workload and critical analysis:
- 5.1 STAFF UNDER TI/BME (Section from PRU to BBC):

Sr. No.	Station		nctio treng		C	n Ro	oll	V	acano	cies	Roster	LC No.	Status of LC	Deployment	Prop. Cadre	Identified Surplus	Critical Analysis
				Gate man		PM 'B'	Gate man		PM 'B'	Gate man			(Along with TVUs)				
1	PRU	5	1	0	3	1	0	2	0	0	EI	C-274	Open to Road Traffic	01 Points Man at station and 01 Gate Man at L-Xing in each shift are deputed and 01 Points man is being used as RG	5	1	01 Points Man has been considered surplus
2	JNE	4	0	1	2	0	1	2	0	0	EI	C-284	Open to Road Traffic	01 Points Man at station and 01 Gate Man at L-Xing in each shift are deputed and 01 Points man is being used as RG	5	0	Justified
3	BLT	5	0	4	3	0	4	2	0	0	EI	C-292 /293	Open to Road Traffic	01 Points Man at station and 01+01 Gate Men at L-Xing in each shift are deputed and 02 Points man is being used as RG/LR. 01 Points man is used as LR/RG for TWL station	9	0	Justified
4	TWL	2	0	0	2	0	0	0	0	0	EI	Nil	NA	01 Points Man at station in each shift are deputed.LR/RG managed from BLT station.	2	0	Justified

Sr. No.	Station		nctio		C	n Ro	oll	Va	acano	cies	Roster	LC No.	Status of LC	Deployment	Prop. Cadre	Identified Surplus	Critical Analysis
		PM 'A'		Gate man	PM 'A'		Gate man	PM 'A'	PM 'B'	Gate man			(Along with TVUs)				
5	GOLE	4	1	0	1	1	0	3	0	0	EI	C-307		01 Points Man at station and 01 Gate Man at L-Xing in each shift are deputed and 01 Points man is being used as RG/LR.	5	0	Justified
6	BMQ	2	0	0	2	0	0	0	0	0	EI	Nil	NA	01 Points Man at station in each shift are deputed. LR/RG managed from BUT station.	2	0	Justified
7	BUT	6	0	0	3	1	0	3	-1	0	EI	C-314	Open to Road Traffic	01 Points Man at station and 01 Gate Man at L-Xing in each shift are deputed and 02 Points man is being used as RG/LR.	6	0	Justified
8	BSDA	2	0	0	2	0	0	0	0	0	EI	Nil	NA	01 Points Man at station in each shift are deputed.LR/RG managed from KVA station.	2	0	Justified
9	KVA	5	1	0	4	1	0	1	0	0	EI	C-319	Open to Road Traffic	01 Points Man at station and 01 Gate Man at L-Xing in each shift are deputed and 02 Points man is being used as RG/LR.	6	0	Justified
10	UTL	4	1	0	2	2	0	2	-1	0	EI	C-322	Open to Road Traffic	01 Points Man at station and 01 Gate Man at L-Xing in each shift are deputed and 01 Points man is being used as RG/LR.	5	0	Justified

Sr. No.	Station		nctio treng		C	n Ro	oll	Va	acano	cies	Roster	LC No.	Status of LC	Deployment	Prop. Cadre	Identified Surplus	Critical Analysis
		PM 'A'		Gate man			Gate man		PM 'B'	Gate man			(Along with TVUs)				
11	BME	8	2	3	8	0	4	0	2	-1	EI (10 hrs. roster of GM)	C-326 /327		02 Points Man at station and 01+01 Gate Men at L-Xing in each shift are deputed and 04 Points man is being used as RG/LR. 01 additional post of Points man is being utilized to give rest and leave in BME-MBF section.	13	0	Justified
12	JSA	4	1	0	3	0	0	1	1	0	EI	C-331A		01 Points Man at station and 01 Gate Man at L-Xing in each shift are deputed and 01 Points man is being used as RG/LR.	5	0	Justified
13	ВВС	2	1	0	2	0	0	0	1	0	EI	Nil	NA	01 Points Man at station in each shift are deputed.LR/RG managed from BME station.	2	1	01 Point Man Has been considered surplus.
14	GDD	2	1	0	3	0	0	-1	1	0	EI	Nil	NA	01 Points Man at station in each shift are deputed and 01 Points man is being used as RG/LR.	3	0	Justified
15	MBF	2	1	0	1	0	0	1	1	0	EI	Nil	NA	01 Points Man at station in each shift are deputed and 01 Points man is being used as RG/LR.	3	0	Justified
]	Γotal	57	10	8	41	6	9	16	4	-1					73	2	

5.2 STAFF UNDER TI/MBNL (Section from BK to JNZ):

Sr. No.	Station		nction		C	n Ro	oll	Va	acano	cies	Roster	LC No.	of LC	Deployment	Prop. Cadre	Identified Surplus	Critical Analysis
		PM 'A'		Gate man	PM 'A'		Gate man	PM 'A'		Gate man			(As per TVUs)				
1	ВК	4	1	1	2	2	1	2	-1	0	EI	C-67	Open to Road Traffic	01 Points Man at station and 01 Gate Man at L-Xing in each shift are deputed and 01 Points man is being used as RG/LR.	5	1	01 Points Man has been considered surplus.
2	MON	6	0	0	3	1	0	3	-1	0	EI	C-72	Open to Road Traffic	01 Points Man at station and 01 Gate Man at L-Xing in each shift are deputed and 01 Points man is being used as RG/LR. 01 additional post of Points Man is hold for LR/RG from BK to LDM.	6	0	Justified.
3	BIPR	6	0	0	1	3	0	5	-3	0	EI	C-80	Open to Road Traffic	01 Points Man at station and 01 Gate Man at L-Xing in each shift are deputed and 01 Points man is being used as RG/LR.	5	1	01 Points Man has been considered surplus.
4	LDM	4	1	1	2	2	1	2	-1	0	EI		Open to Road Traffic	01 Points Man at station and 01 Gate Man at L-Xing in each shift are deputed and 01 Points man is being used as RG/LR.	5	1	01 Points Man has been considered surplus.

Sr. No.	Station		nctio		C	n Ro	oll	Va	acano	cies	Roster	LC No.	Status of LC	Deployment	Prop. Cadre	Identified Surplus	Critical Analysis
		PM 'A'		Gate man	PM 'A'		Gate man	PM 'A'		Gate man			(As per TVUs)				
5	MBN L	6	0	2	6	0	2	0	0	0	EI	A-90/ C-93	Open to Road Traffic	01 Points Man at station and 01 +01 Gate Man at L-Xing in each shift are deputed and 02 Points man is being used as RG/LR.	8	0	Justified.
6	KOF	4	1	1	3	0	1	1	1	0	EI	C-100	Open to Road Traffic	01 Points Man at station and 01 Gate Man at L-Xing in each shift are deputed and 01 Points man is being used as RG/LR.	5	1	01 Points Man has been considered surplus.
7	MBW	6	0	0	1	3	0	5	-3	0	EI	C-108	Open to Road Traffic	01 Points Man at station and 01 Gate Man at L-Xing in each shift are deputed and 01 Points man is being used as RG/LR.	5	1	01 Points Man has been considered surplus.
8	RNV	4	0	4	2	1	2	2	-1	2	EI	C-113 /114	Open to Road Traffic	01 Points Man at station and 01 +01 Gate Man at L-Xing in each shift are deputed and 02 Points man is being used as RG/LR.	8	0	Justified.
9	MSQ	3	0	0	1	1	0	2	-1	0	EI	Nil	NA	01 Points Man at station in each shift are deputed and 01 Points man is being used as RG/LR.	3	0	Justified.

Sr. No.	Station		nction reng		C	n Ro	oll	Va	acanc	cies	Roster	LC No.	Status of LC	Deployment	Prop. Cadre	Identified Surplus	Critical Analysis
		PM 'A'		Gate man			Gate man		l l	Gate man			(As per TVUs)				
10	JARI	6	1	1	1	3	0	5	-2	1	EI	C-126 / 127		01 Points Man at station and 01 Gateman at L-Xing in each shift are deputed and 01 Points man is being used as RG/LR. 01 Points Man will be utilized as LR/RG for section. L-xing is low TVU of 36 and already proposed to close.	6	2	02 Points Man have been considered surplus.
11	DQN	3	0	0	1	1	0	2	-1	0	EI	Nil	NA	01 Points Man at station in each shift are deputed and 01 Points man is being used as RG/LR.	3	0	Justified.
12	RXN	5	1	2	2	2	0	3	-1	2	EI	C-144	Open to Road Traffic	01 Points Man at station and 01 Gate Man at L-Xing in each shift are deputed and 02 Points man is being used as RG/LR.	6	2	02 Points Man have been considered surplus.
13	JNZ	3	0	0	3	0	0	0	0	0	EI	Nil	NA	01 Points Man at station in each shift are deputed and 01 Points man is being used as RG/LR.	3	0	Justified.
7	Total	60	5	12	28	19	7	32	-14	5					68	9	

5.3 STAFF UNDER TI/SMR (Section from SUT to MBGA):

Sr. No.			nction		C)n R	oll	Va	acano	ries	Roster	LC No.	of LC	Deployment	Prop. Cadre	Identified Surplus	Critical Analysis
		PM 'A'		Gate man			Gate man			Gate man			(Along with TVUs)				
1	SUT	6	0	0	2	2	0	4	-2	0	EI	C-227	Open to Road Traffic	01 Points Man at station and 01 Gate Man at L-Xing in each shift are deputed and 01 Points man is being used as LR/RG.	5	1	01 Points Man has been considered surplus.
2	DUK	5	0	0	4	0	0	1	0	0	EI	C-230 /231	Open to Road Traffic	01 Points Man at station and 01 Gate Man at L-Xing in each shift are deputed and 01 Points man is being used as LR/RG.	5	0	Justified
3	DOR	7	0	0	1	4	0	6	-4	0	EI	C-238 /239	Open to Road Traffic	01 Points Man at station and 01 Gate Man at L-Xing in each shift are deputed and 02 Points men are being used as LR/RG.	7	0	Justified
4	AJT	7	0	0	2	3	0	5	-3	0	EI	C-255 /256	Open to Road Traffic	01 Points Man at station and 01 Gate Man at L-Xing in each shift are deputed and 02 Points men are being used as LR/RG.	7	0	Justified

Sr. No.	Station		nctio treng		C	n Ro	oll	Va	acano	cies	Roster	LC No.	of LC	Deployment	Prop. Cadre	Identified Surplus	Critical Analysis
		PM 'A'		Gate man	PM 'A'		Gate man	PM 'A'	PM 'B'	Gate man			(Along with TVUs)				
5	SMR	10	0	2	7	0	2	3	0	0	C/EI (10 hrs. roste r at Gate)	C-263	Open to Road Traffic	02 Points Man at station and 01 Gate Man at L-Xing in each shift are deputed and 03 Points men are being used as LR/RG.	12	0	Justified
6	BMS N	2	1	0	3	0	0	-1	1	0	EI	Nil	NA	01 Points Man at station and 01 Gate Man at L-Xing in each shift are deputed and 01 Points man is being used as LR/RG.	3	0	Justified
7	RHI	3	1	2	1	1	2	2	0	0	EI	C-10	Open to Road Traffic	01 Points Man at station and 01 Gate Man at L-Xing in each shift are deputed and 01 Points man is being used as LR/RG.	5	1	01 Points Man has been considered surplus.
8	MKS R	3	0	0	3	0	0	0	0	0	EI	Nil	NA	01 Points Man at station in each shift are deputed and 01 Points man is being used as LR/RG at MKSR as well at RHI	3	0	Justified
9	BAW A	4	1	1	0	4	1	4	-3	0	EI	C-28	Open to Road Traffic	01 Points Man at station and 01 Gate Man at L-Xing in each shift are deputed and 01 Points man is being used as LR/RG.	5	1	01 Points Man has been considered surplus.

Sr. No.	Station	Sanctioned Strength					On Roll		On Roll		On Roll		acanc	cies	Roster	LC No.	of LC	Deployment	Prop. Cadre	Identified Surplus	Critical Analysis
		PM 'A'		Gate man	PM 'A'	PM 'B'	Gate man			Gate man			(Along with TVUs)								
10	BISH	6	0	0	3	2	0	3	-2	0	EI	C-32	Open to Road Traffic	01 Points Man at station and 01 Gate Man at L-Xing in each shift are deputed and 01 Points man is being used as LR/RG.	5	1	01 Points Man has been considered surplus.				
11	JOR	6	0	0	2	3	0	4	-3	0	EI	C-45	Open to Road Traffic	01 Points Man at station and 01 Gate Man at L-Xing in each shift are deputed and 02 Points man are being used as LR/RG at BISH between BAWA to JOR	6	0	Justified				
12	JNX	3	1	2	3	1	2	0	0	0	EI (10 hrs. duty	C-54	Open to Road Traffic	01 Points Man at station and 01 Gate Man at L-Xing in each shift are deputed and 02 Points Man are being used as LR/RG.	6	0	Justified				
13	MBG A	4	1	1	2	1	1	2	0	0	EI	C-56	Open to Road Traffic	01 Points Man at station and 01 Gate Man at L-Xing in each shift are deputed and 01 Points man is being used as LR/RG.	5	1	01 Points Man has been considered surplus.				
7	Total	66	5	8	33	21	8	33	-16	0					74	5					

6.0 Summary of Projected Surplus Posts of Points Men & Gatemen:

6.1 STAFF UNDER TI/BME (Section from PRU to BBC):

Sr.	Station	Sanctioned	On Roll	Vacancies	Proposed Cadre	Identified Surplus
No.		Cadre	Staff			
1	PRU	6	4	2	5	1
2	JNE	5	3	2	5	0
3	BLT	9	7	2	9	0
4	TWL	2	2	0	2	0
5	GOLE	5	2	3	5	0
6	BMQ	2	2	0	2	0
7	BUT	6	4	2	6	0
8	BSDA	2	2	0	2	0
9	KVA	6	5	1	6	0
10	UTL	5	4	1	5	0
11	BME	13	12	1	13	0
12	JSA	5	3	2	5	0
13	BBC	3	2	1	2	1
14	GDD	3	3	0	3	0
15	MBF	3	1	2	3	0
Total	·	75	56	19	73	2

6.2 STAFF UNDER TI/MBNL (Section from BK to JNZ):

Sr. No.	Station	Sanctioned Cadre	On Roll Staff	Vacancies	Proposed Cadre	Identified Surplus
1	ВК	6	5	1	5	1
2	MON	6	4	2	6	0
3	BIPR	6	4	2	5	1
4	LDM	6	5	1	5	1
5	MBNL	8	8	0	8	0
6	KOF	6	4	2	5	1
7	MBW	6	4	2	5	1
8	RNV	8	5	3	8	0
9	MSQ	3	2	1	3	0
10	JARI	8	4	4	6	2
11	DQN	3	2	1	3	0
12	RXN	8	4	4	6	2
13	JNZ	3	3	0	3	0
	Total	77	54	23	68	9

6.3 STAFF UNDER TI/SMR (Section from BK to JNZ):

Sr.	Station	Sanctioned	On Roll	Vacancies	Proposed Cadre	Identified Surplus
No.		Cadre	Staff			
1	SUT	6	4	2	5	1
2	DUK	5	4	1	5	0
3	DOR	7	5	2	7	0
4	AJT	7	5	2	7	0
5	SMR	12	9	3	12	0
6	BMSN	3	3	0	3	0
7	RHI	6	4	2	5	1
8	MKSR	3	3	0	3	0
9	BAWA	6	5	1	5	1
10	BISH	6	5	1	5	1
11	JOR	6	5	1	6	0
12	JNX	6	6	0	6	0
13	MBGA	6	4	2	5	1
Total		79	62	17	74	5

6.4 Summary of Sections

Name of Section	Sanctioned Cadre	On Roll Staff	Vacancies	Proposed Cadre	Identified Surplus
TI/BME (Section from PRU to BBC)	75	56	19	73	2
TI/MBNL (Section from BK to JNZ)	77	54	23	68	9
TI/SMR (Section from SUT to MBGA)	79	62	17	74	5
Total	231	172	59	215	16

CHAPTER 7 OBSERVATION & RECOMMENDATION

7.0 In a continuous process of modernization of the equipment to reduce the manual efforts. Immense advancement has been taken place in the train operation technology. Modernization of the yard through interlocking and introduction of advance version in signaling system has changed the whole scenario and succeeded to reduce the manual efforts drastically. Elimination of level crossing by introducing RUBs and ROBs has further extended the efficiencies and safety to the train operation. In view of these drastic changes in the field of train operation, an immediate need to review the staff strength was felt, so as to man power can be used at its optimum output and surplus manpower shall be identified. In the Work Study Report, data regarding technology changes made in train operation system and existing sanctioned man power taken in to consideration and on the basis of critical analysis of these data as well on the basis of field observations following recommendations are being purposed:

7.1 Recommendations No.1:

Total 16 posts of Points Man/Gate Man found surplus.

- 7.1.1 Against total existing cadre of **75 Points Man/Gate Man**, total **73 Points Man/Gate Man** considered sufficient to meet out with workload of PRU-BBC section and **02 Points Man/ Gateman** have been considered surplus in the cadre.
- 7.1.2 Against total existing cadre of 77Points Man/Gate Man, total 68 Points Man/Gate Man considered sufficient to meet out with workload of BK to JNZ section and 09 Points Man/ Gateman have been considered surplus in the cadre.
- 7.1.3 Against total existing cadre of **79 Points Man/Gate Man**, total **74 Points Man/Gate Man** considered sufficient to meet out with workload of **SUT to MBGA** section and **05 Points Man/ Gateman** have been considered surplus in the cadre.

7.2 Recommendation No. 02:

Revised policy regarding eliminating Unmanned Level Crossing has created a need to fulfill the existing vacancies of Gateman as "Retired staff like- Track maintainer, Key man, Gateman, Gang mate and home guard will be re-engaged as per Railway Board's letter no. 2017/CE-IV/LX/100 (Committee); dated-25.07.2018."

The Engineering department of the Jodhpur division has already made such contract with Rajasthan Ex-Servicemen Corporation Limited, Jaipur, thus it is recommended that the Operating Department also to meet out with the vacancies in the cadre of Gatemen may engage Ex-Servicemen through such contract, to ensure manning of all the Level Crossings under Operating department.

7.3 Recommendation No. 03:

There is immense need of developing multi-skilling in the staff performing similar nature of Job, so as to the limitations of using this man-power can be extended. In view of this the possibility for merging of cadre of Points Man and Gate Man shall be explored.

Minutes of meeting held in Chamber of Sr. DOM on 17/18.09.2018

Subject: Optimization and increasing efficiency of Points Man and Gate Mane staff working under TI/BME, TI/MBNL and TI/SMR of Jodhpur division.

Ref: Draft work study report no. G/HQ/WS/463/04/Optg./JU/2018-19

- The work study report was briefed to the Sr. DOM/JU with recommendations.
- Total sanctioned strength of Points Man and Gate Man staff working with these is 231 and on roll staff is 172, thus effective existing vacancies in these cadres are 59.
- 3. After introduction of upgraded technology like colour light signaling and penal interlocking, manual efforts in the operation of trains have been reduced drastically.
- 4. After critical analysis of the data provided by the coordinator and field observation it has been recommended in the work study report that to meet out with the revised workload 215 staff will be sufficient and 16 posts has been considered surplus.
- 5. After discussion recommendation Sr. DOM/JU agreed with recommendations of the work study report and informed that they will utilized the money value received as result of surrender for creation of the posts of Assistant Station Master, proposal of which has already send and is pending in absence of the money value.

Coordinator:

1. Shri Dinesh Mallik, TI (MPP)/JU.

Work Study Team:

1. Shri Kamlesh Kumar Meena, CWSI/HQ/NWR/JP

2. Shri Rajendra Singh Khiria, WSI/HQ/NWR/JP/

3. Shri Prakash Gurnani, WSI/HQ/NWR/JP

∠TT	V DA	מידים	Λ
- CH	API	ΓER	9

SUMMARY OF RECOMMENDATIONS

9.0 Detail of summary of recommendations

Sr. No.	Recommendations	Para No.	Accepting/ Implementing Authority
9.1	Recommendations No.1:		
	Total 16 posts of Points Man/Gate Man found surplus.		
9.1.1	Against total existing cadre of 75 Points Men/Gate Men, total 73 Points Men/Gate Men considered sufficient to meet out with workload of PRU-BBC section and 02 Points Men/ Gatemen have been considered surplus in the cadre.		DRM/JU
9.1.2	Against total existing cadre of 77Points Men/Gate Men, total 68 Points Men/Gate Men considered sufficient to meet out with workload of BK to JNZ section and 09 Points Men/ Gatemen have been considered surplus in the cadre.	7.1	
9.1.3	Against total existing cadre of 79 Points Men/Gate Men, total 74 Points Men/Gate Men considered sufficient to meet out with workload of SUT to MBGA section and 05 Points Men/ Gatemen have been considered surplus in the cadre.		
2.	Recommendation No. 02:		
	Revised policy regarding eliminating Unmanned Level Crossing has created a need to fulfill the existing vacancies of Gateman as "Retired staff like- Track maintainer, Key man, Gateman, Gang mate and home guard will be re-engaged as per Railway Board's letter no. 2017/CE-IV/LX/100 (Committee); dated-25.07.2018."	7.2	Didwije
	The Engineering department of the Jodhpur division has already made such contract with Rajasthan Ex-Servicemen Corporation Limited, Jaipur, thus it is recommended that the Operating Department also to meet out with the vacancies in the cadre of Gatemen may engage Ex-Servicemen through such contract, to ensure manning of all the Level Crossings under Operating department.		
3.	Recommendation No. 03:		
	There is immense need of developing multi-skilling in the staff performing similar nature of Job, so as to the limitations of using this man-power can be extended. In view of this the possibility for merging of cadre of Points Man and Gate Man shall be explored.	7.3	

10.1 Financial Implications:

With the proposal for surrender of **16 posts** of Points Men and Gatemen of operating Department of Jodhpur Division. The recurring savings per annum in money value amount is given as below:-

Sr. No.	Category	Pay Matrix		Mean Pay	DA 9%	Total Pay	No. of posts	Total saving per month (Rs.)	Total saving per year (Rs.)
1.	Points man & Gatemen	18000	56900	37450	3370	40820	16	653120	7837440
		Т	16	653120	7837440				

Total recurring savings of 16 surplus posts is Rs.78.37 lac. per annum approximately.