

भारत सरकार GOVERNMENT OF INDIA
रेल मंत्रालय MINISTRY OF RAILWAYS
(रेलवे बोर्ड) RAILWAY BOARD

संख्या : 2017/एम(एल)/466/5(801)

नई दिल्ली, दिनांक : 01.08.2025

प्रधान मुख्य विद्युत अभियंता,
सभी क्षेत्रीय रेलवे।

Principal Chief Electrical Engineers,
All Indian Railways.

विषय: जुलाई 2025 माह की डीजल इंजनों की वास्तविक उपलब्धता विवरणिका ।


Subject: Diesel locomotives actual availability for July 2025.

जुलाई 2025 माह की सेवा आधारित डीजल इंजनों की वास्तविक उपलब्धता विवरणिका आपके सूचनार्थ एवं आवश्यक कार्यवाही हेतु संलग्न है।

Please find enclosed the actual availability of Diesel locos on service based for July 2025 for your kind information and necessary action please.

संलग्न: यथोक्त।

DA: As above


Harish Chandra Bhatt
Director Mechanical Engineering (Traction)
Railway Board

Room No-511-A Rail Bhawan, Raisina Road, New Delhi-110001



SERVICE BASE FREIGHT DIESEL LOCO OUTAGE(B.G)-2025-2026 (as Per FOIS)

Rly	BG	APR	MAY	JUNE	JULY	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	Avg.	% Var
CR	Target	123.8	121.1	121.1	121.0									121.8	
	Actual	128.2	129.0	131.8	128.0									129.3	
	Var.	4.4	7.9	10.7	7.0	0.0	0.0	0.00	0.00	0.00	0.00	0.00	0.00	7.5	6.15
ER	Target	129.1	137.2	137.2	135.4									134.7	
	Actual	155.1	148.6	146.5	152.1									150.6	
	Var.	26.0	11.4	9.3	16.7	0.0	0.0	0.00	0.00	0.00	0.00	0.00	0.00	15.9	11.77
ECR	Target	59.6	59.6	59.6	59.6									59.6	
	Actual	101.6	103.7	101.3	100.9									101.9	
	Var.	42.0	44.2	41.7	41.3	0.0	0.0	0.00	0.00	0.00	0.00	0.00	0.00	42.3	70.99
ECOR	Target	89.4	97.47	97.5	82.1									91.6	
	Actual	133.6	131.4	125.1	116.4									126.6	
	Var.	44.2	33.9	27.7	34.3	0.0	0.0	0.00	0.00	0.00	0.00	0.00	0.00	35.0	38.24
NR	Target	376.6	376.6	376.7	376.3									376.5	
	Actual	313.8	299.6	288.0	296.5									299.5	
	Var.	-62.8	-77.0	-88.7	-79.8	0.0	0.0	0.00	0.00	0.00	0.00	0.00	0.00	-77.1	-20.46
NCR	Target	20.8	22.6	28.0	28.0									24.8	
	Actual	23.1	25.4	30.4	31.1									27.5	
	Var.	2.3	2.9	2.4	3.1	0.0	0.0	0.00	0.00	0.00	0.00	0.00	0.00	2.7	10.77
NER	Target	4.5	9.9	9.9	8.1									8.1	
	Actual	8.8	7.1	9.5	1.6									6.7	
	Var.	4.3	-2.9	-0.4	-6.5	0.0	0.0	0.00	0.00	0.00	0.00	0.00	0.00	-1.4	-17
NFR	Target	70.0	65.46	65.5	65.5									66.6	
	Actual	60.3	55.1	41.1	42.6									49.8	
	Var.	-9.6	-10.4	-24.4	-22.9	0.0	0.0	0.00	0.00	0.00	0.00	0.00	0.00	-16.8	-25.25
NWR	Target	46.1	47.8	47.8	48.8									47.6	
	Actual	51.9	60.8	60.7	55.1									57.1	
	Var.	5.8	13.1	12.9	6.3	0.0	0.0	0.00	0.00	0.00	0.00	0.00	0.00	9.5	20.00
SR	Target	44.6	44.6	41.9	32.9									41.0	
	Actual	54.1	46.6	40.9	41.2									45.7	
	Var.	9.5	2.0	-1.0	8.3	0.0	0.0	0.00	0.00	0.00	0.00	0.00	0.00	4.7	11.44
SCR	Target	206.6	213.4	217.9	235.6									218.4	
	Actual	219.9	225.8	238.4	245.3									232.3	
	Var.	13.3	12.3	20.4	9.7	0.0	0.0	0.00	0.00	0.00	0.00	0.00	0.00	13.9	6.37
SER	Target	70.4	48.74	48.7	49.6									54.4	
	Actual	121.2	125.8	124.7	123.0									123.7	
	Var.	50.8	77.1	75.9	73.4	0.0	0.0	0.00	0.00	0.00	0.00	0.00	0.00	69.3	127.46
SECR	Target	64.1	64.08	64.1	64.1									64.1	
	Actual	95.1	95.7	98.0	96.1									96.2	
	Var.	31.1	31.6	34.0	32.0	0.0	0.0	0.00	0.00	0.00	0.00	0.00	0.00	32.2	50.18
SWR	Target	111.2	110.5	100.6	105.6									107.0	
	Actual	116.4	121.0	118.2	120.5									119.0	
	Var.	5.2	10.5	17.6	14.9	0.0	0.0	0.00	0.00	0.00	0.00	0.00	0.00	12.1	11.26
WR	Target	263.2	263.3	263.2	263.2									263.2	
	Actual	255.5	251.4	256.9	248.8									253.1	
	Var.	-7.6	-11.9	-6.4	-14.4	0.0	0.0	0.00	0.00	0.00	0.00	0.00	0.00	-10.1	-3.83
WCR	Target	31.6	23.5	25.3	26.2									26.6	
	Actual	61.7	67.4	66.5	68.6									66.1	
	Var.	30.1	44.0	41.3	42.4	0.0	0.0	0.00	0.00	0.00	0.00	0.00	0.00	39.4	148.08
IR	Target	1711.4	1705.7	1704.92	1702.0	0.0	0.0	0.00	0.00	0.00	0.00	0.00	0.00	1885.1	
	Actual	1900.1	1894.4	1878.04	1867.9	0.0	0.0	0.00	0.00	0.00	0.00	0.00	0.00	179.1	10.5
	Var.	188.7	188.6	173.1	165.9	0.0	0.0	0.00	0.00	0.00	0.00	0.00	0.00	10.5	
% Outage		11.0	11.1	10.2	9.7	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	10.5	

SERVICE BASE COACHING DIESEL LOCO OUTAGE(B.G)-2025-2026 (as Per FOIS)

Rly	BG	APR	MAY	JUNE	JULY	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	Avg.	% Var
CR	Target	15.0	15.0	16.0	17.0									15.8	
	Actual	25.6	22.0	23.0	24.49									23.8	
	Var.	10.6	7.0	7.0	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	50.84
ER	Target	0.0	0.0	0.0	0.0									0.0	
	Actual	8.5	9.4	8.3	9.78									9.0	
	Var.	8.5	9.4	8.3	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.0	#DIV/0!
ECR	Target	0.0	0.0	0.0	0.0									0.0	
	Actual	0.0	0.1	0.0	0.53									0.1	
	Var.	0.0	0.1	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	#DIV/0!
ECOR	Target	0.0	0.0	0.0	0.0									0.0	
	Actual	0.1	0.2	0.1	0.00									0.1	
	Var.	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	#DIV/0!
NR	Target	74.0	74.0	72.0	60.0									70.0	
	Actual	186.6	189.4	193.2	192.26									190.4	
	Var.	112.6	115.4	121.2	132.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	120.4	171.94
NCR	Target	0.0	0.0	0.0	0.0									0.0	
	Actual	2.2	4.2	0.5	0.00									1.7	
	Var.	2.2	4.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	#DIV/0!
NER	Target	0.0	0.0	0.0	0.0									0.0	
	Actual	1.5	0.0	0.8	0.16									0.6	
	Var.	1.5	0.0	0.8	0.2	0.0	0.0	0.0	0.0	0.0	8.8	8.8	8.8	7.2	#DIV/0!
NFR	Target	104.0	104.0	104.0	104.0									104.0	
	Actual	122.4	120.6	130.3	132.00									126.3	
	Var.	18.4	16.6	26.3	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.3	21.46
NWR	Target	52.2	61.8	57.0	56.0									56.8	
	Actual	72.5	75.6	75.7	65.54									72.3	
	Var.	20.3	13.8	18.7	9.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.6	27.42
SR	Target	30.0	30.0	30.0	30.0									30.0	
	Actual	36.1	37.6	39.3	40.82									38.4	
	Var.	6.1	7.6	9.3	10.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.4	28.11
SCR	Target	30.5	20.5	20.5	19.0									22.6	
	Actual	28.4	24.6	26.1	19.65									24.7	
	Var.	-2.1	4.1	5.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	9.13
SER	Target	0.0	0.0	0.0	0.0									0.0	
	Actual	0.0	0.0	0.0	0.00									0.0	
	Var.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	#DIV/0!
SECR	Target	0.0	0.0	0.0	0.0									0.4	
	Actual	0.0	1.7	0.0	0.00									0.4	
	Var.	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	#DIV/0!
SWR	Target	72.0	67.0	67.0	62.0									67.0	
	Actual	98.5	88.6	80.2	82.93									87.6	
	Var.	26.5	21.6	13.2	20.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.6	30.69
WR	Target	11.0	9.0	9.0	9.0									9.5	
	Actual	22.2	22.8	22.5	21.75									22.3	
	Var.	11.2	13.8	13.5	12.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.8	134.78
WCR	Target	0.0	0.0	0.0	0.0									0.0	
	Actual	0.4	0.3	0.6	0.00									0.3	
	Var.	0.4	0.3	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	#DIV/0!
IR	Target	389	381.25	375.5	357	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	375.6	
	Actual	604.81	596.79	600.43	589.91	0.00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	598.0	
	Var.	216.2	215.5	224.9	232.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	222.4	59.2
% Outage		55.6	56.5	59.9	65.2	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	59.2	

SERVICE BASE FREIGHT + COACHING DIESEL LOCO OUTAGE(B.G)-2025-2026 (as Per FOIS)															
Rly	BG	APR	MAY	JUNE	JULY	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	Avg.	% Var
CR	Target	138.8	136.1	137.1	138.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	137.5	
	Actual	153.7	151.02	154.8	152.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	153.0	
	Var.	14.9	14.9	17.7	14.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.5	11.27
ER	Target	129.1	137.2	137.2	135.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	134.7	
	Actual	163.5	157.99	154.8	161.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	159.5	
	Var.	34.5	20.8	17.6	26.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.8	18.43
ECR	Target	59.6	59.6	59.6	59.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	59.6	
	Actual	101.6	103.77	101.3	101.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	102.0	
	Var.	42.0	44.2	41.7	41.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42.4	71.23
ECOR	Target	89.4	97.5	97.5	82.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	91.6	
	Actual	133.7	131.54	125.2	116.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	126.7	
	Var.	44.4	34.1	27.8	34.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35.1	38.35
NR	Target	450.6	450.6	448.7	436.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	446.5	
	Actual	500.4	488.97	481.2	488.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	489.8	
	Var.	49.8	38.4	32.5	52.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43.3	9.70
NCR	Target	20.8	22.6	28.0	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.8	
	Actual	25.3	29.65	30.9	31.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.2	
	Var.	4.5	7.1	2.9	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	17.70
NER	Target	4.5	9.9	9.9	8.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.1	
	Actual	10.2	7.06	10.3	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3	
	Var.	5.7	-2.9	0.4	-6.4	0.0	0.0	0.0	0.0	0.0	8.8	8.8	8.8	5.8	71.75
NFR	Target	174.0	169.5	169.5	169.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	170.6	
	Actual	182.7	175.63	171.4	174.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	176.1	
	Var.	8.8	6.2	2.0	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.5	3.23
NWR	Target	98.3	109.6	104.8	104.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	104.4	
	Actual	124.4	136.41	136.4	120.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	129.5	
	Var.	26.1	26.8	31.5	15.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.1	24.03
SR	Target	74.6	74.6	71.9	62.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	71.0	
	Actual	90.2	84.12	80.2	82.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	84.1	
	Var.	15.6	9.5	8.3	19.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.1	18.48
SCR	Target	237.1	233.9	238.4	254.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	241.0	
	Actual	248.2	250.32	264.5	264.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	257.0	
	Var.	11.2	16.5	26.0	10.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.0	6.63
SER	Target	70.4	48.7	48.7	49.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	54.4	
	Actual	121.2	125.80	124.7	123.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	123.7	
	Var.	50.8	77.1	75.9	73.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	69.3	127.46
SECR	Target	64.1	64.1	64.1	64.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	64.1	
	Actual	95.1	97.35	98.0	96.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	96.7	
	Var.	31.1	33.3	34.0	32.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.6	50.83
SWR	Target	183.2	177.5	167.6	167.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	174.0	
	Actual	214.9	209.60	198.4	203.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	206.6	
	Var.	31.7	32.1	30.8	35.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.6	18.74
WR	Target	274.2	272.3	272.2	272.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	272.7	
	Actual	277.7	274.20	279.3	270.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	275.4	
	Var.	3.5	1.9	7.1	-1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	1.00
WCR	Target	31.6	23.5	25.3	26.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.6	
	Actual	62.1	67.71	67.1	68.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	66.4	
	Var.	30.5	44.2	41.8	42.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39.7	149.26
IR	Target	2100.0	2087.0	2080.4	2059.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2081.6	
	Actual	2505	2491	2478	2458	0	0	0	0	0	0	0	0	2483.1	
	Var.	404.9	404.2	398.1	398.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	401.5	19.3
% Outage		19.3	19.4	19.1	19.4	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	19.3	