

भारत सरकार GOVERNMENT OF INDIA  
रेल मंत्रालय MINISTRY OF RAILWAYS  
(रेलवे बोर्ड) RAILWAY BOARD

संख्या : 2017/एम(एल)/466/5(801)

नई दिल्ली, दिनांक 01.05.2024

प्रधान मुख्य विद्युत अभियंता,  
सभी क्षेत्रीय रेलवे।

**Principal Chief Electrical Engineers,  
All Indian Railways.**

**विषय:** अप्रैल 2024 माह की डीजल इंजनों की वास्तविक उपलब्धता विवरणिका।


**Sub:** Diesel locomotives actual availability for April 2024.

अप्रैल 2024 माह की सेवा आधारित डीजल इंजनों की वास्तविक उपलब्धता विवरणिका आपके सूचनार्थ एवं आवश्यक कार्यवाही हेतु संलग्न है।

Please find enclosed the actual availability of Diesel locos on service based for April 2024 for your kind information and necessary action please.

संलग्न: यथोक्त।

DA: As above

  
01/05/2024

**Harish Chandra Bhatt)**  
**Director Mechanical Engineering (Traction)**  
**Railway Board**

[illegible]

| SERVICE BASE COACHING DIESEL LOCO OUTAGE(B.G)-2024-2025 As Per FOIS |        |        |     |      |      |     |     |     |     |     |     |     |     |       |         |
|---------------------------------------------------------------------|--------|--------|-----|------|------|-----|-----|-----|-----|-----|-----|-----|-----|-------|---------|
| Rly                                                                 | BG     | APR    | MAY | JUNE | JULY | AUG | SEP | OCT | NOV | DEC | JAN | FEB | MAR | Avg.  | % Var   |
| CR                                                                  | Target | 32.0   |     |      |      |     |     |     |     |     |     |     |     | 32.0  |         |
|                                                                     | Actual | 38.1   |     |      |      |     |     |     |     |     |     |     |     | 38.1  |         |
|                                                                     | Var.   | 6.1    |     |      |      |     |     |     |     |     |     |     |     | 6.1   | 19.16   |
| ER                                                                  | Target | 1.8    |     |      |      |     |     |     |     |     |     |     |     | 1.8   |         |
|                                                                     | Actual | 9.0    |     |      |      |     |     |     |     |     |     |     |     | 9.0   |         |
|                                                                     | Var.   | 7.2    |     |      |      |     |     |     |     |     |     |     |     | 7.2   | 398.33  |
| ECR                                                                 | Target | 0.0    |     |      |      |     |     |     |     |     |     |     |     | 0.0   |         |
|                                                                     | Actual | 0.2    |     |      |      |     |     |     |     |     |     |     |     | 0.2   |         |
|                                                                     | Var.   | 0.2    |     |      |      |     |     |     |     |     |     |     |     | 0.2   | #DIV/0! |
| ECOR                                                                | Target | 0.0    |     |      |      |     |     |     |     |     |     |     |     | 0.0   |         |
|                                                                     | Actual | 0.0    |     |      |      |     |     |     |     |     |     |     |     | 0.0   |         |
|                                                                     | Var.   | 0.0    |     |      |      |     |     |     |     |     |     |     |     | 0.0   | #DIV/0! |
| NR                                                                  | Target | 103.0  |     |      |      |     |     |     |     |     |     |     |     | 103.0 |         |
|                                                                     | Actual | 182.3  |     |      |      |     |     |     |     |     |     |     |     | 182.3 |         |
|                                                                     | Var.   | 79.3   |     |      |      |     |     |     |     |     |     |     |     | 79.3  | 77.00   |
| NCR                                                                 | Target | 5.0    |     |      |      |     |     |     |     |     |     |     |     | 5.0   |         |
|                                                                     | Actual | 6.1    |     |      |      |     |     |     |     |     |     |     |     | 6.1   |         |
|                                                                     | Var.   | 1.1    |     |      |      |     |     |     |     |     |     |     |     | 1.1   | 22.20   |
| NER                                                                 | Target | 0.0    |     |      |      |     |     |     |     |     |     |     |     | 0.0   |         |
|                                                                     | Actual | 0.8    |     |      |      |     |     |     |     |     |     |     |     | 0.8   |         |
|                                                                     | Var.   | 0.8    |     |      |      |     |     |     |     |     |     |     |     | 0.8   | #DIV/0! |
| NFR                                                                 | Target | 111.0  |     |      |      |     |     |     |     |     |     |     |     | 111.0 |         |
|                                                                     | Actual | 125.5  |     |      |      |     |     |     |     |     |     |     |     | 125.5 |         |
|                                                                     | Var.   | 14.5   |     |      |      |     |     |     |     |     |     |     |     | 14.5  | 13.09   |
| NWR                                                                 | Target | 75.0   |     |      |      |     |     |     |     |     |     |     |     | 75.0  |         |
|                                                                     | Actual | 100.7  |     |      |      |     |     |     |     |     |     |     |     | 100.7 |         |
|                                                                     | Var.   | 25.7   |     |      |      |     |     |     |     |     |     |     |     | 25.7  | 34.29   |
| SR                                                                  | Target | 36.0   |     |      |      |     |     |     |     |     |     |     |     | 36.0  |         |
|                                                                     | Actual | 36.7   |     |      |      |     |     |     |     |     |     |     |     | 36.7  |         |
|                                                                     | Var.   | 0.7    |     |      |      |     |     |     |     |     |     |     |     | 0.7   | 1.83    |
| SCR                                                                 | Target | 97.8   |     |      |      |     |     |     |     |     |     |     |     | 97.8  |         |
|                                                                     | Actual | 99.8   |     |      |      |     |     |     |     |     |     |     |     | 99.8  |         |
|                                                                     | Var.   | 2.0    |     |      |      |     |     |     |     |     |     |     |     | 2.0   | 2.00    |
| SER                                                                 | Target | 0.0    |     |      |      |     |     |     |     |     |     |     |     | 0.0   |         |
|                                                                     | Actual | 0.0    |     |      |      |     |     |     |     |     |     |     |     | 0.0   |         |
|                                                                     | Var.   | 0.0    |     |      |      |     |     |     |     |     |     |     |     | 0.0   | #DIV/0! |
| SECR                                                                | Target | 0.0    |     |      |      |     |     |     |     |     |     |     |     | 0.0   |         |
|                                                                     | Actual | 0.2    |     |      |      |     |     |     |     |     |     |     |     | 0.2   |         |
|                                                                     | Var.   | 0.2    |     |      |      |     |     |     |     |     |     |     |     | 0.2   | #DIV/0! |
| SWR                                                                 | Target | 89.0   |     |      |      |     |     |     |     |     |     |     |     | 89.0  |         |
|                                                                     | Actual | 111.3  |     |      |      |     |     |     |     |     |     |     |     | 111.3 |         |
|                                                                     | Var.   | 22.3   |     |      |      |     |     |     |     |     |     |     |     | 22.3  | 25.04   |
| WR                                                                  | Target | 18.0   |     |      |      |     |     |     |     |     |     |     |     | 18.0  |         |
|                                                                     | Actual | 37.7   |     |      |      |     |     |     |     |     |     |     |     | 37.7  |         |
|                                                                     | Var.   | 19.7   |     |      |      |     |     |     |     |     |     |     |     | 19.7  | 109.39  |
| WCR                                                                 | Target | 0.0    |     |      |      |     |     |     |     |     |     |     |     | 0.0   |         |
|                                                                     | Actual | 0.7    |     |      |      |     |     |     |     |     |     |     |     | 0.7   |         |
|                                                                     | Var.   | 0.7    |     |      |      |     |     |     |     |     |     |     |     | 0.7   | #DIV/0! |
| IR                                                                  | Target | 569    |     |      |      |     |     |     |     |     |     |     |     | 568.6 |         |
|                                                                     | Actual | 748.95 |     |      |      |     |     |     |     |     |     |     |     | 749.0 |         |
|                                                                     | Var.   | 180.4  |     |      |      |     |     |     |     |     |     |     |     | 180.4 | 31.7    |
| % Outage                                                            |        | 31.7   |     |      |      |     |     |     |     |     |     |     |     | 31.7  |         |

| SERVICE BASE FREIGHT + COACHING DIESEL LOCO OUTAGE(B.G)-2024-2025 As Per FOIS |        |        |     |      |      |     |     |     |     |     |     |     |     |        |         |
|-------------------------------------------------------------------------------|--------|--------|-----|------|------|-----|-----|-----|-----|-----|-----|-----|-----|--------|---------|
| Rly                                                                           | BG     | APR    | MAY | JUNE | JULY | AUG | SEP | OCT | NOV | DEC | JAN | FEB | MAR | Avg.   | % Var   |
| CR                                                                            | Target | 146.9  |     |      |      |     |     |     |     |     |     |     |     | 146.9  |         |
|                                                                               | Actual | 159.5  |     |      |      |     |     |     |     |     |     |     |     | 159.5  |         |
|                                                                               | Var.   | 12.6   |     |      |      |     |     |     |     |     |     |     |     | 12.6   | 8.60    |
| ER                                                                            | Target | 111.0  |     |      |      |     |     |     |     |     |     |     |     | 111.0  |         |
|                                                                               | Actual | 179.8  |     |      |      |     |     |     |     |     |     |     |     | 179.8  |         |
|                                                                               | Var.   | 68.8   |     |      |      |     |     |     |     |     |     |     |     | 68.8   | 61.96   |
| ECR                                                                           | Target | 70.4   |     |      |      |     |     |     |     |     |     |     |     | 70.4   |         |
|                                                                               | Actual | 86.6   |     |      |      |     |     |     |     |     |     |     |     | 86.6   |         |
|                                                                               | Var.   | 16.2   |     |      |      |     |     |     |     |     |     |     |     | 16.2   | 22.95   |
| ECOR                                                                          | Target | 108.3  |     |      |      |     |     |     |     |     |     |     |     | 108.3  |         |
|                                                                               | Actual | 136.2  |     |      |      |     |     |     |     |     |     |     |     | 136.2  |         |
|                                                                               | Var.   | 27.9   |     |      |      |     |     |     |     |     |     |     |     | 27.9   | 25.76   |
| NR                                                                            | Target | 492.6  |     |      |      |     |     |     |     |     |     |     |     | 492.6  |         |
|                                                                               | Actual | 486.3  |     |      |      |     |     |     |     |     |     |     |     | 486.3  |         |
|                                                                               | Var.   | -6.4   |     |      |      |     |     |     |     |     |     |     |     | -6.4   | -1.30   |
| NCR                                                                           | Target | 13.8   |     |      |      |     |     |     |     |     |     |     |     | 13.8   |         |
|                                                                               | Actual | 15.1   |     |      |      |     |     |     |     |     |     |     |     | 15.1   |         |
|                                                                               | Var.   | 1.4    |     |      |      |     |     |     |     |     |     |     |     | 1.4    | 9.79    |
| NER                                                                           | Target | 0.0    |     |      |      |     |     |     |     |     |     |     |     | 0.0    |         |
|                                                                               | Actual | 0.8    |     |      |      |     |     |     |     |     |     |     |     | 0.8    |         |
|                                                                               | Var.   | 0.8    |     |      |      |     |     |     |     |     |     |     |     | 0.8    | #DIV/0! |
| NFR                                                                           | Target | 186.3  |     |      |      |     |     |     |     |     |     |     |     | 186.3  |         |
|                                                                               | Actual | 196.3  |     |      |      |     |     |     |     |     |     |     |     | 196.3  |         |
|                                                                               | Var.   | 10.0   |     |      |      |     |     |     |     |     |     |     |     | 10.0   | 5.39    |
| NWR                                                                           | Target | 133.7  |     |      |      |     |     |     |     |     |     |     |     | 133.7  |         |
|                                                                               | Actual | 133.9  |     |      |      |     |     |     |     |     |     |     |     | 133.9  |         |
|                                                                               | Var.   | 0.2    |     |      |      |     |     |     |     |     |     |     |     | 0.2    | 0.16    |
| SR                                                                            | Target | 65.9   |     |      |      |     |     |     |     |     |     |     |     | 65.9   |         |
|                                                                               | Actual | 80.7   |     |      |      |     |     |     |     |     |     |     |     | 80.7   |         |
|                                                                               | Var.   | 14.8   |     |      |      |     |     |     |     |     |     |     |     | 14.8   | 22.45   |
| SCR                                                                           | Target | 274.3  |     |      |      |     |     |     |     |     |     |     |     | 274.3  |         |
|                                                                               | Actual | 280.8  |     |      |      |     |     |     |     |     |     |     |     | 280.8  |         |
|                                                                               | Var.   | 6.4    |     |      |      |     |     |     |     |     |     |     |     | 6.4    | 2.35    |
| SER                                                                           | Target | 93.9   |     |      |      |     |     |     |     |     |     |     |     | 93.9   |         |
|                                                                               | Actual | 99.0   |     |      |      |     |     |     |     |     |     |     |     | 99.0   |         |
|                                                                               | Var.   | 5.1    |     |      |      |     |     |     |     |     |     |     |     | 5.1    | 5.48    |
| SECR                                                                          | Target | 88.5   |     |      |      |     |     |     |     |     |     |     |     | 88.5   |         |
|                                                                               | Actual | 115.7  |     |      |      |     |     |     |     |     |     |     |     | 115.7  |         |
|                                                                               | Var.   | 27.3   |     |      |      |     |     |     |     |     |     |     |     | 27.3   | 30.81   |
| SWR                                                                           | Target | 235.5  |     |      |      |     |     |     |     |     |     |     |     | 235.5  |         |
|                                                                               | Actual | 285.9  |     |      |      |     |     |     |     |     |     |     |     | 285.9  |         |
|                                                                               | Var.   | 50.4   |     |      |      |     |     |     |     |     |     |     |     | 50.4   | 21.40   |
| WR                                                                            | Target | 283.5  |     |      |      |     |     |     |     |     |     |     |     | 283.5  |         |
|                                                                               | Actual | 292.0  |     |      |      |     |     |     |     |     |     |     |     | 292.0  |         |
|                                                                               | Var.   | 8.5    |     |      |      |     |     |     |     |     |     |     |     | 8.5    | 2.98    |
| WCR                                                                           | Target | 47.8   |     |      |      |     |     |     |     |     |     |     |     | 47.8   |         |
|                                                                               | Actual | 61.6   |     |      |      |     |     |     |     |     |     |     |     | 61.6   |         |
|                                                                               | Var.   | 13.7   |     |      |      |     |     |     |     |     |     |     |     | 13.7   | 28.73   |
| IR                                                                            | Target | 2352.4 |     |      |      |     |     |     |     |     |     |     |     | 2352.4 |         |
|                                                                               | Actual | 2610.0 |     |      |      |     |     |     |     |     |     |     |     | 2610.0 |         |
|                                                                               | Var.   | 257.7  |     |      |      |     |     |     |     |     |     |     |     | 257.7  | 11.0    |
| % Outage                                                                      |        | 11.0   |     |      |      |     |     |     |     |     |     |     |     | 11.0   |         |