भारत सरकार GOVERNMENT OF INDIA रेल मंत्रालय MINISTRY OF RAILWAYS (रेलवे बोर्ड RAILWAY BOARD)

No.TCR/1394/2022/3396049

Dated:20.12.2023

General Manager, All Indian Railways.

Sub:Notification of Permissible Carrying Capacity (PCC) of various wagons up to one decimal place.

Ref.: Rates Master Circular on PCC/CC+8 etc./2020/0 and corrigenda thereto.

- 1. The extant Permissible Carrying Capacity (PCC) of various wagons has been reviewed and the Competent Authority has decided to revise the PCC of various, wagons up to one decimal place.
- 2. Accordingly, revised PCC shall be as per Annexure-I over 25 tonne axle load routes; Annexure-IA over Excepted CC+6, Universalized CC+6, & CC+8 routes; Annexure-IB for traffic to Bangladesh; and Annexure-IC for container wagons.
- 3. All other terms and conditions of Rates Master Circular referred above shall remain the same.
- 4. All remaining wagons, which have not been mentioned in this Circular will continue to be charged without any change, however, the same should immediately be reported to this office.
- 5. Discrepancy, if any noticed, should also immediately be reported to this office.
- 6. These instructions shall come into force with effect from 01.01.2024 and shall remain in operation till further advice.
- 7. This issues in consultation with Traffic Transportation and Mechanical Engineering Directorates and with the concurrence of Finance Directorate of the Ministry of Railways.

DA: as above

अन्शू पाण्डेय)

निदेशक यातायात वाणिज्य (दर)

रेलवे बोर्ड

dtcr@rb.railnet.gov.in 011-2304 7359

Dated:20.12.2023

No.TCR/1394/2022/3396049

Copy to:

Principal Financial Advisor, All Indian Railways. Dy.C&AG of India (Railways), Rail Bhavan.

for Member (Finance) Railways Board

Page **1** of **11**

Rail Bhawan, Raisina Road New Delhi-110001

No.TCR/1394/2022/3396049

Dated:20.12.2023

Copy for information and necessary action to:

- 1. Principal Chief Commercial Managers, All Indian Railways.
- 2. Principal Chief Operations Managers, All Indian Railways.
- 3. Managing Director, CRIS Chanakya Puri, New Delhi-23.
- 4. The Chief Administrative Officer, FOIS/CRIS, Chanakya Puri, New Delhi-23.
- 5. Managing Director, Konkan Railway Corporation, New Mumbai-400614.
- 6. Director General, National Academy of Indian Railways, Vadodara.
- 7. General Secretary/IRCA, New Delhi.
- 8. CMD/DFCCIL, New Delhi.
- 9. Director, Indian Railways Institute of Transport Management, Lucknow.

(अन्शू पाण्डेय) निदेशक यातायात वाणिज्य (दर) रेलवे बोर्ड dtcr@rb.railnet.gov.in 011-2304 7359

Copy to:-

OSD to MR; EDPG to MR for kind information of MR please. PS to MoSR(D), EDPG to MoSR(D) for kind information of MoSR(D) please. EDPG to MoSR(J) for kind information of MoSR(J) please. Chairman & CEO, M(O&BD), M(F) Railway Board. AM(C), AM(T), AM(BD), AM(Vig), AM(Revenue), PED(TTM). AM(C), AM(T), AM (Vig), AM(Revenue), PED(TTM). EDTC(R), ED(FM), EDF(C), EDTT(F), EDTT(S), ED/Coal, EDVT, EDME/Frt. TC(CR), TC-I & FC Branches of Railway Board.

Annexure-I

				Amexare-i	
SNo	Wagon type	Loading	Designed Tare	Permissible Carrying Capacity	
	,	Tolerance in	Weight in		
		tonnes	tonnes	over 25Tonne Axle	
				Load Routes	
		ŀ		(in tonnes per	
ı				wagon)	
A	OPEN WAGONS				
1	BOXNHL25T	1	20.6	78.4 (for Iron Ore all	
_				types, Limestone,	
		ļ		Bauxite and Slag)	
2	BOXNEL	1	23.1	76 (for iron ore all	
<u>-</u> 			1	types)	
3	BOXNS	1	19.85	79.1 (for Iron Ore all	
				types, Slag, Clinker,	
				Dolomite, Gypsum,	
				limestone, red mud,	
				coal)	
4	BOYEL	1	20.7	78.3 (for iron ore all	
ľ				types)	
В	HOPPER WAGONS				
1	BOBSN	1	29.8	62(for iron ore all	
				types)	
2	n on grug	1	28.5	70.5(for iron ore all	
[BOBSNS	1		types)	
	BOBSNM1	1	30	69 (for iron ore all	
3		1		types)	
C	FLAT WAGONS	.,		7. /	
1	BLSSA	1	18.55	80.4 (for iron ore all	
1	DECO!	1		types)	
2	BLSSB	1	17.6	81.4 (for iron ore all	
2	DEGGD		17.0	types)	
	DCONTAINER				
	WAGONS			j	
1	BLCS CarA	1	19.2	79.8	
2	BLCS CarB	1	18.1	80.9	
2	BLCS Carb	1	10.1	00.5	

Note:

- When wagons, other than the wagons mentioned above, move over 25 tonne axle load routes, PCC for those wagons will be the same as that applicable on CC+8 routes.
- When wagons, mentioned above, loaded with commodity other than specified above, moves over 25 ton axle load routes then PCC for these wagons will be the same as that applicable on CC+8 routes.

v Delhi-110001

Page **3** of **11**

Annexure-IA

SNo		Loading Tolerance	Designed Tare	Permissible Carrying Capacity over routes (in tonnes per wagons)				
		in tonnes	Weight	Excepted CC+6	Universalized	CC+8		
		In tollies	in tonnes	Excepted CC+0	CC+6	CC10		
	OPEN WAGONS	J	In touries		<u> </u>			
		T 1	22.48	64,5	66.1	* 68.1		
	BOXN	1 1	22.48	04.5	00.1	** 66.1		
_	BOXNCR	1 1	22.48			****		
_	BOXNCRM1 BOXNHSM1	1	22.53	64.4	66	* 68		
5	BOXNM1	1	22.53	04.4		** 66		
		1	22.53		· ·			
	BOXNHS	1	23.17	63.8	65.4	* 67.4		
	BOXNHA	1	23.17	05.0	05.4	** 65.4		
8	BOXNHAM BOXNHL	1	20.6	66.4	* 68	* 70		
9	BOXNHL	1	20.6	00.4	** 66.4	** 66.4		
10	BOXNR	1	21.2	65.8	* 67.4	* 69.4		
	BOXNRHS	1	21.2		** 65.8	** 65.8		
	BOXNRM2	1	21.2					
13	BOXNHL25T	1	20.6	66.4	* 68	* 70		
					** 66.4	** 66.4		
14	BOXNEL	1	23.1	64	65.5	* 67.5		
						**65.5		
15	BOXNLW	1	20.41	66.5	* 68.1	* 70.1		
16	BOXNLWM1	1	20.41		** 66.5	** 66.5		
						68.1		
			}			(For all commodities		
		ļ	1			under Main		
		i	1			Commodity Head Cement except		
		1				Clinker, DAP and		
						NPK/SNPK fertilizers		
						under Main		
						Commodity Head		
1						Chemical Manures.)		
	•		1			70.1		
		1			1	(Only Clinker under		
		1				Main Commodity Head Cement; and		
		, , , , , , , , , , , , , , , , , , ,			1	Only Rock Phosphate		
		1				(in bag and loose		
					4	both) under the Main		
1						Commodity Head		
	1					Chemical Manure.)		

^{* (}a) For Commodities under Main Commodity Head Minerals and Ores, Bricks & Stones, Cement, Coal & Coke:

** For commodities other than those mentioned above.

17	BOX	1	25	59	60	60
	BOXT	1	26.33	59	60	60
	BOXC	1	25	60	60	60
	BOXR	1	NA	60	60	60

Rail Bhawan, Raisina Road New Delhi-110001

m Everyone

⁽b) All types of Slag under Main Commodity Head Metal Scrap & Pig Iron;

⁽c) Red Mud under Main Commodity Head Clay and Sand;

⁽d) Only DAP and NPK/SNPK fertilizers, Rock Phosphate (in both Bag & Loose conditions) under Main Commodity Head Chemical Manures.

21_	BOXNS	1	19.85	67.1		70.7
22	BOY	1	20.71	66.2		69.8
23	BOYN	1	20.5	66.5		70.1
24	BOYEL	1	20.7	66.3		69.9
25	BOI	1 .	22.8	63	63	63
26	BOST	1	25.5	a. 50 tonnes or actual		a. 50 tonnes or
27	BOSTM1	1	25.5	weight whichever is	1	actual weight
-	BOSTHS	1	25.5	higher subject to	whichever is	whichever is higher
	BOSTHSM1	1	25.5	maximum		subject to
	BOSTHSM2	1	25.5	of 61.5 tonnes for	maximum	maximum of
	BOSTHSM3	1	25.5	Steel Pipes of	of 63.1 tonnes	63.1 tonnes for Steel
				diameter > 16 inches.		Pipes of diameter > 16 inches.
1				b. 61.5 For commodities other	diameter > 16 inches.	b. 63.1 tonnes for
				than that mentioned		commodities other
				above.	commodities	than that mentioned
1				above.	other than that	above.
					mentioned above.	
32	BOXNB	1	24.16	56	56	56
	BOXNF	1	23.28	57	57	57
	BOXNG	1	21.062	59	59	59
	BOXNUG	1	23.1	63.9	65.5	67.5
	MBOXN	1	20.53	38	38	38
	BOXNAL	1	18.37	68.6	70.2	71.9
B	HOPPER WAGONS		10.57	00.0	70.2	
$\frac{\mathbf{B}}{1}$	BOBR	1	26.4	61	62.6	64.6
$\frac{1}{2}$	BOBRN	1	25.61	61.3	63	65
3	BOBRNHS	1	25.01	01.5		
4	BOBRNEL	1				
5	BOBRNHSM1	1	ł			
6	BOBRNM1,	1	ł		1	
6	BOBRNM2	1				
7	BOBRNHSM2	1	-			
8	BOBRM1	1	26.4	60.6	62.2	62.2
9	BOBRNAHSM1	1	23.54	63.5	63.5	63.5
10	BOBS	1	26.4	60.6	62.2	64.2
11	BOBSN	1	29.8	57.2	58.8	60.8
	BOBSNM1	1	30	57	58.6	60.6
13	BOBSNS	1	28.5	58.5	60.1	62.1
14	BOBSINS	1	25.15	61.8	63.4	65.4
		1	25.13	61.6	62	62
15	BOB	1	18.03	45	45	45
16	BOBC BOBY	1	27.04	59.9	60	60
17	BOBYN22.32	1	24.9	61	62	62
18		1	25.2	61.8	63.4	65.4
19	BOBYN22.9	1	25.61	61.3	63	65
20	BOBYNHS		25.61	62	63.6	65.6
21	BOBYNHS(BMBS)	1 1	25.2	61.8	63.4	65.4
22			25.2	• 62	63.6	65.6
23		1		61.8	63.4	65.4
24		1	25.2	01.8	03.4	03.4
C	FLAT WAGONS	T 1	- 24.4	100	62.6	62.6
1	BRN,	1	24.4	62.6	02.0	02.0
	BRNM1		1			
2	BRNA,	1	23.54	63.4	63.4	63.4
1	BRNAM1					

Rail Bhawan, Raisina Road New Delhi-110001

ziegnios m

		9011441111				
3	BRNAHS,	1				
	BRNHA,	i				
	BRNAHA,	1				
	BRNAHSHA			1		
	BRN22.9	1	23.3	63.7	65.3	67.3
	BRN22.9M1	1	23.3			
	BFNS 22.9,	1	26.71	60.2	61.8	63.8
1 1	FLATCOIL3	•	20.71	00.2	V 2.00	
	BFNSM 22.9T	0.5				
	BFNSM1	0.5	22	65.5	67.1	69.1
	BFNV	1	22	65	66.6	68.6
	BFWP	1	25	62	63.6	65.6
	BRH	1	24.38	62.6	62.6	62.6
		1	22.6	64.4	66	68
	BRHNEHS,	1	22.0	04.4	00	
	BRHNEHSM1	1	25.23	61.7	62	62
	BRHC	1	25.92	61	62.6	62.6
	BRHT	1		61.9	62.6	62
	BRS	1	25.1	61.9	62	62
	BRST	1	26.77		44	44
	BFR	1	NA 19.55	44 68.4	70	71.5
	BLSSA	1	18.55			73
	BLSSB	1	17.6	69.4	71	61
20	ROROCARA,	1	26	61	61	61
<u></u>	FMPA					(2)
21	ROROCARB,	1	24	63	63	63
	FMPAB					
22	BRSTN	1	25.01	55	55	55
D	SPECIAL WAGONS	· ·				
1	BCDS	1	40	40	40	40
2	BCL8axle	1	82.2	64	64	64
3	BCLHTC8axl	1	80.56	81	81	81
4	BRHN	1	26	54	54	54
5	BOMN	1	29.77	35.85	35.85	35.85
6	BCLH	1	80.86	81	81	81
7	BCLA	1	40	39	39	39
8	BCLHA	1	39	39	39	39
9	DBKM	For DBKM	trainload rat	es allowed subject to lo	ading of 1400 to	onnes
10		1	45	74	74	74
11		1	35.56	51	53	55
	BWTB	1	31.21	55	57	59
<u></u>						
E	COVERED WAGONS	s			1	
1	BCN	<u> </u>	27.2	59.8	61.4	a. 63.4
2		1	27.2	1		♦ For Commodities
~	BCNM2	1				under Main
3	BCNHSM1,	1	27.2	1		Commodity Head
'	BCNHSM2					Minerals and Ores,
	DOMINIC					Bricks & Stones,
						Cement, Coal &
1	1			1	1	Coke;
				1	1	♦ All types of Slag
1						under Main
						Commodity Head
						'Metal Scrap & Pig
	L		<u> </u>	L		

Rail Bhawan, Raisina Road New Delhi-110001

Page 6 of 11

		gonaani	10.07 10	Rates Master Cit	TOUIUITI OOTO	0 - 0 000/2020/0
						Iron';
						Only DAP and
						NPK/SNPK
						fertilizers, under
						Main Commodity
						Head 'Chemical
						Manures');
						♦ Rice.
						b. 62.5 For Wheat
						c. 61.4 For
						commodities other
						than those
					•	mentioned above.
4	BCNA	1	24.6	62.4		a. 66
	BCNAM1	1	24.6			♦ For Commodities
	BCNAHS	1	24.6			under Main
7	BCNAHSM1	1	24.6			Commodity Head
						Minerals and Ores,
				-		Bricks & Stones,
						Cement, Coal &
.						Coke;
						♦ All types of Slag
						under Main
						Commodity Head
1						'Metal Scrap & Pig
						Iron';
						♦ Only DAP and
						NPK/SNPK
			•			fertilizers, Rock
						Phosphate (in both
						Bag & Loose
						conditions) under Main Commodity
				[head Chemical
						Manures;
						♦ Rice.
1						b. 65.5 For Wheat.
					a	c. 64 For commodities other
						than those
						mentioned above.
8	BCX	1	27.18	58	58	58
9	BCXN	1	27.01	60	61.5	61.5
10	BCNHL	0.5	20.6		a. 68.5	a. 70.5
					♦ For	♦ For Commodities
			,	Commodities under	Commodities under Main	under Main
				Main Commodity Head Mineral and		Commodity Head Minerals and Ores,
			1	Ores, Bricks & Stones,		Bricks & Stones,
				Cement, Coal & Coke;		Cement, Coal &
					Stones, Cement,	Coke;
L	<u> </u>	l	1	<u> </u>	prones, cement,	CORC,

Rail Bhawan, Raisina Road New Delhi-110001

Page 7 of 11

F TANK WAGONS	All types of Slag under Main Commodity Head Metal Scraps & Pig Iron; ◆ Only DAP and NPK/SNPK fertilizers & Pig Iron; ◆ Only DAP and NPK/SNPK fertilizers & Pig Iron; ◆ Only DAP and NPK/SNPK fertilizers & Pig Iron; ◆ Only DAP and NPK/SNPK fertilizers & MOP/MOP NOC under Main Commodity Head Chemical Manures; ◆ For Commodities under Main Commodity Head Salt. ◆ For Commodities under Main Commodity Head Foodgrains, Flours & Pulses. c. 64 For Soda Dense Ash. d. 58 For Soda Ash & Soda Ash Light. e. 59 For Wheat. f. 60 For commodities under Main Commodity Head Sugar. g. 58 For commodities other than those mentioned above. All types of Slag, only under Main commodity Head Metal Scrap & Pig Iron; ◆ Only DAP and NPK/SNPK fertilizers & MOP/MOP NOC under Main Commodity Head Chemical Manures; ◆ Soda Bicarbonate. Commodity Head Salt. ◆ For Commodity Head Salt. ◆ For Commodity Head Salt. ◆ For Commodity Head Chemical Manures; ◆ Only DAP and NPK/SNPK fertilizers under Main Commodity Head Chemical Manures; ◆ Only DAP and NPK/SNPK fertilizers under Main Commodity Head Chemical Manures; ◆ Soda Bicarbonate. Commodity Head Salt: ◆ For Commodity Head Salt: ◆ For Commodity Head Salt: ◆ Only DAP and NPK/SNPK fertilizers under Main Commodity Head Chemical Manures; ◆ Only DAP and NPK/SNPK fertilizers under Main Commodity Head Chemical Manures; ◆ Only DAP and NPK/SNPK fertilizers wate Manures; ◆ Only DAP and NPK/SNPK fertilizers under Main Commodity Head Chemical Manures; ◆ Only DAP Manures; ◆ Only DAP Manures; ◆ Only DAP Manures; ◆ Only DAP Manures; ◆ Only DAP Manures; ◆ Only DAP Manures; ◆ Only DAP Manures; ◆ Only DAP Manures; ◆ Only DAP Manures; ◆ Only DAP Manures; ◆ Only DAP Manures; ◆ Only MoP(MOPNOC) Under Main Commodity Head Salt; ◆ Only MoP(MOPNOC) Under Main Commodity Head Salt; ◆ Only MOP(MOPNOC) Under Main Commodity Head Salt; ◆ Soda Bicarbonate. Commodity Head Salt; ◆ Only MOP(MOPNOC) Under Main Commodity Head Chemical Manures; ◆ Only MOP(MOPNOC) Under Main Commodity Head C
---------------	---

TANK WAGONS

- The Permissible Carrying Capacity for Tank Wagons will be as derived from the calibration chart issued by Central Tank wagon Calibration Committee (CTCC).
- If calibration chart is not issued, then PCC as notified by Board will be the chargeable weight; and
- If neither calibration chart has been issued nor PCC has been notified, then the chargeable weight will be the stenciled CC of the tank wagon.

1	BCCW	0.5	23.25	64.2	66	68
2	BCCWM	0.5	23.25	64.2	66	68
3	BCFC	0.5	22	65.5	67.1	69.1
4	BCFCM,	0.5	23.1	64.5	66	68

Rail Bhawan, Raisina Road New Delhi-110001

Page 8 of 11

	BCFCM1	1				
5	ВТРН	1	28.28	52	52	52
6	BTFC	1	27.5	59.5	61.1	63.1
7	BTAP, TAP2	1.	27.3	60.36	60.36	60.36
8	BTPN	1	27	54.28	54.28	54.28
	ROAD RAILER					
<u> </u>	BAFRDR*	1		22.66	22.66	22.66

*As each bogie shall bear load of more than one BAFRDR (chassis+container), therefore, weighment from certified road weighbridge may be accepted. Railway shall prepare detailed modalities for weighment at road weighbridge. Penalty for overloading shall be levied as per current rules and methodology.

Rail Bhawan, Raisina Road New Delhi-110001

Annexure-IB

Permissible Carrying Capacity (PCC) of wagon for traffic to Bangladesh (in terms of Rates Circular No.23 of 2015 dated 09.07.2015; Corrigendum No.4 to RMC/PCC/2015/0 dated 19.04.2016; Rates Circular No.06 of 2016 dated 11.03.2016 & its addendum dated 07.02.2017):

Wagon type	Permissible carrying capacity (in tonnes)
BCN	57
BCNA/ BCNAHS	59.50
BCXN	58
BCNHL	 63 For All commodities under Main Commodity Head (a) Minerals and Ores, Bricks & Stones, Cement, Coal & Coke and All types of Slag only under Main commodity Head Metal Scrap & Pig Iron; (b) Only DAP and NPK/SNPK fertilizers under Main Commodity head Chemical Manures. 60 For All commodities under Main Commodity Head Sugar. 59 For Wheat. 58For all other commodities.
BOXN	57.80
BOXNHL	59.68
BOXNL W	59.68
BOXNR	59.08
BOXNHA	57.11
BOXNLWM1	59.87
BOXNEL	57.18
BOXNM1	57.80
BOXNHS	57.80
BOXNCR	57.80
BOXNHSM1	57.80
BTPN	54.28

Rail Bhawan, Raisina Road New Delhi-110001

Annexure-IC

Permissible Carrying Capacity (PCC) of container wagons (in terms of Rates Circular No.05 of 2015 dated 26.02.2015 its Corrigendum No.1 dated 08.11.2021, Corrigendum No.2 dated 24.02.2022. Corrigendum no.66 to RMC/PCC/CC+8etc/2020/0 dated 27.07.2022):

Wagon type	Permissi capacity		carry nes)	ring	Loading Tolerance in tonnes	Chargeable weight per TEU in tonnes	Chargeable weight per FEU in tonnes
BLLA		60			1	30	60
BLCA, BLLB		61			1	30.5	61
BLCB		62			1	31	62
BFKN		59.7			1	29.85	59.7
BLCAM		67.9			1	33.95	67.9
BLCBM		69			1	34.5	69
BLCS CarA		69			1	34.5	69
BLCS CarB		70			1	35	70
BLCS CarA *		79.8			1	39.9	79.8
BLCS CarB*		80.9			1	40.45	80.9
* Over 25 tonne axle routes							
	Except CC+6	Uni CC+6	CC+8	25 ton			
BLSSA	68	69.5	71.5	80			
BLSSB	69	71	73	81			

Page 11 of 11 كري المركز المر