

List of Major Stations Selected for Integrated Cleanliness Contract

S No	ZR	Names of the Stations Selected				
		1.	2.	3.	4.	5.
1.	CR	Nasik Road (A1)	Solapur (A1)	Jalgaon (A)		
2.	ER	Howrah (A1)	Sealdah (A1)	Bhagalpur (A1)		
3.	ECR	Patna (A1)	Mughalsarai (A1)	Gaya (A1)		
4.	ECoR	Vishakapatnam (A1)	Bhubaneswar (A1)	Puri (A1)		
5.	NR	New Delhi (A1)	Delhi (A1)	Varanasi (A1)	Lucknow (A1)	Ludhiana (A1)
6.	NCR	Allahabad (A1)	Kanpur (A1)	Jhansi (A1)		
7.	NER	Gorakhpur (A1)	Lucknow Jn (A1)	Kathgodam (A)		
8.	NFR	Rangiya (A)	New Bongaigaon (A)	Kishanganj (A)		
9.	NWR	Jaipur (A1)	Jodhpur (A1)	Ajmer (A1)		
10.	SR	Chennai Central (A1)	Egmore (A1)	Trivandrum Central (A1)		
11.	SCR	Secunderabad (A1)	Vijayawada (A1)	Tirupati (A1)		
12.	SER	Kharagpur (A1)	Tatanagar (A1)	Ranchi (A)		
13.	SECR	Raipur (A1)	Bilaspur (A1)	Durg (A)		
14.	SWR	Hospet (A)	Vasco-Da-Gama (A)	Belgaum (A)		
15.	WR	Mumbai Central Main (A1)	Bandra Terminus (A1)	Vadodara (A1)		
16.	WCR	Bhopal (A1)	Jabalpur (A1)	Kota (A1)		

Three (3) stations each selected on 15 zonal railways 45 stations

5 stations selected on NR

Total 50 stations

Wherever due to non expiry of validity of existing contracts the new integrated cleanliness contract cannot be awarded, Zonal Railways may nominate other alternative station(s) for this purpose with information to the Railway Board.

Passenger Amenities Details As on : 31/03/2014

Division : WALTAIR

Station Name	Visakhapatnam			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	VSKP	FOB	3	(a) Per Day	27594	Developed As Adarsh	
Station Category	A1	Subway	0	(b) Max. at any time	5174	Identified for MFC	Y
Railway	ECoR	Booking Windows	12	Pass. Earnings/Year(Rs. in Lac.)		MFC Developed	N
Division	WALTAIR	Enquiry Office	1	2011-12	8516.80	Tourist Facilitation Center	Y
State	Andhra Pradesh	Public Address Sys.	Y	2012-13	8378.9	Touch Screen Enquiry System	N
District	Vishakhapatnam	Clock	Y	2013-14		Electronic Train Indication	Y
Section	PSA-VSKP	Wheel Chairs	Y	Length of longest stopping train(m)	585	ATMs	2
Km.	0878.89	Cloak Room	Y	MP Const.	Visakhapatnam	Food Plaza	Y
Route	B	Refreshment Room(sq.m)	125	MP Name	Kambhupati Hari Babu	Budget Hotel	N
Electrified	Y			MLA Const.	Visakhapatnam North	Trains Halting	118
				MLA Name	Sri.Penmetsa Vishnu Kumar Raju	Station IInd Entry	Y
Other Items	-						
Remarks for Station:	--						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	188	Area(sq.m)		252	164	Area(sq.m)	146	Retiring Room	11
(b) Seats(Nos.)	60	Seats(Nos.)		105	66	Seats(Nos.)	90	Dormitory	2
(c) Lav.(Nos.)	5	Lav.(Nos.)		8	3	Lav.(Nos.)	5		
(d) Urinals(Nos.)	0	Urinals(Nos.)		4	0	Urinals(Nos.)	4		
(e) Bathing Cubicals(Nos.)	2	Bathing Cubicals(Nos.)		8	1	Bathing Cubicals(Nos.)	2		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	29021	Length(m)	500	Source	Municipal Supply		Open Wells (Nos)	6
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	5988000			
Pay & Use Toilet				Remarks	--			

Station Name : Visakhapatnam

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	643	11.57	84	CC	4763	0	42	0	595	595	533	4	6	116	378	18	10	0	0	3	Y	0
2&3	BG	Y	590	7.8	84	CC	3724	0	68	0	444/444	1215	232	0	0	23	203	12	6	0	0	3	N	0
4&5	BG	Y	699	9.87	84	CC	4366	0	56	0	589/589	1344	232	0	0	9	147	8	0	0	0	3	Y	0
6&7	BG	Y	534	9.11	84	CC	2893	0	44	0	0/0	1024	298	0	0	32	74	0	0	0	0	3	Y	0
8	BG	N	653	14.63	84	CC	3432	0	22	0	653.2	661	380	5	4	72	70	0	0	0	0	3	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Visakhapatnam

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	2500 sqm	100	12	12	750	1 With Cover	High level	10	YES
As per Rec. norms	2164	7244	207	8	8	621			-	-
Actual	188	19177.92	232	30	18	1996	3	See platform details	3	YES
Shortage, if any	62	-	-	-	-	-	-		7	-

Station Name : Visakhapatnam

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	Yes
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Visakhapatnam

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	Yes

Passenger Amenities Details As on : 31/03/2014

Division : Vijayawada

Station Name	Vijayawada			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	BZA	FOB	3	(a) Per Day	99728	Developed As Adarsh	
Station Category	A1	Subway	0	(b) Max. at any time	4504	Identified for MFC	Y
Railway	SCR	Booking Windows	29	Pass. Earnings/Year(Rs. in Lac.)		MFC Developed	Y
Division	Vijayawada	Enquiry Office	2	2011-12	15625.31	Tourist Facilitation Center	Y
State	Andhra Pradesh	Public Address Sys.	Y	2012-13	16725.44	Touch Screen Enquiry System	Y
District	Krishna	Clock	Y	2013-14	19052.13	Electronic Train Indication	Y
Section	BZA-GDR	Wheel Chairs	Y	Length of longest stopping train(m)	535	ATMs	4
Km.	0428.76	Cloak Room	Y	MP Const.	Vijayawada	Food Plaza	Y
Route	A	Refreshment Room(sq.m)	485	MP Name	Kesineni Srinivas (Nani)	Budget Hotel	N
Electrified	Y			MLA Const.	Vijayawada Central	Trains Halting	191
				MLA Name	B. UMA MAHESWARA RAO	Station IInd Entry	Y
Other Items	-						
Remarks for Station:	-						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	2835	Area(sq.m)	252	67	Area(sq.m)	55	Retiring Room	23
(b) Seats(Nos.)	45	Seats(Nos.)	106	31	Seats(Nos.)	54	Dormitory	2
(c) Lav.(Nos.)	12	Lav.(Nos.)	6	7	Lav.(Nos.)	2		
(d) Urinals(Nos.)	2	Urinals(Nos.)	9	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	8	Bathing Cubicals(Nos.)	5	5	Bathing Cubicals(Nos.)	2		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	8190	Length(m)	700	Source	Railway Supply		Open Wells (Nos)	4
Surface	Cement Concrete	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	0
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	1262000			
Pay & Use Toilet	Y			Remarks	-			

Station Name : Vijayawada

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	580	10	84	PS	5302	0	63	0	583	529	525	24	12	66	565	11	11	2	1	3	Y	0
10	BG	N	607	8	84	CC	1527	0	43	0		767	116	10	0	4	86	2	0	1	1	2	Y	0
2&3	BG	Y	455.45	9	84	PS	2878	0	66	0	479.9/44 4.2	446	408	4	0	19	167	4	3	0	1	3	Y	0
4&5	BG	Y	497	9	84	PS	3412	0	72	0	467.1/46 7.1	480	372	4	0	98	344	6	7	1	1	3	Y	0
6&7	BG	Y	571	9	84	PS	10507	2	98	0	512.5/77 0	578	993	23	9	93	780	29	16	1	1	3	Y	0
8 & 9	BG	Y	591	9	84	CC	781	0	95	0		591	295	4	0	0	61	3	0	0	0	2	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Vijayawada

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	3000 sqm	120	12	12	900	1 With Cover	High level	12	YES
As per Rec. norms	1884	7567	180	7	7	540			-	-
Actual	2835	24406.45	437	96	32	2945	3	See platform details	15	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Station Name : Vijayawada

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	Yes	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Vijayawada

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	No
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	No
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

Passenger Amenities Details As on : 31/03/2014

Division : Hubli

Station Name	Vasco-da-gama			No. of passengers dealt with:		Identified as Adarsh	Y
Station Code	VSG	FOB	3	(a) Per Day	2837	Developed As Adarsh	Y
Station Category	A	Subway	0	(b) Max. at any time	685	Identified for MFC	N
Railway	SWR	Booking Windows	6	Pass. Earnings/Year(Rs. in Lac.)			
Division	Hubli	Enquiry Office	1	2011-12	2627.64	Tourist Facilitation Center	Y
State	Goa	Public Address Sys.	Y	2012-13	3089.46	Touch Screen Enquiry System	Y
District	South Goa	Clock	Y	2013-14	3475.54	Electronic Train Indication	Y
Section	QLM-VSG	Wheel Chairs	Y	Length of longest stopping train(m)	480	ATMs	3
Km.	0108.52	Cloak Room	Y	MP Const.	South Goa	Food Plaza	Y
Route	Dspl	Refreshment Room(sq.m)	25	MP Name	Narendra Keshav Sawaikar	Budget Hotel	N
Electrified	Y			MLA Const.	South Goa	Trains Halting	14
				MLA Name	Carlos Almeida	Station IInd Entry	N
Other Items	-						
Remarks for Station:	-						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	205	Area(sq.m)	40	19	Area(sq.m)	67	Retiring Room	11
(b) Seats(Nos.)	46	Seats(Nos.)	16	10	Seats(Nos.)	24	Dormitory	8
(c) Lav.(Nos.)	0	Lav.(Nos.)	1	1	Lav.(Nos.)	3		
(d) Urinals(Nos.)	0	Urinals(Nos.)	0	0	Urinals(Nos.)	2		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	1	1	Bathing Cubicals(Nos.)	3		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	2128	Length(m)	0	Source	Railway Supply	Open Wells (Nos)	4
Surface	Cement Concrete	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	0
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	441000		
Pay & Use Toilet				Remarks	open well and MPT & PWD		

Station Name : Vasco-da-gama

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	540	8	84	PS	2402	1	36	0	400	400	330	8	10	21	136	2	6	0	0	0	Y	3
2&3	BG	Y	540	9	84	PS	3212	1	16	0	400	400	180	0	0	9	96	0	0	0	0	0	Y	3

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Vasco-da-gama

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	800 sqm	40	10	10	250	1 With Cover	High level	4	YES
As per Rec. norms	286	384	27	1	1	82			-	-
Actual	205	5613.92	52	13	12	606	3	See platform details	6	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Station Name : Vasco-da-gama

Summary As per Adarsh Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Renovated water booths	Yes	Improvement in facade of station building	Yes
Renovated, modern, pay & use toilets	Yes	Improvement in circulating area for proper entry and exit	Yes
Good Waiting and Retiring Rooms with modern	Yes	Availability of lighting tower for proper illumination	Yes
Good passenger guidance system inc. signage and	Yes	Improvement to passenger service	Yes
Lighting of booking office (queuing area)	Yes	Engagement of reputed architects/consultants for	Yes

Station Name : Vasco-da-gama

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	Yes	Coin operated Ticket Vending Machines	Yes
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Vasco-da-gama

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passanger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	Yes

Passenger Amenities Details As on : 31/03/2014

Division : Lucknow

Station Name	Varanasi			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	BSB	FOB	2	(a) Per Day	28941	Developed As Adarsh	
Station Category	A1	Subway	0	(b) Max. at any time	9813	Identified for MFC	Y
Railway	NR	Booking Windows	29	Pass. Earnings/Year(Rs. in Lac.)		MFC Developed	N
Division	Lucknow	Enquiry Office	2	2011-12	11996.81	Tourist Falication Center	Y
State	Uttar Pradesh	Public Address Sys.	Y	2012-13	12686.53	Touch Screen Enquiry System	N
District	Varanasi	Clock	Y	2013-14	14164.75	Electronic Train Indication	Y
Section	MGS-PBH-LKO	Wheel Chairs	Y	Length of longest stopping train(m)	564	ATMs	5
Km.	772.06	Cloak Room	Y	MP Const.	Varanasi	Food Plaza	Y
Route	B	Refreshment Room(sq	130	MP Name	Narendra Modi	Budget Hotel	N
Electrified	Y			MLA Const.	Varanasi Cantonment	Trains Halting	110
Other Items	-			MLA Name	Jyotsna srivastav	Station IInd Entry	Y
Remarks for Station:	-						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sq	1313	Area(sq	36	36	Area(sq	100	Retiring Room 11
(b) Seats(Nos.)	98	Seats(Nos.)	4	1	Seats(Nos.)	20	Dormitory 3
(c) Lav.(Nos.)	10	Lav.(Nos.)	4	1	Lav.(Nos.)	2	
(d) Urinals(Nos.)	4	Urinals(Nos.)	1	1	Urinals(Nos.)	1	
(e) Bathing Cubicals(Nos.)	9	Bathing Cubicals(Nos.)	4	1	Bathing Cubicals(Nos.)	2	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sq	21000	Length(m)	100	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	10
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	1590000		
Pay & Use Toilet	Y			Remarks	One no. RCC OH tank 450 KL required.		

Station Name : Varanasi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	743	9.5	84	PS	2736	0	27	0	743.6	0	168	0	0	35	85	8	8	0	1	1	Y	0
1 A	BG	N	288	5.6	84	PS	504	0	25	0	288	0	45	0	0	10	22	0	2	0	0	1	Y	0
2 & 3	BG	Y	655	6	84	PS	1440	0	40	0	575/575	575	28	0	3	15	45	8	8	0	0	1	Y	0
4 & 5	BG	Y	536	18.8	84	PS	5452	0	41	0	480/480	0	105	5	3	38	65	6	8	0	0	1	Y	1
6 & 7	BG	Y	402	10	84	CC	2400	0	28	0	402/402	0	124	8	0	15	25	2	6	0	0	1	Y	0
8 & 9	BG	Y	658	15.15	84	CC	3896	0	31	0	531/531	531	160	4	0	35	68	2	8	0	0	1	Y	0
yatra	BG	N	242	7	30	OPS	413	0	21	1		0	25	0	0	0	6	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Varanasi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	3500 sqm	140	12	12	1050	1 With Cover	High level	14	YES
As per Rec. norms	4104	19233	393	15	15	1178			-	-
Actual	1313	16840.5	214	34	13	778	2	See platform details	11	YES
Shortage, if any	-	-	-	-	-	272	-		3	-

Station Name : Varanasi

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	No	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	No
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Varanasi

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

Passenger Amenities Details As on : 31/03/2014

Division : Vadodara

Station Name	Vadodara jn bg			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	BRC	FOB	2	(a) Per Day	42343	Developed As Adarsh	
Station Category	A1	Subway	0	(b) Max. at any time	9032	Identified for MFC	Y
Railway	WR	Booking Windows	12	Pass. Earnings/Year(Rs. in Lac.)		MFC Developed	N
Division	Vadodara	Enquiry Office	1	2011-12	15390.60	Tourist Facilitation Center	N
State	Gujarat	Public Address Sys.	Y	2012-13	17390.55	Touch Screen Enquiry System	Y
District	Vadodara	Clock	Y	2013-14		Electronic Train Indication	Y
Section	ST-BRC	Wheel Chairs	Y	Length of longest stopping train(m)	704	ATMs	5
Km.	395.68	Cloak Room	Y	MP Const.	Vadodara	Food Plaza	Y
Route	A	Refreshment Room(sqm)	60	MP Name	Narendra Modi (Resigned on 29	Budget Hotel	Y
Electrified	Y			MLA Const.	Sayajigunj	Trains Halting	250
				MLA Name	Shri Jitendra Sukhadiya	Station IInd Entry	Y
Other Items	UTS, PRS TO UTN, P&T / DOT PHONE, CGS, TTIB, NTES.						
Remarks for Station:	Sufficient passenger amenities items are available at station, Booking by comm. Staff, 13 V Stalls KIOSK Touch Screen 2, Wall Mounted Touch Screen=6,,AVM-2, 21V.Trolley, 2 Strecher, 1 Essential Goods (Medical) Stall, General W/Room on PF 1 & PF 2/3, Coach Guidance system on all PFS, Train indicator boards ,5 Lines arrival Departure train indicator Board on PF no. 6, 4 Open sitting Lounge, " Pay & Use" Toilets-1 in concourse hall, One in AC W/room, 1 on PF No 1 at BCT end , 1 in Ladies W/R, 1 in Gen. W/R, 2 at PF No 6, 1 Seating lounge of 30 Seats provided on PF No 4/5, 2 W/Cooler provided at PF No 4/5, 2 WVM, 11 UTS, ATM Facility- SBI, BOI, BOB, DENA Bank. IOB , cctv , TCDS, Terminal RPTR, PRS, TV, PRS to UTN, UTS, CGS, LCD Based Electronics TCDS, TV, PALM Biometric Token Display System , Berth Availability Scrolling Type Display Board at PRS , Rack Formation Board, 1 Janahar						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sqm.)	956	Area(sqm)		150	45	Area(sqm)	60
(b) Seats(Nos.)	0	Seats(Nos.)		57	33	Seats(Nos.)	45
(c) Lav.(Nos.)	6	Lav.(Nos.)		3	1	Lav.(Nos.)	1
(d) Urinals(Nos.)	2	Urinals(Nos.)		4	1	Urinals(Nos.)	2
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		2	1	Bathing Cubicals(Nos.)	1
						Retiring Room	7
						Dormitory	3

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	17000	Length(m)	0	Source	Railway Supply	Open Wells (Nos)	0
Surface	Other	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	4
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	740000		
Pay & Use Toilet				Remarks	SUFFICIENT WATER AVAILABLE		

Station Name : Vadodara jn bg

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	580	11	84	PS	4600	0	40	0	550	600	227	5	5	35	140	10	10	1	2	2	Y	0
2&3	BG	Y	596	9	76	PS	3920	0	28	0	600/600	522	236	1	3	31	126	17	17	0	0	2	Y	1
4&5	BG	Y	492	10	84	PS	1600	0	52	0		406	222	2	4	12	53	8	8	0	0	2	N	0
6	BG	N	704	10	84	PS	3600	0	24	0	620	600	90	0	0	27	138	0	0	0	0	2	Y	1
7	BG	N	608	10	84	PS	3000	0	30	0	600	600	189	5	3	20	129	5	5	0	0	0	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Vadodara jn bg

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5 Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	2500 sqm	100	12	12	750	1 With Cover	High level	10	YES
As per Rec. norms	3777	12645	361	14	14	1084			-	-
Actual	956	16720	179	24	24	1099	2	See platform details	23	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Station Name : Vadodara jn bg

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	Yes
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Vadodara jn bg

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	Yes

Passenger Amenities Details As on : 31/03/2014

Division : Trivandrum

Station Name	Tiruvananthapuram central			No. of passengers dealt with:		Identified as Adarsh	N	
Station Code	TVC	FOB	2	(a) Per Day	40373	Developed As Adarsh		
Station Category	A1	Subway	0	(b) Max. at any time	1633	Identified for MFC	Y	
Railway	SR	Booking Windows	26	Pass. Earnings/Year(Rs. in Lac.)		MFC Developed	N	
Division	Trivandrum	Enquiry Office	1	2011-12	11991.18	Tourist Facilitation Center	Y	
State	Kerala	Public Address Sys.	Y	2012-13	13055.35	Touch Screen Enquiry System	Y	
District	Thiruvananthapur	Clock	Y	2013-14	14904.7	Electronic Train Indication	Y	
Section	RYJ-TVC	Wheel Chairs	Y	Length of longest stopping train(m)		535	ATMs	7
Km.	219.98	Cloak Room	Y	MP Const.	Thiruvananthapuram	Food Plaza	Y	
Route	D	Refreshment Room(sqm)	184	MP Name	Shashi Tharoor	Budget Hotel	N	
Electrified	Y			MLA Const.	Thiruvananthapuram	Trains Halting	57	
				MLA Name	V.S.Siva Kumar	Station IInd Entry	Y	
Other Items	T.SC,Plasma ,CCTV,T.info,LED,ERC,QMgt,PRS,UTS							
Remarks for Station:	World class station.Modern station.PRS,ATM ,IVRS Facilities,Train Arr/Dep board							

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sqm.)	291	Area(sqm)		62	53	Area(sqm)	64	Retiring Room 10
(b) Seats(Nos.)	54	Seats(Nos.)		60	30	Seats(Nos.)	30	Dormitory 4
(c) Lav.(Nos.)	2	Lav.(Nos.)		5	3	Lav.(Nos.)	3	
(d) Urinals(Nos.)	1	Urinals(Nos.)		4	1	Urinals(Nos.)	3	
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		5	3	Bathing Cubicals(Nos.)	1	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	3200	Length(m)	0	Source	Municipal Supply	Open Wells (Nos)	2
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	0
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	225000		
Pay & Use Toilet				Remarks	Private supply reqd		

Station Name : Tiruvananthapuram central

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	571	9	84	PS	4500	0	17	0	480	571	254	7	5	56	279	8	9	0	0	2	Y	0
2,3	BG	Y	548	10	84	PS	4900	0	34	0	480/480	548	359	0	0	32	86	7	6	0	0	2	Y	0
4,5	BG	Y	543	10.8	84	CC	4000	0	26	0	495/495	541	277	0	0	42	93	3	0	0	0	2	Y	0
*Surface Type		: CC-Cement Concrete		PS-Polished Stone		OPS-Other Pucca Surface		MOR-Moorum		OTH-Others														

Station Name : Tiruvananthapuram central

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5 Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	1500 sqm	60	12	12	450	1 With Cover	High level	6	YES
As per Rec. norms	683	1372	65	2	2	196			-	-
Actual	291	13400	77	20	14	1064	2	See platform details	4	YES
Shortage, if any	-	-	-	-	-	-	-		2	-

Station Name : Tiruvananthapuram

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	No	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	Yes	Coin operated Ticket Vending Machines	Yes
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	Yes

Passenger Amenities Details As on : 31/03/2014

Division : Guntakal

Station Name	Tirupati			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	TPTY	FOB	2	(a) Per Day	36504	Developed As Adarsh	
Station Category	A1	Subway	0	(b) Max. at any time	33949	Identified for MFC	N
Railway	SCR	Booking Windows	7	Pass. Earnings/Year(Rs. in Lac.)			
Division	Guntakal	Enquiry Office	2	2011-12	15073.68	Tourist Facilation Center	N
State	Andhra Pradesh	Public Address Sys.	Y	2012-13	17015.94	Touch Screen Enquiry System	N
District	Chittoor	Clock	Y	2013-14	19787.68	Electronic Train Indication	Y
Section	PAK-TPTY	Wheel Chairs	Y	Length of longest stopping train(m)	512	ATMs	7
Km.	92.96	Cloak Room	Y	MP Const.	Tirupati	Food Plaza	Y
Route	B	Refreshment Room(sq	390	MP Name	Varaprasad Rao Velagapalli	Budget Hotel	N
Electrified	Y			MLA Const.	Tirupati	Trains Halting	82
				MLA Name	M. Venkataramana	Station IInd Entry	Y
Other Items	STD/ISD facility						
Remarks for Station:	Tirumala piligrimage famous for Lord Venkateswara nearby.						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq	837	Area(sq	532	240	Area(sq	122	Retiring Room	17
(b) Seats(Nos.)	216	Seats(Nos.)	70	50	Seats(Nos.)	8	Dormitory	16
(c) Lav.(Nos.)	4	Lav.(Nos.)	5	7	Lav.(Nos.)	4		
(d) Urinals(Nos.)	7	Urinals(Nos.)	5	4	Urinals(Nos.)	4		
(e) Bathing Cubicals(Nos.)	4	Bathing Cubicals(Nos.)	3	3	Bathing Cubicals(Nos.)	2		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sq	368	Length(m)	25	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	15
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	315000		
Pay & Use Toilet				Remarks	ONE GLR CAP. 720000 Litres, R.O GLR TANK:50,000ltrs,		

Station Name : Tirupati

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	616	9	84	CC	3582	0	57	0	595	621	595	67	20	64	176	4	7	1	1	2	Y	0
2&3	BG	Y	595	10	84	CC	3450	0	50	0	575	600	818	8	14	42	201	2	2	1	1	2	Y	0
4&5	BG	Y	570	12	84	CC	5196	0	50	0	585	585	684	14	12	33	124	0	6	1	0	2	Y	0
*Surface Type :		CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : Tirupati

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5 Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	1500 sqm	60	12	12	450	1 With Cover	High level	6	YES
As per Rec. norms	14197	28517	1358	51	51	4074			-	-
Actual	836.85	12228	157	109	66	2441	2	See platform details	4	YES
Shortage, if any	-	-	-	-	-	-	-		2	-

Station Name : Tirupati

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	No	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	No
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Tirupati

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	Yes

Passenger Amenities Details As on : 31/03/2014

Division : Chakradharpur

Station Name	Tatanagar			No. of passengers dealt with:		Identified as Adarsh	Y
Station Code	TATA	FOB	1	(a) Per Day	42000	Developed As Adarsh	Y
Station Category	A1	Subway	0	(b) Max. at any time	8000	Identified for MFC	Y
Railway	SER	Booking Windows	10	Pass. Earnings/Year(Rs. in Lac.)		MFC Developed	N
Division	Chakradharpur	Enquiry Office	2	2011-12	9560.47	Tourist Facilitation Center	N
State	Jharkhand	Public Address Sys.	Y	2012-13	10493.13	Touch Screen Enquiry System	Y
District	East Singhbhum	Clock	Y	2013-14		Electronic Train Indication	Y
Section	HWH-NGP	Wheel Chairs	Y	Length of longest stopping train(m)	559	ATMs	1
Km.	0249.45	Cloak Room	Y	MP Const.	Jamshedpur	Food Plaza	Y
Route	A	Refreshment Room(sq.m)	150	MP Name	Bidyut Baran Mahato	Budget Hotel	N
Electrified	Y			MLA Const.	Jugsalai	Trains Halting	42
				MLA Name	Sri Ramchandra Sahis	Station IInd Entry	N
Other Items	std/local tele phone available.						
Remarks for Station:	Cold Water available on all PFs. AC waiting halls provided for ladies and gents separately for 1st class passengers.						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sq.m.)	414	Area(sq.m)	67	34	Area(sq.m)	101	Retiring Room 10
(b) Seats(Nos.)	177	Seats(Nos.)	15	15	Seats(Nos.)	30	Dormitory 2
(c) Lav.(Nos.)	11	Lav.(Nos.)	3	2	Lav.(Nos.)	5	
(d) Urinals(Nos.)	10	Urinals(Nos.)	2	0	Urinals(Nos.)	2	
(e) Bathing Cubicals(Nos.)	6	Bathing Cubicals(Nos.)	2	2	Bathing Cubicals(Nos.)	2	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	10000	Length(m)	60	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	186750		
Pay & Use Toilet				Remarks	Taps are available on all the platforms.		

Station Name : Tatanagar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	506	15.2	84	OTH	6240	0	56	0	373	570	220	11	11	88	505	10	0	0	0	1	Y	0
2 & 3	BG	Y	576	13.7	84	OTH	5425	0	60	0	570	570	384	0	0	78	453	5	0	0	0	1	Y	0
4 & 5	BG	Y	545	10.65	80	OTH	3515	0	64	0	373	545	254	0	0	37	139	5	0	0	0	1	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Tatanagar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5 Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	1500 sqm	60	12	12	450	1 With Cover	High level	6	YES
As per Rec. norms	3346	6720	320	12	12	960			-	-
Actual	414	15179.3	180	32	25	1095	1	See platform details	10	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Station Name : Tatanagar

Summary As per Adarsh Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Renovated water booths	Yes	Improvement in facade of station building	Yes
Renovated, modern, pay & use toilets	Yes	Improvement in circulating area for proper entry and exit	Yes
Good Waiting and Retiring Rooms with modern	Yes	Availability of lighting tower for proper illumination	Yes
Good passenger guidance system inc. signage and	Yes	Improvement to passenger service	Yes
Lighting of booking office (queuing area)	Yes	Engagement of reputed architects/consultants for	Yes

Station Name : Tatanagar

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	No	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	No
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	Yes
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Tatanagar

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	Yes

Passenger Amenities Details As on : 31/03/2014

Division : Solapur

Station Name	Solapur			No. of passengers dealt with:		Identified as Adarsh	Y
Station Code	SUR	FOB	2	(a) Per Day	19493	Developed As Adarsh	Y
Station Category	A1	Subway	0	(b) Max. at any time	1218	Identified for MFC	N
Railway	CR	Booking Windows	7	Pass. Earnings/Year(Rs. in Lac.)			
Division	Solapur	Enquiry Office	1	2011-12	7377.81	Tourist Facilation Center	N
State	Maharashtra	Public Address Sys.	Y	2012-13		Touch Screen Enquiry System	Y
District	Solapur	Clock	Y	2013-14		Electronic Train Indication	Y
Section	BBY-MAS	Wheel Chairs	Y	Length of longest stopping train(m)	575	ATMs	3
Km.	454,97	Cloak Room	Y	MP Const.	Solapur	Food Plaza	Y
Route	B	Refreshment Room(sq.m)	200	MP Name	Sharad Bansode	Budget Hotel	N
Electrified	Y			MLA Const.	Solapur City Central	Trains Halting	60
				MLA Name	Ms.Praneeti Shinde	Station IInd Entry	Y
Other Items	FACILITIES FOR HANDICAP						
Remarks for Station:	Model station.						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	452	Area(sq.m)	52	49	Area(sq.m)	53	Retiring Room	7
(b) Seats(Nos.)	76	Seats(Nos.)	20	20	Seats(Nos.)	12	Dormitory	2
(c) Lav.(Nos.)	7	Lav.(Nos.)	2	2	Lav.(Nos.)	2		
(d) Urinals(Nos.)	4	Urinals(Nos.)	2	1	Urinals(Nos.)	2		
(e) Bathing Cubicals(Nos.)	6	Bathing Cubicals(Nos.)	2	1	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	5549	Length(m)	50	Source	Railway Supply	Open Wells (Nos)	1
Surface	Cement Concrete	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	10
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	10800		
Pay & Use Toilet				Remarks	SOURCE- SOLAPUR MUNICIPAL CORPORATION WATER		

Station Name : Solapur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	605	8	84	PS	38790	1	41	0	615	615	177	7	4	11	124	6	2	0	0	0	Y	0
2&3	BG	Y	590	7	84	OPS	40410	0	63	0	527/527	547	270	3	2	8	161	2	0	0	0	1	Y	0
4&5	BG	Y	545	9.85	84	CC	47322	0	46	0	540/540	539	82	3	2	0	0	0	0	0	0	1	Y	0
*Surface Type		CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : Solapur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	1500 sqm	60	12	12	450	1 With Cover	High level	6	YES
As per Rec. norms	509	1023	49	2	2	146			-	-
Actual	452.11	126522	150	26	17	657	2	See platform details	9	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Station Name : Solapur

Summary As per Adarsh Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Renovated water booths	Yes	Improvement in facade of station building	Yes
Renovated, modern, pay & use toilets	Yes	Improvement in circulating area for proper entry and exit	Yes
Good Waiting and Retiring Rooms with modern	Yes	Availability of lighting tower for proper illumination	Yes
Good passenger guidance system inc. signage and	Yes	Improvement to passenger service	Yes
Lighting of booking office (queuing area)	Yes	Engagement of reputed architects/consultants for	No

Station Name : Solapur

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	No	Electronic Train Indicator Board	Yes
Water Vending Machines	No	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	No
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Passenger Amenities Details As on : 31/03/2014

Division : Secunderabad

Station Name	Secunderabad			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	SC	FOB	3	(a) Per Day	71480	Developed As Adarsh	
Station Category	A1	Subway	0	(b) Max. at any time	20714	Identified for MFC	N
Railway	SCR	Booking Windows	58	Pass. Earnings/Year(Rs. in Lac.)			
Division	Secunderabad	Enquiry Office	2	2011-12	124.09	Tourist Facilation Center	Y
State	Andhra Pradesh	Public Address Sys.	Y	2012-13		Touch Screen Enquiry System	Y
District	Hyderabad	Clock	Y	2013-14		Electronic Train Indication	Y
Section	SC-KZJ	Wheel Chairs	Y	Length of longest stopping train(m)	563	ATMs	6
Km.	194.36	Cloak Room	Y	MP Const.	Secunderabad	Food Plaza	Y
Route	B	Refreshment Room(sq	343	MP Name	Bandaru Dattatreya	Budget Hotel	N
Electrified	Y			MLA Const.	Secunderabad Cantt	Trains Halting	
				MLA Name	Jaya Sudha	Station IInd Entry	Y
Other Items	Nil						
Remarks for Station:	HEAD QUARTERS OF SCR						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq	850	Area(sq	320	68	Area(sq	189	Retiring Room	11
(b) Seats(Nos.)	300	Seats(Nos.)	30	15	Seats(Nos.)	50	Dormitory	2
(c) Lav.(Nos.)	10	Lav.(Nos.)	8	2	Lav.(Nos.)	4		
(d) Urinals(Nos.)	7	Urinals(Nos.)	8	0	Urinals(Nos.)	3		
(e) Bathing Cubicals(Nos.)	2	Bathing Cubicals(Nos.)	6	2	Bathing Cubicals(Nos.)	4		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sq	28352	Length(m)	450	Source	Municipal Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	0
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	5786600		
Pay & Use Toilet				Remarks	GLR:4830000,RCC:408600,steel tank:90000,pvc :40000,		

Station Name : Secundarabad

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	614	15	84	PS	5373	0	25	0	610	516	293	20	10	113	401	20	18	0	0	1	Y	0
10	BG	N	554	10	84	PS	4551	0	32	0	554	580	276	7	7	96	396	4	10	0	0	1	Y	0
2&3	BG	Y	587	11	84	PS	2928	0	28	0	587	498	291	0	0	73	231	3	7	0	0	1	Y	0
4&5	BG	Y	530	9	84	PS	5499	0	19	0	530	490	270	0	0	36	211	3	8	0	0	1	Y	0
6&7	BG	Y	650	15	84	PS	5588	0	16	0	612	500	471	6	8	81	314	6	7	0	0	1	Y	0
8&9	BG	Y	609	10	84	PS	3400	0	42	0	560	580	306	0	0	68	283	0	7	0	0	1	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Secundarabad

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	3000 sqm	120	12	12	900	1 With Cover	High level	12	YES
As per Rec. norms	8663	34800	829	31	31	2486			-	-
Actual	850	27339.06	162	57	43	2302	3	See platform details	16	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2014

Division : Sealdah

Station Name	Sealdah			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	SDAH	FOB	1	(a) Per Day	226002	Developed As Adarsh	
Station Category	A1	Subway	1	(b) Max. at any time	2065	Identified for MFC	Y
Railway	ER	Booking Windows	35	Pass. Earnings/Year(Rs. in Lac.)		MFC Developed	N
Division	Sealdah	Enquiry Office	1	2011-12	21060.67	Tourist Facilation Center	Y
State	West Bengal	Public Address Sys.	Y	2012-13	5436.87	Touch Screen Enquiry System	Y
District	Kolkata	Clock	Y	2013-14		Electronic Train Indication	Y
Section	SDAH-BP	Wheel Chairs	Y	Length of longest stopping train(m)	351	ATMs	6
Km.	00.00	Cloak Room	Y	MP Const.	Kolkata Uttar	Food Plaza	Y
Route	C	Refreshment Room(sq.m)	150.19	MP Name	Sudip Bandyopadhyay	Budget Hotel	N
Electrified	Y			MLA Const.	Chowringhee	Trains Halting	0
Other Items	NIL			MLA Name	SIKHA MITRA	Station IInd Entry	N
Remarks for Station:	Nil						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sq.m.)	128	Area(sq.m)	159	59	Area(sq.m)	126	Retiring Room 4
(b) Seats(Nos.)	36	Seats(Nos.)	28	20	Seats(Nos.)	36	Dormitory 2
(c) Lav.(Nos.)	14	Lav.(Nos.)	4	2	Lav.(Nos.)	3	
(d) Urinals(Nos.)	0	Urinals(Nos.)	5	1	Urinals(Nos.)	3	
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	3	2	Bathing Cubicals(Nos.)	3	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	14600	Length(m)	100	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	2
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	227000		
Pay & Use Toilet	Y			Remarks	GOOD		

Station Name : Sealdah

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1 & 2	BG	Y	202	9.6	83	OPS	2020	0	0	0	207.5/207.5	0	145	0	0	16	53	5	2	0	0	0	N	0
10&11	BG	Y	274	10.66	83	PS	2300	0	0	0	229.29/229.29	0	68	5	10	12	120	4	1	0	0	0	N	0
10A	BG	N	276	11.4	83	OPS	1280	0	0	0	250	0	30	6	8	0	129	0	0	0	0	0	N	0
12&13	BG	Y	274	10.66	83	CC	2500	0	0	0	230.21/230.21	0	48	0	0	10	112	3	2	0	0	0	N	0
14&14A	BG	Y	290	7.95	83	PS	2500	0	10	0	250	0	75	0	0	0	147	0	0	0	0	0	N	0
1A	BG	N	276	6.85	83	OPS	1820	4	4	0	204.3	0	80	9	35	13	146	0	0	0	0	0	N	0
3 & 4	BG	Y	203	9.75	83	OPS	1900	0	0	0	202.85/202.85	0	210	0	0	14	58	6	2	0	0	0	N	0
4&4A	BG	Y	202	7.5	83	OPS	1200	8	23	0	202.06/202.06	0	60	0	0	14	73	4	1	0	0	1	N	0
5	BG	N	336	7.85	83	PS	2240	3	29	0	336.1	0	177	6	18	21	100	2	2	0	0	1	N	0
6 & 7	BG	Y	404	8.5	83	PS	2880	8	8	0	403.5/403	0	120	0	0	34	159	2	1	0	0	0	N	0
8	BG	Y	430	8	83	PS	3280	5	16	0	400/400	429	341	8	10	13	33	5	1	0	0	0	N	0
9A&B	BG	Y	605	9.3	84	PS	5184	1	7	0	570/570	0	336	0	0	50	360	0	2	0	0	0	Y	0
9	BG	Y	276	8	84	PS	1760	0	4	0	430/276	0	60	0	0	0	20	0	0	0	0	0	N	0
9C	BG	N	510	6	84	PS	640	0	0	0	510	0	0	0	0	0	20	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Sealdah

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5 Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	7000 sqm	280	12	12	2100	1 With Cover	High level	28	YES
As per Rec. norms	864	8095	83	3	3	248			-	-
Actual	128	31504	114	57	90	1870	1	See platform details	8	YES
Shortage, if any	122	-	166	-	-	230	-		20	-

Passenger Amenities Details As on : 31/03/2014

Division : Rangiya

Station Name	Rangiya jn.			No. of passengers dealt with:		Identified as Adarsh	Y
Station Code	RNY	FOB	1	(a) Per Day	1000	Developed As Adarsh	Y
Station Category	A	Subway	0	(b) Max. at any time	1250	Identified for MFC	N
Railway	NFR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)			
Division	Rangiya	Enquiry Office	1	2011-12	1387.00	Tourist Facilitation Center	N
State	Assam	Public Address Sys.	Y	2012-13	1468.43	Touch Screen Enquiry System	N
District	Kamrup	Clock	Y	2013-14		Electronic Train Indication	Y
Section	NBQ-RNY-GHY	Wheel Chairs	Y	Length of longest stopping train(m)	545	ATMs	1
Km.	360/1-2	Cloak Room	Y	MP Const.	Mangaldoi	Food Plaza	N
Route	D	Refreshment Room(sq.m)	37.8	MP Name	Ramen Deka	Budget Hotel	N
Electrified	Y			MLA Const.	Rangiya	Trains Halting	24
				MLA Name	Ghanashyam Kalita	Station IInd Entry	Y
Other Items	Nil						
Remarks for Station:	Nil						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	65	Area(sq.m)	31	17	Area(sq.m)	31	Retiring Room	3
(b) Seats(Nos.)	24	Seats(Nos.)	2	2	Seats(Nos.)	10	Dormitory	2
(c) Lav.(Nos.)	3	Lav.(Nos.)	2	2	Lav.(Nos.)	0		
(d) Urinals(Nos.)	3	Urinals(Nos.)	2	2	Urinals(Nos.)	2		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)	1	1	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	2520	Length(m)	30.15	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	3
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	272400		
Pay & Use Toilet	N			Remarks	Drinking water available at PF.		

Station Name : Rangiya jn.

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	580	8.5	85	CC	2464	12	22	0	0	22	157	4	4	40	144	4	0	0	0	1	Y	1
2 & 3	BG	Y	580	9.5	84	CC	2911	0	28	0	0	22	223	2	4	0	40	10	0	0	0	0	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Rangiya jn.

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	800 sqm	40	10	10	250	1 With Cover	High level	4	YES
As per Rec. norms	523	700	50	2	2	150			-	-
Actual	65	5374.6	53	13	17	418	1	See platform details	3	YES
Shortage, if any	60	-	-	-	-	-	-		1	-

Station Name : Rangiya jn.

Summary As per Adarsh Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Renovated water booths	Yes	Improvement in facade of station building	Yes
Renovated, modern, pay & use toilets	Yes	Improvement in circulating area for proper entry and exit	Yes
Good Waiting and Retiring Rooms with modern	Yes	Availability of lighting tower for proper illumination	Yes
Good passenger guidance system inc. signage and	Yes	Improvement to passenger service	Yes
Lighting of booking office (queuing area)	Yes	Engagement of reputed architects/consultants for	No

Station Name : Rangiya jn.

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	No	Electronic Train Indicator Board	Yes
Water Vending Machines	No	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	No	Automatic Vending Machines	No
UTS	Yes	Pay & Use Tiolets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	No
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Rangiya jn.

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

Passenger Amenities Details As on : 31/03/2014

Division : Ranchi

Station Name	Ranchi jn.			No. of passengers dealt with:		Identified as Adarsh	Y
Station Code	RNC	FOB	2	(a) Per Day	14045	Developed As Adarsh	Y
Station Category	A	Subway	0	(b) Max. at any time	3500	Identified for MFC	N
Railway	SER	Booking Windows	13	Pass. Earnings/Year(Rs. in Lac.)			
Division	Ranchi	Enquiry Office	2	2011-12	4211.06	Tourist Facilation Center	Y
State	Jharkhand	Public Address Sys.	Y	2012-13	4414.19	Touch Screen Enquiry System	Y
District	Ranchi	Clock	Y	2013-14	5225.01	Electronic Train Indication	Y
Section	MURI-HTE	Wheel Chairs	Y	Length of longest stopping train(m)	506	ATMs	2
Km.	0418.48	Cloak Room	Y	MP Const.	Ranchi	Food Plaza	Y
Route	E	Refreshment Room(sqm)	111.47	MP Name	Ram Tahal Choudhary	Budget Hotel	Y
Electrified	Y			MLA Const.	Ranchi	Trains Halting	46
				MLA Name	Chandreshwar Pd.Singh	Station IInd Entry	N
Other Items	Nil						
Remarks for Station:	One chilled water plant installed in PF-1 to serve cold water to PF No.1, 2 & 3.						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	310	Area(sqm)		95	48	Area(sqm)	274	Retiring Room 0
(b) Seats(Nos.)	15	Seats(Nos.)		30	24	Seats(Nos.)	45	Dormitory 0
(c) Lav.(Nos.)	0	Lav.(Nos.)		3	2	Lav.(Nos.)	2	
(d) Urinals(Nos.)	0	Urinals(Nos.)		4	1	Urinals(Nos.)	3	
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		2	2	Bathing Cubicals(Nos.)	2	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	12208	Length(m)	1700	Source	Municipal Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	0
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	25000		
Pay & Use Toilet	Y			Remarks	Regular.		

Station Name : Ranchi jn.

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1 & 1A	BG	Y	1080	14.15	55	PS	4754	1	53	0	561	493	717	23	9	72	348	7	24	0	1	0	Y	0
2 & 3	BG	Y	542.2	10.8	76	PS	2106	0	36	0	542/360	447	220	0	0	40	174	4	7	0	1	0	Y	0
4 & 5	BG	Y	579	10.7	76	PS	801	0	44	0	579	0	156	0	0	19	56	0	0	0	1	0	N	0
*Surface Type		: CC-Cement Concrete		PS-Polished Stone		OPS-Other Pucca Surface		MOR-Moorum		OTH-Others														

Station Name : Ranchi jn.

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	1200 sqm	60	10	10	375	1 With Cover	High level	6	YES
As per Rec. norms	1464	2940	140	5	5	420			-	-
Actual	310	7661.4	133	30	17	1207	2	See platform details	3	YES
Shortage, if any	-	-	-	-	-	-	-		3	-

Station Name : Ranchi jn.

Summary As per Adarsh Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Renovated water booths	Yes	Improvement in facade of station building	Yes
Renovated, modern, pay & use toilets	Yes	Improvement in circulating area for proper entry and exit	Yes
Good Waiting and Retiring Rooms with modern	Yes	Availability of lighting tower for proper illumination	Yes
Good passenger guidance system inc. signage and	Yes	Improvement to passenger service	Yes
Lighting of booking office (queuing area)	Yes	Engagement of reputed architects/consultants for	Yes

Station Name : Ranchi jn.

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	No	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	Yes	Coin operated Ticket Vending Machines	Yes
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Desired Facility	Facility Available
Improvement in the facade of the station building Improvement in the circulating area so as to ensure proper entry and exit of A lighting tower at an appropriate place to be installed for proper illumination Improved modern, cost effective lighting arrangements at the platforms, Renovated water booths Renovated, modern, Pay & Use toilets Good Waiting and Retiring Rooms with modern furniture Good passenger guidance system including signages and coach indication Improvement to the passenger service Improvement of booking and enquiry offices to give them a facelift Lighting of booking offices, the queuing area in front of booking windows Engagement of reputed architects/consultants for beautification	

Passenger Amenities Details As on : 31/03/2014

Division : Raipur

Station Name	Raipur			No. of passengers dealt with:		Identified as Adarsh	Y
Station Code	R	FOB	3	(a) Per Day	30406	Developed As Adarsh	Y
Station Category	A1	Subway	0	(b) Max. at any time	8000	Identified for MFC	Y
Railway	SECR	Booking Windows	25	Pass. Earnings/Year(Rs. in Lac.)		MFC Developed	Y
Division	Raipur	Enquiry Office	5	2011-12	8682.25	Tourist Facilitation Center	Y
State	Chhattisgarh	Public Address Sys.	Y	2012-13	9073.59	Touch Screen Enquiry System	Y
District	Raipur	Clock	Y	2013-14		Electronic Train Indication	Y
Section	BSP-DUG	Wheel Chairs	Y	Length of longest stopping train(m)	535	ATMs	3
Km.	0820.10	Cloak Room	Y	MP Const.	Raipur	Food Plaza	Y
Route	A	Refreshment Room(sq.m)	114	MP Name	Ramesh Bais	Budget Hotel	N
Electrified	Y			MLA Const.	Raipur City North	Trains Halting	128
				MLA Name	Sri Kuldeep Singh Juneja	Station IInd Entry	Y
Other Items	nil						
Remarks for Station:	As per Rly. Bd's instruction vide Lr. No. 94/LMB/2/175 Dt. 15.02.07, norms for MEA is to provide waiting hall 150 Sqm. This has been provided.						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sq.m.)	354	Area(sq.m)		94	71	Area(sq.m)	165
(b) Seats(Nos.)	185	Seats(Nos.)		80	28	Seats(Nos.)	56
(c) Lav.(Nos.)	9	Lav.(Nos.)		6	2	Lav.(Nos.)	4
(d) Urinals(Nos.)	3	Urinals(Nos.)		4	0	Urinals(Nos.)	4
(e) Bathing Cubicals(Nos.)	11	Bathing Cubicals(Nos.)		6	2	Bathing Cubicals(Nos.)	4
						Retiring Room	5
						Dormitory	3

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	27000	Length(m)	3	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	2
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	582000		
Pay & Use Toilet				Remarks	Adequate. Stand by pump should be kept ready for any		

Station Name : Raipur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1A	BG	N	271	9.5	84	PS	2100	0	20	0		0	150	2	5	39	136	0	0	0	0	0	N	0
1B	BG	Y	130.6	7	84	PS	775	0	20	0	186/186	180	150	0	10	2	39	0	0	0	0	1	N	0
1UP	BG	N	593	15.9	84	PS	9429	0	34	0	593	0	392	0	12	63	720	10	7	0	0	3	Y	0
2&3	BG	Y	590	9.5	84	PS	3605	0	36	0	295/295	610	284	0	8	56	457	5	3	0	0	3	Y	0
5&6	BG	Y	610	9.5	84	PS	5320	0	34	0	305/610	610	336	0	5	53	498	7	3	0	0	2	Y	0
*Surface Type		:	CC-Cement Concrete	PS-Polished Stone	OPS-Other Pucca Surface	MOR-Moorum	OTH-Others																	

Station Name : Raipur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	2500 sqm	100	12	12	750	1 With Cover	High level	10	YES
As per Rec. norms	3346	11200	320	12	12	960			-	-
Actual	354	21228.55	144	23	51	1661	3	See platform details	25	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Station Name : Raipur

Summary As per Adarsh Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Renovated water booths	Yes	Improvement in facade of station building	Yes
Renovated, modern, pay & use toilets	Yes	Improvement in circulating area for proper entry and exit	Yes
Good Waiting and Retiring Rooms with modern	Yes	Availability of lighting tower for proper illumination	Yes
Good passenger guidance system inc. signage and	Yes	Improvement to passenger service	Yes
Lighting of booking office (queuing area)	Yes	Engagement of reputed architects/consultants for	Yes

Station Name : Raipur

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	No	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	No
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	Yes	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Raipur

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	Yes

Passenger Amenities Details As on : 31/03/2014

Division : Danapur

Station Name	Patna			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	PNBE	FOB	3	(a) Per Day	107000	Developed As Adarsh	
Station Category	A1	Subway	0	(b) Max. at any time	6000	Identified for MFC	N
Railway	ECR	Booking Windows	57	Pass. Earnings/Year(Rs. in Lac.)			
Division	Danapur	Enquiry Office	5	2011-12	14295.39	Tourist Facilitation Center	Y
State	Bihar	Public Address Sys.	Y	2012-13	14295.39	Touch Screen Enquiry System	N
District	Patna	Clock	Y	2013-14		Electronic Train Indication	Y
Section	MAIN LINE	Wheel Chairs	Y	Length of longest stopping train(m)	528	ATMs	5
Km.	543.55	Cloak Room	Y	MP Const.	Pataliputra	Food Plaza	Y
Route	B	Refreshment Room(sq.m)	102	MP Name	Ram Kripal Yadav	Budget Hotel	N
Electrified	Y			MLA Const.	Bankipur	Trains Halting	
				MLA Name	Sri Nitin Naveen	Station IInd Entry	Y
Other Items	0						
Remarks for Station:	it is a large station.						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	764	Area(sq.m)	93	45	Area(sq.m)	111	Retiring Room	8
(b) Seats(Nos.)	184	Seats(Nos.)	2	2	Seats(Nos.)	4	Dormitory	2
(c) Lav.(Nos.)	0	Lav.(Nos.)	2	2	Lav.(Nos.)	4		
(d) Urinals(Nos.)	0	Urinals(Nos.)	3	1	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	2	1	Bathing Cubicals(Nos.)	4		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	6660	Length(m)	15	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	5
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	910000			
Pay & Use Toilet	Y			Remarks	0			

Station Name : Patna

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	585	12	84	CC	5160	0	58	0	585	585	522	3	10	120	343	6	7	0	0	0	Y	3
2&3	BG	Y	586	11	84	CC	3421	0	59	0	586/586	586	95	0	0	46	183	13	5	0	0	0	Y	1
4&5	BG	Y	602	12	84	CC	3264	0	38	0	602/602	602	152	0	4	42	213	10	4	0	0	0	Y	1
6&7	BG	Y	547	11	84	CC	1848	0	66	0	0/547	547	222	0	8	42	153	3	4	0	0	0	Y	1
8&9	BG	Y	602	11	84	CC	990	0	44	0	0/0	602	168	0	8	32	128	5	4	0	0	0	Y	1
10	BG	N	550	12	84	CC	2880	0	50	0	550	450	200	0	4	60	151	0	0	0	0	0	Y	1
*Surface Type		CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : Patna

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	3000 sqm	120	12	12	900	1 With Cover	High level	12	YES
As per Rec. norms	2509	10080	240	9	9	720			-	-
Actual	764	17563	315	11	38	1551	3	See platform details	3	YES
Shortage, if any	-	-	-	1	-	-	-		9	-
GM's Dispensation				NO	NA					

Station Name : Patna

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Tiolets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	Yes	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Patna

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

Passenger Amenities Details As on : 31/03/2014

Division : Delhi

Station Name	New delhi			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	NDLS	FOB	3	(a) Per Day	400000	Developed As Adarsh	
Station Category	A1	Subway	0	(b) Max. at any time	24916	Identified for MFC	N
Railway	NR	Booking Windows	42	Pass. Earnings/Year(Rs. in Lac.)			
Division	Delhi	Enquiry Office	6	2011-12	15352.00	Tourist Facilation Center	Y
State	Delhi	Public Address Sys.	Y	2012-13		Touch Screen Enquiry System	Y
District	New Delhi	Clock	Y	2013-14		Electronic Train Indication	Y
Section	DLI-TKD-PWL	Wheel Chairs	Y	Length of longest stopping train(m)	550	ATMs	2
Km.	1537.66	Cloak Room	Y	MP Const.	New Delhi	Food Plaza	Y
Route	A	Refreshment Room(sqm)	419	MP Name	Meenakshi Lekhi	Budget Hotel	N
Electrified	Y			MLA Const.	New Delhi	Trains Halting	
				MLA Name	Smt.SHEELA DIXIT	Station IInd Entry	Y
Other Items	-						
Remarks for Station:	Delux toilet(L=36,B=28,U=47),2nos.SulabhSochalya(L=20,B=20,U=4),Genl.Lats.(L=7,B=2,U=3),UTS=37,STD/PCO=20,Comput.Auto Announce.System,Face to FaceEnquiry,CoachGuidance,Trains inform.display Board,Plasma based seat availab.Syst.for Current Counters.						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sqm.)	3911	Area(sqm)		475	220	Area(sqm)	500
(b) Seats(Nos.)	135	Seats(Nos.)		280	90	Seats(Nos.)	200
(c) Lav.(Nos.)	102	Lav.(Nos.)		11	3	Lav.(Nos.)	10
(d) Urinals(Nos.)	61	Urinals(Nos.)		2	0	Urinals(Nos.)	4
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		18	10	Bathing Cubicals(Nos.)	4
						Retiring Room	44
						Dormitory	1

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	112300	Length(m)	400	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped	Bore Wells (Nos)	0
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	1695000		
Pay & Use Toilet	Y			Remarks	Water supply from Ranney Well & fit for drinking, In absence		

Station Name : New delhi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	727	10	84	OPS	33400	0	19	0	480	460	115	7	2	68	505	7	1	0	0	0	Y	0
2-3	BG	Y	600	12	84	OPS	60552	0	44	0	600	600	200	0	0	35	476	4	1	0	0	0	Y	0
4-5	BG	Y	317	11	84	OTH	36553	0	10	0	317	317	108	0	0	14	182	14	1	0	0	0	Y	0
14-15	BG	N	474	14	84	OPS	82992	0	14	0	474	474	154	0	1	29	363	6	2	0	0	0	Y	0
16	BG	N	600	11	84	OPS	39600	0	41	0	600	600	182	0	1	21	227	2	0	0	0	0	Y	0
12-13	BG	Y	377	11	84	OPS	45540	0	17	0	377	377	145	0	0	43	454	5	1	0	0	0	Y	0
6-7	BG	Y	610	13.83	84	OTH	7700	0	42	0	610	610	338	0	0	106	475	0	5	0	0	0	Y	0
8-9	BG	Y	541	8	84	OPS	31296	0	30	0	541	541	421	2	0	32	326	14	2	0	0	0	Y	0
10-11	BG	Y	500	12	84	OPS	5500	0	42	0	500	500	201	0	0	70	322		3	0	0	0	Y	0
*Surface Type		:	CC-Cement Concrete	PS-Polished Stone	OPS-Other Pucca Surface	MOR-Moorum	OTH-Others																	

Station Name : New delhi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5 Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	4500 sqm	180	12	12	1350	1 With Cover	High level	18	YES
As per Rec. norms	10420	62788	997	37	37	2990			-	-
Actual	3911	343133	310	135	71	2569	3	See platform details	29	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Station Name : New delhi

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room		Waiting Room (with bathing facility)	
Cloak Room		Upper Class	
Enquiry Counter		Second Class	
NTES		For Ladies (combined upper & second class)	
IVRS		Public Address System/Computer based	
Refreshment Room		Book stall/other stalls of essential goods	
Parking/circulatory area with light		Washable apron with jet cleaning	
Public Phone Booth		Electronic Train Indicator Board	
Water Vending Machines		Touch Screen Enquiry System	
Water Coolers		Signage (standardized)	
Modular Catering Stall		Automatic Vending Machines	
UTS		Pay & Use Toilets on end platform & circulating area	
Foot Over Bridges		Computerization of Complaints	
Food Plaza		Provision of at least one AC VIP/Executive Lounge	
Train Coach Indication System		CCTV for announcement & security purpose	
Pre-paid Taxi Service		Coin operated Ticket Vending Machines	
Static Mobile Charging Facility		Facilities of station building including facade	

Station Name : New delhi

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building Improvement in the circulating area so as to ensure proper entry and exit of A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms, Renovated water booths	Yes
Renovated, modern, Pay & Use toilets Good Waiting and Retiring Rooms with modern furniture Good passenger guidance system including signages and coach indication	Yes
Improvement to the passanger service Improvement of booking and enquiry offices to give them a facelift Lighting of booking offices, the queuing area in front of booking windows Engagement of reputed architects/consultants for beautification	

Passenger Amenities Details As on : 31/03/2014

Division : Rangiya

Station Name	New bongaigaon			No. of passengers dealt with:		Identified as Adarsh	Y
Station Code	NBQ	FOB	1	(a) Per Day	2061	Developed As Adarsh	Y
Station Category	B	Subway	0	(b) Max. at any time	2100	Identified for MFC	N
Railway	NFR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)			
Division	Rangiya	Enquiry Office	1	2011-12	594.00	Tourist Facilation Center	N
State	Assam	Public Address Sys.	Y	2012-13	822.36	Touch Screen Enquiry System	N
District	Bongaigaon	Clock	Y	2013-14		Electronic Train Indication	Y
Section	NBQ-AGT	Wheel Chairs	Y	Length of longest stopping train(m)	560	ATMs	1
Km.	251.41	Cloak Room	Y	MP Const.	Barpeta	Food Plaza	N
Route	D	Refreshment Room(sq	180	MP Name	Sirajuddin Ajmal	Budget Hotel	N
Electrified	Y			MLA Const.	Bongaigaon	Trains Halting	44
Other Items	Nil			MLA Name	Phani Bhusan Chaudhary	Station IInd Entry	Y
Remarks for Station:	Nil						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq	316	Area(sq		139	15	Area(sq	96	Retiring Room	2
(b) Seats(Nos.)	24	Seats(Nos.)		24	6	Seats(Nos.)	48	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		1	1	Lav.(Nos.)	4		
(d) Urinals(Nos.)	0	Urinals(Nos.)		2	2	Urinals(Nos.)	4		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	3		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sq	2500	Length(m)	100	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	3
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	305453		
Pay & Use Toilet				Remarks	Drinking water available at PF		

Station Name : New bongaigaon

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	589	7.01	57	PS	2014	0	30	0		636	170	4	16	19	73	2	0	0	0	1	Y	0
2 & 3	BG	Y	598.6	15.17	43.77	PS	5481	0	40	0	540	376	278	0	0	66	173	2	0	0	0	1	Y	0
4 & 5	BG	Y	478	9.16	90.9	CC	1117	0	54	0		0	116	0	0	16	56	0	0	0	0	1	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : New bongaigaon

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	600 sqm	60	6	6	300	1	Medium	6	YES
As per Rec. norms	878	1764	84	3	3	252			-	-
Actual	316	8611.95	124	10	24	666	1	See platform details	2	YES
Shortage, if any	-	-	-	-	-	-	-		4	-

Station Name : New bongaigaon

Summary As per Adarsh Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Renovated water booths	Yes	Improvement in facade of station building	Yes
Renovated, modern, pay & use toilets	Yes	Improvement in circulating area for proper entry and exit	Yes
Good Waiting and Retiring Rooms with modern	Yes	Availability of lighting tower for proper illumination	Yes
Good passenger guidance system inc. signage and	Yes	Improvement to passenger service	Yes
Lighting of booking office (queuing area)	Yes	Engagement of reputed architects/consultants for	No

Station Name : New bongaigaon

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	No	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	No
UTS	Yes	Pay & Use Tiolets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	No
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : New bongaigaon

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

Passenger Amenities Details As on : 31/03/2014

Division : Bhusawal

Station Name	Nasik road			No. of passengers dealt with:		Identified as Adarsh	Y
Station Code	NKRD	FOB	6	(a) Per Day	22313	Developed As Adarsh	Y
Station Category	A1	Subway	0	(b) Max. at any time	1980	Identified for MFC	Y
Railway	CR	Booking Windows	7	Pass. Earnings/Year(Rs. in Lac.)		MFC Developed	N
Division	Bhusawal	Enquiry Office	1	2011-12	8679.36	Tourist Facilation Center	N
State	Maharashtra	Public Address Sys.	Y	2012-13	8679.22	Touch Screen Enquiry System	Y
District	Nashik	Clock	Y	2013-14		Electronic Train Indication	Y
Section	IGP-BSL	Wheel Chairs	Y	Length of longest stopping train(m)	555	ATMs	1
Km.	187/08	Cloak Room	Y	MP Const.	Nashik	Food Plaza	Y
Route	A	Refreshment Room(sq	97	MP Name	Hemant Tukaram Godse	Budget Hotel	N
Electrified	Y			MLA Const.	Nashik Central	Trains Halting	70
				MLA Name	Baban S Gholap	Station IInd Entry	N
Other Items	CYCLE STAND,BOOK STALL,STD PCO,CAR PARKING						
Remarks for Station:	SOUND						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq	419	Area(sq	49	37	Area(sq	0	Retiring Room	5
(b) Seats(Nos.)	112	Seats(Nos.)	20	20	Seats(Nos.)	0	Dormitory	2
(c) Lav.(Nos.)	3	Lav.(Nos.)	2	1	Lav.(Nos.)	0		
(d) Urinals(Nos.)	4	Urinals(Nos.)	2	1	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	4	3	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sq	2600	Length(m)	60	Source	Municipal Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped	Bore Wells (Nos)	0
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	430000		
Pay & Use Toilet	Y			Remarks	POTABLE		

Station Name : Nasik road

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	490	9.55	84	PS	2488	0	52	0	0	0	130	4	5	16	158	2	8	0	0	2	Y	0
2	BG	Y	630	14.5	84	PS	5524	0	61	0	0	0	200	2	3	19	241	4	4	0	0	2	Y	0
3	BG	Y	602	0	84	CC	0	0	58	0	0	0	225	2	3	0	0	0	5	0	0	2	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Nasik road

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	1500 sqm	60	12	12	450	1 With Cover	High level	6	YES
As per Rec. norms	828	1663	79	3	3	238			-	-
Actual	419.06	8011.48	171	14	18	707	6	See platform details	6	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Station Name : Nasik road

Summary As per Adarsh Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Renovated water booths	Yes	Improvement in facade of station building	Yes
Renovated, modern, pay & use toilets	Yes	Improvement in circulating area for proper entry and exit	Yes
Good Waiting and Retiring Rooms with modern	Yes	Availability of lighting tower for proper illumination	Yes
Good passenger guidance system inc. signage and	Yes	Improvement to passenger service	Yes
Lighting of booking office (queuing area)	Yes	Engagement of reputed architects/consultants for	Yes

Station Name : Nasik road

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	No
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	No	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	No	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Nasik road

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passanger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	Yes

Passenger Amenities Details As on : 31/03/2014

Division : Mumbai

Station Name	Mumbai central main			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	BCT	FOB	1	(a) Per Day	17272	Developed As Adarsh	
Station Category	A1	Subway	0	(b) Max. at any time	2500	Identified for MFC	N
Railway	WR	Booking Windows	7	Pass. Earnings/Year(Rs. in Lac.)			
Division	Mumbai	Enquiry Office	1	2011-12	28225.33	Tourist Facilation Center	Y
State	Maharashtra	Public Address Sys.	Y	2012-13	32768.73	Touch Screen Enquiry System	Y
District	Mumbai City	Clock	Y	2013-14		Electronic Train Indication	Y
Section	CCG-VR	Wheel Chairs	Y	Length of longest stopping train(m)	555	ATMs	5
Km.	4.50	Cloak Room	Y	MP Const.	Mumbai-South-Central	Food Plaza	Y
Route	A	Refreshment Room(sqm)	135	MP Name	Rahul Shewale	Budget Hotel	N
Electrified	Y			MLA Const.	Malabar Hill	Trains Halting	19
				MLA Name	Mangal Prabhat Lodha	Station IInd Entry	Y
Other Items	NIL						
Remarks for Station:	Clock, PA,CA & PC based announcement system , Arrival / Departure display boards, RGY display board, coach guidance display system Token display boards, UTS including Fare Display , PRS including Fare Display Board & ATVM.						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	2229	Area(sqm)		174	86	Area(sqm)	130	Retiring Room	8
(b) Seats(Nos.)	258	Seats(Nos.)		20	10	Seats(Nos.)	15	Dormitory	2
(c) Lav.(Nos.)	7	Lav.(Nos.)		6	2	Lav.(Nos.)	4		
(d) Urinals(Nos.)	20	Urinals(Nos.)		3	2	Urinals(Nos.)	2		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		3	2	Bathing Cubicals(Nos.)	2		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	16000	Length(m)	105	Source	Municipal Supply	Open Wells (Nos)	0
Surface	Other	Surface	Other	Type	Piped	Bore Wells (Nos)	0
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	60000		
Pay & Use Toilet				Remarks	Sufficient, Water supply by BMC.		

Station Name : Mumbai central main

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	555	15.2	84	OTH	4000	1	28	0	495/495	555	39	0	0	51	0	4	0	0	0	0	Y	1
3&4	BG	Y	436	15.2	84	PS	3700	0	20	0	380/380	430	145	0	0	50	0	6	0	0	0	0	Y	1
5	BG	N	391	7.6	84	OTH	2542	0	0	0	380	380	69	0	0	21	0	0	0	0	0	0	Y	1
*Surface Type :		CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : Mumbai central main

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5 Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	1500 sqm	60	12	12	450	1 With Cover	High level	6	YES
As per Rec. norms	1046	2100	100	4	4	300			-	-
Actual	2229.3	10241.5	52	19	27	556	1	See platform details	6	YES
Shortage, if any	-	-	8	-	-	-	-		-	-

Station Name : Mumbai central main

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	No
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	Yes	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Mumbai central main

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

Passenger Amenities Details As on : 31/03/2014

Division : Mughalsarai

Station Name	MUGHALSARAI			No. of passengers dealt with:		Identified as Adarsh	Y
Station Code	MGS	FOB	3	(a) Per Day	12426	Developed As Adarsh	Y
Station Category	A	Subway	0	(b) Max. at any time	400	Identified for MFC	N
Railway	ECR	Booking Windows	13	Pass. Earnings/Year(Rs. in Lac.)			
Division	Mughalsarai	Enquiry Office	2	2011-12	3572.08	Tourist Facilation Center	N
State	Uttar Pradesh	Public Address Sys.	Y	2012-13	3859.76	Touch Screen Enquiry System	Y
District	Chandauli	Clock	Y	2013-14		Electronic Train Indication	Y
Section	GC	Wheel Chairs	Y	Length of longest stopping train(m)	560	ATMs	3
Km.	0672.65	Cloak Room	Y	MP Const.	Salempur	Food Plaza	Y
Route	A	Refreshment Room(sq.m)		MP Name	Ravindra Kushawaha	Budget Hotel	N
Electrified	Y			MLA Const.	Mughalsarai	Trains Halting	110
Other Items	-			MLA Name	Babban sing chauhan	Station IInd Entry	N
Remarks for Station:	-						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	273	Area(sq.m)	53	35	Area(sq.m)	77	Retiring Room	6
(b) Seats(Nos.)	114	Seats(Nos.)	20	17	Seats(Nos.)	58	Dormitory	1
(c) Lav.(Nos.)	8	Lav.(Nos.)	2	1	Lav.(Nos.)	4		
(d) Urinals(Nos.)	4	Urinals(Nos.)	1	0	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	5	Bathing Cubicals(Nos.)	12	1	Bathing Cubicals(Nos.)	2		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	9942	Length(m)	20	Source	Railway Supply	Open Wells (Nos)	0
Surface	Other	Surface	Cement Concrete	Type	Piped	Bore Wells (Nos)	7
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	1230340		
Pay & Use Toilet	Y			Remarks	-		

Station Name : MUGHALSARAI

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1 & 2	BG	Y	570	25.3	84	OPS	3050	5	119	0	0	580	440	7	1	60	50	17	0	0	0	0	Y	0
3 & 4	BG	Y	515	21	84	OPS	5000	14	82	0	610	580	780	4	8	50	60	0	0	0	0	0	Y	0
5 & 6	BG	Y	425	14	84	OPS	2625	2	50	0	0	485	520	4	6	38	45	0	0	0	0	0	Y	0
*Surface Type :		CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : MUGHALSARAI

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	1200 sqm	60	10	10	375	1 With Cover	High level	6	YES
As per Rec. norms	167	336	16	1	1	48			-	-
Actual	273	10675	251	30	21	1949	3	See platform details	26	-
Shortage, if any	-	-	-	-	-	-	-		-	YES

Station Name : MUGHALSARAI

Summary As per Adarsh Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Renovated water booths		Improvement in facade of station building	
Renovated, modern, pay & use toilets		Improvement in circulating area for proper entry and exit	
Good Waiting and Retiring Rooms with modern		Availability of lighting tower for proper illumination	
Good passenger guidance system inc. signage and		Improvement to passenger service	
Lighting of booking office (queuing area)		Engagement of reputed architects/consultants for	

Station Name : MUGHALSARAI

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room		Waiting Room (with bathing facility)	
Cloak Room		Upper Class	
Enquiry Counter		Second Class	
NTES		For Ladies (combined upper & second class)	
IVRS		Public Address System/Computer based	
Refreshment Room		Book stall/other stalls of essential goods	
Parking/circulatory area with light		Washable apron with jet cleaning	
Public Phone Booth		Electronic Train Indicator Board	
Water Vending Machines		Touch Screen Enquiry System	
Water Coolers		Signage (standardized)	
Modular Catering Stall		Automatic Vending Machines	
UTS		Pay & Use Toilets on end platform & circulating area	
Foot Over Bridges		Computerization of Complaints	
Food Plaza		Provision of at least one AC VIP/Executive Lounge	
Train Coach Indication System		CCTV for announcement & security purpose	
Pre-paid Taxi Service		Coin operated Ticket Vending Machines	
Static Mobile Charging Facility		Facilities of station building including facade	

Passenger Amenities Details As on : 31/03/2014

Division : Firozpur

Station Name	LUDHIANA Jn			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	LDH	FOB	3	(a) Per Day	34166	Developed As Adarsh	
Station Category	A1	Subway	0	(b) Max. at any time	6833	Identified for MFC	Y
Railway	NR	Booking Windows	16	Pass. Earnings/Year(Rs. in Lac.)		MFC Developed	N
Division	Firozpur	Enquiry Office	1	2011-12	13284.75	Tourist Facilitation Center	N
State	Punjab	Public Address Sys.	Y	2012-13	14471.82	Touch Screen Enquiry System	Y
District	Ludhiana	Clock	Y	2013-14		Electronic Train Indication	Y
Section	SNL-ATT	Wheel Chairs	Y	Length of longest stopping train(m)	600	ATMs	4
Km.	0375.65	Cloak Room	Y	MP Const.	Ludhiana	Food Plaza	Y
Route	B	Refreshment Room(sq.m)		MP Name	Ravneet Singh Bittu	Budget Hotel	N
Electrified	Y			MLA Const.	Ludhiana North	Trains Halting	
				MLA Name	Rakesh pandey	Station IInd Entry	Y
Other Items	PRS, UTS, IVRS, Handicap Enquiry office.						
Remarks for Station:	UTS-9 & PRS-7						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sq.m.)	872	Area(sq.m)		92	52	Area(sq.m)	0
(b) Seats(Nos.)	94	Seats(Nos.)		26	12	Seats(Nos.)	0
(c) Lav.(Nos.)	7	Lav.(Nos.)		3	2	Lav.(Nos.)	0
(d) Urinals(Nos.)	4	Urinals(Nos.)		2	0	Urinals(Nos.)	0
(e) Bathing Cubicals(Nos.)	6	Bathing Cubicals(Nos.)		3	1	Bathing Cubicals(Nos.)	0
						Retiring Room	4
						Dormitory	0

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	6000	Length(m)	80	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Other	Type	Piped		Bore Wells (Nos)	17
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	2597340			
Pay & Use Toilet				Remarks	O.K.			

Station Name : LUDHIANA Jn

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	659	8	84	PS	4200	2	38	0	615	580	126	0	0	28	0	5	0	0	0	0	Y	0
2&3	BG	Y	590	9	84	PS	2823	0	33	0	550	590	144	0	0	20	0	8	0	0	0	0	Y	0
4&5	BG	Y	550	10	84	CC	1690	0	16	0	550	550	96	0	0	14	0	3	0	0	0	0	N	0
6&7	BG	Y	510	10	84	OPS	700	0	16	0		350	102	0	0	4	0	1	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete	PS-Polished Stone	OPS-Other Pucca Surface	MOR-Moorum	OTH-Others																	

Station Name : LUDHIANA Jn

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	2000 sqm	80	12	12	600	1 With Cover	High level	8	YES
As per Rec. norms	2858	7653	273	10	10	820			-	-
Actual	872	9413.03	103	12	6	600	3	See platform details	14	YES
Shortage, if any	-	-	-	-	6	-	-		-	-
GM's Dispensation				NA	NO					

Station Name : LUDHIANA Jn

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room		Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	No	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Toilets on end platform & circulating area	No
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	No
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : LUDHIANA Jn

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	No
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	Yes

Passenger Amenities Details As on : 31/03/2014

Division : Lucknow

Station Name	Lucknow			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	LKO	FOB	2	(a) Per Day	44959	Developed As Adarsh	
Station Category	A1	Subway	1	(b) Max. at any time	8978	Identified for MFC	N
Railway	NR	Booking Windows	31	Pass. Earnings/Year(Rs. in Lac.)			
Division	Lucknow	Enquiry Office	2	2011-12	14937.03	Tourist Facilation Center	Y
State	Uttar Pradesh	Public Address Sys.	Y	2012-13	15338.43	Touch Screen Enquiry System	Y
District	Lucknow	Clock	Y	2013-14	17566.42	Electronic Train Indication	Y
Section	MGS-PBH-LKO	Wheel Chairs	Y	Length of longest stopping train(m)	572	ATMs	4
Km.	1073.18	Cloak Room	Y	MP Const.	Lucknow	Food Plaza	Y
Route	B	Refreshment Room(sq.m)	360	MP Name	Rajnath Singh	Budget Hotel	N
Electrified	Y			MLA Const.	Lucknow Cantonment	Trains Halting	250
				MLA Name	Reeta Bahuguna Jishi	Station IInd Entry	Y
Other Items	DG set supply provided.						
Remarks for Station:	Divisional head quarter						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sq.m.)	2297	Area(sq.m)	220	49	Area(sq.m)	171	Retiring Room 11
(b) Seats(Nos.)	57	Seats(Nos.)	30	25	Seats(Nos.)	52	Dormitory 3
(c) Lav.(Nos.)	0	Lav.(Nos.)	8	2	Lav.(Nos.)	6	
(d) Urinals(Nos.)	0	Urinals(Nos.)	5	1	Urinals(Nos.)	4	
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	3	1	Bathing Cubicals(Nos.)	16	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	40000	Length(m)	760	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	12
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	1665000		
Pay & Use Toilet	Y			Remarks	good		

Station Name : Lucknow

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	590	15	84	PS	3690	0	80	0	608	608	200	11	4	52	60	6	4	0	0	0	Y	1
2 & 3	BG	Y	552	15.6	84	OPS	4000	0	85	0	451/505	505	260	0	2	60	112	9	0	0	0	0	Y	2
4 & 5	BG	Y	572	16.8	84	OPS	3540	0	90	0	502/503	563	155	0	2	45	55	10	0	0	0	0	Y	2
6 & 7	BG	Y	500.2	15.4	84	OPS	3515	0	85	0	543/453	546	270	0	2	33	60	2	0	0	0	0	Y	1
8 & 9	BG	Y	310.05	10.55	84	OPS	1015	0	52	0	304/237	345	156	0	0	18	25	1	0	0	0	0	Y	0
*Surface Type		:	CC-Cement Concrete	PS-Polished Stone	OPS-Other Pucca Surface	MOR-Moorum	OTH-Others																	

Station Name : Lucknow

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	2500 sqm	100	12	12	750	1 With Cover	High level	10	YES
As per Rec. norms	3755	12569	359	13	13	1077			-	-
Actual	2297	15760.54	392	27	20	1205	2	See platform details	9	YES
Shortage, if any	-	-	-	-	-	-	-		1	-

Station Name : Lucknow

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	No	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	No
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	Yes	Coin operated Ticket Vending Machines	Yes
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Lucknow

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	Yes

Passenger Amenities Details As on : 31/03/2014

Division : Kota

Station Name	Kota			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	KOTA	FOB	2	(a) Per Day	44802	Developed As Adarsh	
Station Category	A1	Subway	0	(b) Max. at any time	3591	Identified for MFC	N
Railway	WCR	Booking Windows	7	Pass. Earnings/Year(Rs. in Lac.)			
Division	Kota	Enquiry Office	1	2011-12	8030.29	Tourist Facilation Center	N
State	Rajasthan	Public Address Sys.	Y	2012-13	9343.05	Touch Screen Enquiry System	Y
District	Kota	Clock	Y	2013-14	12059.27	Electronic Train Indication	Y
Section	NAD-MTJ	Wheel Chairs	Y	Length of longest stopping train(m)	556.13	ATMs	4
Km.	0920.95	Cloak Room	Y	MP Const.	Kota	Food Plaza	Y
Route	A	Refreshment Room(sq.m)	84	MP Name	Om Birla	Budget Hotel	N
Electrified	Y			MLA Const.	Kota	Trains Halting	124
				MLA Name	Prahlad Gunjal	Station IInd Entry	Y
Other Items	-						
Remarks for Station:	Good condition.						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sq.m.)	562	Area(sq.m)	110	110	Area(sq.m)	150	Retiring Room 8
(b) Seats(Nos.)	57	Seats(Nos.)	24	24	Seats(Nos.)	36	Dormitory 4
(c) Lav.(Nos.)	11	Lav.(Nos.)	2	2	Lav.(Nos.)	8	
(d) Urinals(Nos.)	5	Urinals(Nos.)	2	2	Urinals(Nos.)	4	
(e) Bathing Cubicals(Nos.)	12	Bathing Cubicals(Nos.)	2	2	Bathing Cubicals(Nos.)	4	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	7246.62	Length(m)	200	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	3
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	450000		
Pay & Use Toilet	Y			Remarks	Satisfactory		

Station Name : Kota

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1 & 1 A	BG	Y	654	15	84	PS	5993	0	69	0	402/515	1124	436	16	9	54	220	6	4	0	0	2	Y	1
2&3	BG	Y	582	24	84	PS	5408	0	75	0	558/326	900	204	4	4	45	194	4	1	0	0	2	Y	1
4	BG	N	585.5	10.5	84	PS	2877	0	39	0		449	180	5	4	11	72	0	1	0	0	1	Y	1
*Surface Type		CC-Cement Concrete					PS-Polished Stone			OPS-Other Pucca Surface				MOR-Moorum			OTH-Others							

Station Name : Kota

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5 Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	1500 sqm	60	12	12	450	1 With Cover	High level	6	YES
As per Rec. norms	1502	3016	144	5	5	431			-	-
Actual	562.34	14277	238	48	30	961	2	See platform details	11	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Station Name : Kota

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Tiolets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Kota

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

Passenger Amenities Details As on : 31/03/2014

Division : Katihar

Station Name	Kishanganj			No. of passengers dealt with:		Identified as Adarsh	Y
Station Code	KNE	FOB	2	(a) Per Day	3834	Developed As Adarsh	N
Station Category	A	Subway	0	(b) Max. at any time	550	Identified for MFC	N
Railway	NFR	Booking Windows	2	Pass. Earnings/Year(Rs. in Lac.)			
Division	Katihar	Enquiry Office	1	2011-12	2566.31	Tourist Facilitation Center	N
State	Bihar	Public Address Sys.	Y	2012-13	2648.79	Touch Screen Enquiry System	N
District	Kishanganj	Clock	Y	2013-14		Electronic Train Indication	Y
Section	NJP-MLDT	Wheel Chairs	Y	Length of longest stopping train(m)	550	ATMs	0
Km.	87.31	Cloak Room	Y	MP Const.	Kishanganj	Food Plaza	N
Route	B	Refreshment Room(sq.m)	96	MP Name	Mohammad Asrarul Haque	Budget Hotel	N
Electrified	N			MLA Const.	Kishanganj	Trains Halting	110
				MLA Name	DR Mohammad Jawid	Station IInd Entry	Y
Other Items	NIL						
Remarks for Station:	NIL						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	108	Area(sq.m)	88	23	Area(sq.m)	32	Retiring Room	2
(b) Seats(Nos.)	0	Seats(Nos.)	18	12	Seats(Nos.)	15	Dormitory	1
(c) Lav.(Nos.)	0	Lav.(Nos.)	2	1	Lav.(Nos.)	1		
(d) Urinals(Nos.)	0	Urinals(Nos.)	2	1	Urinals(Nos.)	3		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	2	1	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	1600	Length(m)	375	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	2
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	180000		
Pay & Use Toilet	Y			Remarks	Treated by Iron removal and Chlorination.		

Station Name : Kishanganj

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	612	10	84	OPS	25920	3	41	0	0	0	191	0	0	22	52	10	0	0	0	2	Y	0
2	BG	Y	562	10	84	OPS	32010	0	29	0	0	0	190	2	3	24	64	13	0	0	0	2	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Kishanganj

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	800 sqm	40	10	10	250	1 With Cover	High level	4	YES
As per Rec. norms	230	308	22	1	1	66			-	-
Actual	108	57930	86	6	9	426	2	See platform details	4	-
Shortage, if any	17	-	-	4	1	-	-		-	YES
GM's Dispensation				NO	NO					

Station Name : Kishanganj

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	No	For Ladies (combined upper & second class)	Yes
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	No	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	No
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	No
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Passenger Amenities Details As on : 31/03/2014

Division : Izzatnagar

Station Name	Kathgodam			No. of passengers dealt with:		Identified as Adarsh	Y
Station Code	KGM	FOB	1	(a) Per Day	2440	Developed As Adarsh	Y
Station Category	A	Subway	0	(b) Max. at any time	750	Identified for MFC	Y
Railway	NER	Booking Windows	5	Pass. Earnings/Year(Rs. in Lac.)		MFC Developed	Y
Division	Izzatnagar	Enquiry Office	1	2011-12	1993.74	Tourist Facilitation Center	Y
State	Uttarakhand	Public Address Sys.	Y	2012-13	1091.06	Touch Screen Enquiry System	Y
District	Nainital	Clock	N	2013-14	584.98	Electronic Train Indication	Y
Section	LKU-KGM	Wheel Chairs	Y	Length of longest stopping train(m)	378	ATMs	1
Km.	88/13	Cloak Room	Y	MP Const.	Nainital-Udhamsingh Nagar	Food Plaza	Y
Route	C	Refreshment Room(sqm)	36	MP Name	Bhagat Singh Koshiyari	Budget Hotel	N
Electrified	Y			MLA Const.	Haldwani	Trains Halting	8
				MLA Name	SMT. INDIRA HRIDESH	Station IInd Entry	N
Other Items	No						
Remarks for Station:	UTS facility available.AC Lounge-92.71 sqm,VIP room-31.30 sqm available,4 low cost PP shelter have been provided.on PF 2&3. FOB to connect PF 1, 2 & 3 PROVIDED.						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sqm.)	227	Area(sqm)		54	23	Area(sqm)	40
(b) Seats(Nos.)	0	Seats(Nos.)		0	0	Seats(Nos.)	8
(c) Lav.(Nos.)	0	Lav.(Nos.)		3	1	Lav.(Nos.)	2
(d) Urinals(Nos.)	0	Urinals(Nos.)		3	1	Urinals(Nos.)	1
(e) Bathing Cubicals(Nos.)	4	Bathing Cubicals(Nos.)		2	2	Bathing Cubicals(Nos.)	2
						Retiring Room	2
						Dormitory	1

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	6122	Length(m)	28	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump	Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	N	Storage Capacity(Ltr)	130000		
Pay & Use Toilet				Remarks	water is taken from Irrigation canal and proper chlorination		

Station Name : Kathgodam

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	517	10	84	PS	1393	0	20	0	358.4	384	181	18	9	30	253	1	0	0	1	1	Y	0
2&3	BG	Y	445	8.5	84	CC	0	0	24	0	0/450	0	65	0	0	2	68	0	0	0	0	1	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Kathgodam

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	800 sqm	40	10	10	250	1 With Cover	High level	4	YES
As per Rec. norms	314	420	30	1	1	90			-	-
Actual	227.29	1393.2	44	24	14	254	1	See platform details	3	YES
Shortage, if any	-	-	-	-	-	-	-		1	-

Station Name : Kathgodam

Summary As per Adarsh Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Renovated water booths	Yes	Improvement in facade of station building	Yes
Renovated, modern, pay & use toilets	Yes	Improvement in circulating area for proper entry and exit	Yes
Good Waiting and Retiring Rooms with modern	Yes	Availability of lighting tower for proper illumination	Yes
Good passenger guidance system inc. signage and	Yes	Improvement to passenger service	Yes
Lighting of booking office (queuing area)	Yes	Engagement of reputed architects/consultants for	No

Station Name : Kathgodam

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	No	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	No	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	No
UTS	Yes	Pay & Use Tiolets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	No
Pre-paid Taxi Service	Yes	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Kathgodam

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

Passenger Amenities Details As on : 31/03/2014

Division : Allahabad

Station Name	Kanpur central			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	CNB	FOB	2	(a) Per Day	49009	Developed As Adarsh	
Station Category	A1	Subway	1	(b) Max. at any time	3537	Identified for MFC	N
Railway	NCR	Booking Windows	28	Pass. Earnings/Year(Rs. in Lac.)			
Division	Allahabad	Enquiry Office	3	2011-12	19253.34	Tourist Facilation Center	N
State	Uttar Pradesh	Public Address Sys.	Y	2012-13	20744.94	Touch Screen Enquiry System	Y
District	Kanpur Nagar	Clock	Y	2013-14	24801.72	Electronic Train Indication	Y
Section	ALD-CNB	Wheel Chairs	Y	Length of longest stopping train(m)	572	ATMs	7
Km.	1019.75	Cloak Room	Y	MP Const.	Kanpur	Food Plaza	N
Route	A	Refreshment Room(sq.m)	228.73	MP Name	Murali Manohar Joshi	Budget Hotel	N
Electrified	Y			MLA Const.	Kanpur Cantonment	Trains Halting	224
				MLA Name	Shri Raghu Nanadan Bhadoria	Station IInd Entry	Y
Other Items	-						
Remarks for Station:	It is Industrial area mainly for leather & Jute.						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sq.m.)	2200	Area(sq.m)	270	87	Area(sq.m)	55	Retiring Room 3
(b) Seats(Nos.)	263	Seats(Nos.)	120	56	Seats(Nos.)	72	Dormitory 4
(c) Lav.(Nos.)	11	Lav.(Nos.)	4	2	Lav.(Nos.)	2	
(d) Urinals(Nos.)	8	Urinals(Nos.)	6	2	Urinals(Nos.)	2	
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	4	2	Bathing Cubicals(Nos.)	2	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	25124	Length(m)	600	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	7
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	113500		
Pay & Use Toilet	Y			Remarks	-02 No RCC OH tank 1300 KL capacity.Tender under		

Station Name : Kanpur central

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	691.2	15.25	84	OPS	5235	0	58	0	630.2	530	118	2	16	46	0	2	4	1	0	2	Y	0
10	BG	N	305	12	45	MOR	575	1	2	0	300	180	56	0	0	0	0	0	0	0	0	2	Y	0
2&3	BG	Y	539	12	84	OPS	4915	0	110	0	494	380	208	0	0	32	0	6	4	0	0	2	Y	0
4&5	BG	Y	588	12	84	OPS	5941	0	78	0	562	607	360	0	0	45	0	8	4	0	0	2	Y	0
6&7	BG	Y	608	11	84	CC	3046	0	95	0	565	605	117	0	0	20	0	6	4	0	0	2	Y	0
8&9	BG	Y	619	15	84	OPS	3513	1	79	0	596	583	240	0	23	15	0	2	4	0	1	2	Y	0
*Surface Type		:	CC-Cement Concrete	PS-Polished Stone	OPS-Other Pucca Surface	MOR-Moorum	OTH-Others																	

Station Name : Kanpur central

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	3000 sqm	120	12	12	900	1 With Cover	High level	12	YES
As per Rec. norms	1479	5942	141	5	5	424			-	-
Actual	2200	23224.61	422	21	57	1610	2	See platform details	11	YES
Shortage, if any	-	-	-	-	-	-	-		1	-

Station Name : Kanpur central

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	No
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	Yes	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Kanpur central

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	Yes

Passenger Amenities Details As on : 31/03/2014

Division : Jodhpur

Station Name	Jodhpur			No. of passengers dealt with:		Identified as Adarsh	Y
Station Code	JU	FOB	2	(a) Per Day	17973	Developed As Adarsh	Y
Station Category	A1	Subway	0	(b) Max. at any time	4518	Identified for MFC	Y
Railway	NWR	Booking Windows	15	Pass. Earnings/Year(Rs. in Lac.)		MFC Developed	Y
Division	Jodhpur	Enquiry Office	1	2011-12	11650.04	Tourist Facilation Center	Y
State	Rajasthan	Public Address Sys.	Y	2012-13	13118.25	Touch Screen Enquiry System	Y
District	Jodhpur	Clock	Y	2013-14		Electronic Train Indication	Y
Section	JU-LN	Wheel Chairs	Y	Length of longest stopping train(m)	544	ATMs	1
Km.	624.28	Cloak Room	Y	MP Const.	Jodhpur	Food Plaza	N
Route	D	Refreshment Room(sq.m)	180	MP Name	Gajendrasingh Shekhawat	Budget Hotel	N
Electrified	Y			MLA Const.	Jodhpur	Trains Halting	
				MLA Name	Ashok Gahlot	Station IInd Entry	Y
Other Items	NIL						
Remarks for Station:	15 NOS. PRS AT JU.						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sq.m.)	1290	Area(sq.m)	85	70	Area(sq.m)	84	Retiring Room 0
(b) Seats(Nos.)	90	Seats(Nos.)	20	15	Seats(Nos.)	15	Dormitory 0
(c) Lav.(Nos.)	4	Lav.(Nos.)	4	2	Lav.(Nos.)	2	
(d) Urinals(Nos.)	4	Urinals(Nos.)	3	0	Urinals(Nos.)	0	
(e) Bathing Cubicals(Nos.)	4	Bathing Cubicals(Nos.)	4	2	Bathing Cubicals(Nos.)	2	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	6404	Length(m)	20	Source	Municipal Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	225000		
Pay & Use Toilet	Y			Remarks	BY PHED.		

Station Name : Jodhpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	605	14	76	PS	2912	4	32	0	540	533	180	14	3	17	0	7	0	0	0	1	Y	0
2	BG	Y	544	10.6	76	PS	2912	0	20	0	540	533	51	0	0	8	0	6	0	0	0	2	Y	0
3	BG	Y	544	10.6	76	PS	1620	0	20	0	424	533	51	0	0	8	0	0	0	0	0	2	Y	0
4	BG	Y	463	10.4	76	CC	600	0	12	0	400	533	30	2	2	4	0	0	0	0	0	2	N	0
5	BG	Y	463	10.4	76	CC	600	0	12	0	0	533	30	0	0	3	0	0	0	0	0	2	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Jodhpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	2500 sqm	100	12	12	750	1 With Cover	High level	10	YES
As per Rec. norms	1889	6325	181	7	7	542			-	-
Actual	1290	8643.95	97	28	12	482	2	See platform details	1	YES
Shortage, if any	-	-	3	-	-	268	-		9	-

Station Name : Jodhpur

Summary As per Adarsh Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Renovated water booths	Yes	Improvement in facade of station building	Yes
Renovated, modern, pay & use toilets	Yes	Improvement in circulating area for proper entry and exit	Yes
Good Waiting and Retiring Rooms with modern	Yes	Availability of lighting tower for proper illumination	Yes
Good passenger guidance system inc. signage and	Yes	Improvement to passenger service	Yes
Lighting of booking office (queuing area)	Yes	Engagement of reputed architects/consultants for	Yes

Passenger Amenities Details As on : 31/03/2014

Division : Jhansi

Station Name	Jhansi			No. of passengers dealt with:		Identified as Adarsh	Y
Station Code	JHS	FOB	2	(a) Per Day	54942	Developed As Adarsh	Y
Station Category	A1	Subway	0	(b) Max. at any time	1500	Identified for MFC	Y
Railway	NCR	Booking Windows	11	Pass. Earnings/Year(Rs. in Lac.)		MFC Developed	N
Division	Jhansi	Enquiry Office	5	2011-12	11417.00	Tourist Falication Center	Y
State	Uttar Pradesh	Public Address Sys.	Y	2012-13	13081.62	Touch Screen Enquiry System	Y
District	Jhansi	Clock	Y	2013-14	12641.1	Electronic Train Indication	Y
Section	BIN-AGC	Wheel Chairs	Y	Length of longest stopping train(m)	565	ATMs	1
Km.	1127.72	Cloak Room	Y	MP Const.	Jhansi	Food Plaza	Y
Route	A	Refreshment Room(sq	86.14	MP Name	Uma Bharti	Budget Hotel	N
Electrified	Y			MLA Const.	Jhansi Nagar	Trains Halting	67
				MLA Name	Shri Ravi Sharma	Station IInd Entry	Y
Other Items	Strecher available						
Remarks for Station:	Station building is staisfactory.						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq	170	Area(sq	52	52	Area(sq	52	Retiring Room	5
(b) Seats(Nos.)	80	Seats(Nos.)	32	32	Seats(Nos.)	32	Dormitory	2
(c) Lav.(Nos.)	4	Lav.(Nos.)	2	2	Lav.(Nos.)	2		
(d) Urinals(Nos.)	2	Urinals(Nos.)	2	0	Urinals(Nos.)	2		
(e) Bathing Cubicals(Nos.)	3	Bathing Cubicals(Nos.)	2	2	Bathing Cubicals(Nos.)	2		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sq	10000	Length(m)	800	Source	Railway Supply	Open Wells (Nos)	3
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	2
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	597000		
Pay & Use Toilet	Y			Remarks	Water Supply adequate.		

Station Name : Jhansi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1 & 7	BG	Y	800	18	82	PS	10800	1	67	0	600/340	600	540	6	10	76	428	16	2	0	0	2	Y	1
2 & 3	BG	Y	680	15	82	PS	9000	0	46	0	600/630	600	660	3	0	54	313	19	2	0	0	2	Y	1
6	BG	Y	430	18	82	CC	5580	1	20	0	300	300	114	4	6	9	136	0	0	0	0	2	Y	1
4&5	BG	Y	621	11	82	PS	6600	0	56	0	600/540	540	306	4	6	50	204	9	2	0	0	1	Y	1

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Jhansi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	2000 sqm	80	12	12	600	1 With Cover	High level	8	YES
As per Rec. norms	627	1680	60	2	2	180			-	-
Actual	170.31	31980	202	27	28	1796	2	See platform details	11	YES
Shortage, if any	79.69	-	-	-	-	-	-		-	-

Station Name : Jhansi

Summary As per Adarsh Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Renovated water booths	Yes	Improvement in facade of station building	Yes
Renovated, modern, pay & use toilets	Yes	Improvement in circulating area for proper entry and exit	Yes
Good Waiting and Retiring Rooms with modern	Yes	Availability of lighting tower for proper illumination	Yes
Good passenger guidance system inc. signage and	Yes	Improvement to passenger service	Yes
Lighting of booking office (queuing area)	Yes	Engagement of reputed architects/consultants for	Yes

Station Name : Jhansi

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	Yes

Passenger Amenities Details As on : 31/03/2014

Division : Bhusawal

Station Name	Jalgaon			No. of passengers dealt with:		Identified as Adarsh	Y
Station Code	JL	FOB	2	(a) Per Day	14176	Developed As Adarsh	Y
Station Category	A	Subway	0	(b) Max. at any time	1220	Identified for MFC	N
Railway	CR	Booking Windows	4	Pass. Earnings/Year(Rs. in Lac.)			
Division	Bhusawal	Enquiry Office	1	2011-12	4906.19	Tourist Facilation Center	N
State	Maharashtra	Public Address Sys.	Y	2012-13	2732.34	Touch Screen Enquiry System	Y
District	Jalgaon	Clock	Y	2013-14		Electronic Train Indication	Y
Section	IGP-BSL	Wheel Chairs	Y	Length of longest stopping train(m)	555	ATMs	1
Km.	419.99	Cloak Room	Y	MP Const.	Jalgaon	Food Plaza	N
Route	A	Refreshment Room(sq.m)		MP Name	A T Nana Patil	Budget Hotel	N
Electrified	Y			MLA Const.	Jalgaon City	Trains Halting	64
Other Items	--			MLA Name	Suresh Dada Jain	Station IInd Entry	Y
Remarks for Station:	SOUND						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sq.m.)	242	Area(sq.m)		36	37	Area(sq.m)	65
(b) Seats(Nos.)	58	Seats(Nos.)		20	20	Seats(Nos.)	8
(c) Lav.(Nos.)	8	Lav.(Nos.)		2	1	Lav.(Nos.)	1
(d) Urinals(Nos.)	9	Urinals(Nos.)		1	0	Urinals(Nos.)	1
(e) Bathing Cubicals(Nos.)	2	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	1
						Retiring Room	2
						Dormitory	1

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	400	Length(m)	10	Source	Railway Supply	Open Wells (Nos)	1
Surface	Cement Concrete	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	3
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	250000		
Pay & Use Toilet	Y			Remarks	POTABLE		

Station Name : Jalgaon

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	Y	611	13.2	84	PS	3371	0	48	0	0/0	0	150	0	12	40	139	3	0	0	0	0	Y	0
2	BG	Y	611	13.2	84	PS	3371	1	0	0	0/0	0	0	0	0	0	0	0	4	0	0	0	Y	0
3	BG	Y	623	13.2	84	PS	3383	12	30	0	0/0	0	295	0	12	33	260	4	3	0	0	0	Y	0
4	BG	Y	588	13.2	84	PS	0	0	22	0	0/0	0	0	0	0	0	0	0	0	0	0	0	N	0
5	BG	N	260	8.4	84	OPS	1418	0	0	0	0	0	0	0	0	0	8	0	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Jalgaon

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	2000 sqm	100	10	10	625	1 With Cover	High level	10	YES
As per Rec. norms	510	1708	49	2	2	146			-	-
Actual	242	11542.26	100	12	35	551	2	See platform details	14	YES
Shortage, if any	-	-	-	-	-	74	-		-	-

Station Name : Jalgaon

Summary As per Adarsh Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Renovated water booths	Yes	Improvement in facade of station building	Yes
Renovated, modern, pay & use toilets	Yes	Improvement in circulating area for proper entry and exit	Yes
Good Waiting and Retiring Rooms with modern	Yes	Availability of lighting tower for proper illumination	Yes
Good passenger guidance system inc. signage and	Yes	Improvement to passenger service	Yes
Lighting of booking office (queuing area)	Yes	Engagement of reputed architects/consultants for	No

Station Name : Jalgaon

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	No	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	No
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	No	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	No
Train Coach Indication System	Yes	CCTV for announcement & security purpose	No
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Jalgaon

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

Passenger Amenities Details As on : 31/03/2014

Division : Jaipur

Station Name	Jaipur			No. of passengers dealt with:		Identified as Adarsh	Y
Station Code	JP	FOB	3	(a) Per Day	43838	Developed As Adarsh	Y
Station Category	A1	Subway	0	(b) Max. at any time	9396	Identified for MFC	N
Railway	NWR	Booking Windows	10	Pass. Earnings/Year(Rs. in Lac.)			
Division	Jaipur	Enquiry Office	2	2011-12	24757.99	Tourist Facilation Center	Y
State	Rajasthan	Public Address Sys.	Y	2012-13	27772.95	Touch Screen Enquiry System	Y
District	Jaipur	Clock	Y	2013-14	37778.95	Electronic Train Indication	Y
Section	RE-JP-All	Wheel Chairs	Y	Length of longest stopping train(m)	550	ATMs	4
Km.	0240.83	Cloak Room	Y	MP Const.	Jaipur	Food Plaza	Y
Route	B	Refreshment Room(sqm)	99	MP Name	Ramcharan Bohara	Budget Hotel	N
Electrified	Y			MLA Const.	Bani Park	Trains Halting	148
				MLA Name	Arun Chaturvedi	Station IInd Entry	Y
Other Items	-						
Remarks for Station:	Circulating area work completed. State capital tourist place.						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	954	Area(sqm)	180	90	Area(sqm)	310	Retiring Room	33
(b) Seats(Nos.)	188	Seats(Nos.)	54	20	Seats(Nos.)	60	Dormitory	1
(c) Lav.(Nos.)	0	Lav.(Nos.)	6	5	Lav.(Nos.)	6		
(d) Urinals(Nos.)	0	Urinals(Nos.)	6	2	Urinals(Nos.)	3		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	2	3	Bathing Cubicals(Nos.)	5		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	29294	Length(m)	4882	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Cement Concrete	Type	Piped	Bore Wells (Nos)	8
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	523200		
Pay & Use Toilet	Y			Remarks	satisfactory		

Station Name : Jaipur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	537	10.7	84	PS	6485	0	64	0	531.2	524	520	4	7	89	765	13	28	1	2	2	Y	3
2&3	BG	Y	537	12.8	84	PS	6941	0	51	0	514.67	512	299	0	4	113	558	11	3	0	0	2	Y	3
4&5	BG	Y	588	9.76	84	PS	4175	0	65	0	359.8	588	301	0	4	76	588	6	5	0	0	2	Y	3
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Jaipur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	1500 sqm	60	12	12	450	1 With Cover	High level	6	YES
As per Rec. norms	3929	7893	376	14	14	1128			-	-
Actual	954	17601	186	21	26	1442	3	See platform details	11	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Station Name : Jaipur

Summary As per Adarsh Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Renovated water booths	Yes	Improvement in facade of station building	Yes
Renovated, modern, pay & use toilets	Yes	Improvement in circulating area for proper entry and exit	Yes
Good Waiting and Retiring Rooms with modern	Yes	Availability of lighting tower for proper illumination	Yes
Good passenger guidance system inc. signage and	Yes	Improvement to passenger service	Yes
Lighting of booking office (queuing area)	Yes	Engagement of reputed architects/consultants for	Yes

Station Name : Jaipur

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	No	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	Yes	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Jaipur

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	Yes

Passenger Amenities Details As on : 31/03/2014

Division : Jabalpur

Station Name	Jabalpur			No. of passengers dealt with:		Identified as Adarsh	Y
Station Code	JBP	FOB	3	(a) Per Day	27114	Developed As Adarsh	Y
Station Category	A1	Subway	0	(b) Max. at any time	10846	Identified for MFC	Y
Railway	WCR	Booking Windows	15	Pass. Earnings/Year(Rs. in Lac.)		MFC Developed	N
Division	Jabalpur	Enquiry Office	2	2011-12	6228.84	Tourist Facilation Center	Y
State	Madhya Pradesh	Public Address Sys.	Y	2012-13	14187	Touch Screen Enquiry System	Y
District	Jabalpur	Clock	Y	2013-14		Electronic Train Indication	Y
Section	ET- ALD	Wheel Chairs	Y	Length of longest stopping train(m)	575	ATMs	2
Km.	990.28	Cloak Room	Y	MP Const.	Jabalpur	Food Plaza	Y
Route	B	Refreshment Room(sqm)	700	MP Name	Rakesh Singh	Budget Hotel	N
Electrified	Y			MLA Const.	Jabalpur Cantt.	Trains Halting	64
Other Items	'			MLA Name	Sh.Ashok Rohani	Station IInd Entry	Y
Remarks for Station:	This station is Divisional and Zonal HQ of WCR,famous for marble rocks. Kanha National park is situated about 150 km. Buildings is in sound condition.Sanctioned works :- (1) Provision of island PF no. 5 & 6 (2) Provision of W/A on PF no. 5 (3) Provision of W/A on PF no. 6. JBP is selected as Adarsh station in the year 2011-12.						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sqm.)	1039	Area(sqm)		120	59	Area(sqm)	57
(b) Seats(Nos.)	60	Seats(Nos.)		30	20	Seats(Nos.)	20
(c) Lav.(Nos.)	10	Lav.(Nos.)		4	2	Lav.(Nos.)	3
(d) Urinals(Nos.)	5	Urinals(Nos.)		2	0	Urinals(Nos.)	2
(e) Bathing Cubicals(Nos.)	8	Bathing Cubicals(Nos.)		2	1	Bathing Cubicals(Nos.)	2
						Retiring Room	10
						Dormitory	2

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	11000	Length(m)	400	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	0
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	20000		
Pay & Use Toilet	Y			Remarks	satisfactory		

Station Name : Jabalpur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	587	12	76	PS	5490	0	87	0	420	538	276	2	2	31	469	4	1	0	1	0	Y	1
2&3	BG	Y	632	12	76	PS	4800	0	71	0	563.7/564	620	204	2	0	45	386	2	0	0	0	0	Y	1
4	BG	N	582	12	76	PS	4800	0	57	0	582	606	334	4	2	65	506	4	1	0	0	0	Y	1
*Surface Type		CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : Jabalpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	1500 sqm	60	12	12	450	1 With Cover	High level	6	YES
As per Rec. norms	4536	9111	434	16	16	1302			-	-
Actual	1038.72	15090	215	27	13	944	3	See platform details	26	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Station Name : Jabalpur

Summary As per Adarsh Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Renovated water booths	Yes	Improvement in facade of station building	Yes
Renovated, modern, pay & use toilets	Yes	Improvement in circulating area for proper entry and exit	Yes
Good Waiting and Retiring Rooms with modern	Yes	Availability of lighting tower for proper illumination	Yes
Good passenger guidance system inc. signage and	Yes	Improvement to passenger service	Yes
Lighting of booking office (queuing area)	Yes	Engagement of reputed architects/consultants for	No

Station Name : Jabalpur

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	No	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	No
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	Yes	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Jabalpur

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	Yes

Passenger Amenities Details As on : 31/03/2014

Division : Howrah

Station Name	Howrah			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	HWH	FOB	1	(a) Per Day	736890	Developed As Adarsh	
Station Category	A1	Subway	2	(b) Max. at any time	26860	Identified for MFC	N
Railway	ER	Booking Windows	82	Pass. Earnings/Year(Rs. in Lac.)			
Division	Howrah	Enquiry Office	2	2011-12	36502.28	Tourist Facilation Center	Y
State	West Bengal	Public Address Sys.	Y	2012-13	40171.72	Touch Screen Enquiry System	Y
District	Howrah	Clock	Y	2013-14	48086.66	Electronic Train Indication	Y
Section	ML	Wheel Chairs	Y	Length of longest stopping train(m)	512	ATMs	10
Km.	0000.00	Cloak Room	Y	MP Const.	Howrah	Food Plaza	Y
Route	A	Refreshment Room(sq	1041	MP Name	Prasun Banerjee	Budget Hotel	Y
Electrified	Y			MLA Const.	Howrah North	Trains Halting	126
				MLA Name	Ashok Ghosh	Station IInd Entry	Y
Other Items	Nil						
Remarks for Station:	NIL						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq	9796	Area(sq	590	305	Area(sq	357	Retiring Room	8
(b) Seats(Nos.)	818	Seats(Nos.)	120	120	Seats(Nos.)	160	Dormitory	2
(c) Lav.(Nos.)	38	Lav.(Nos.)	7	3	Lav.(Nos.)	15		
(d) Urinals(Nos.)	71	Urinals(Nos.)	6	2	Urinals(Nos.)	15		
(e) Bathing Cubicals(Nos.)	5	Bathing Cubicals(Nos.)	5	2	Bathing Cubicals(Nos.)	11		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sq	17000	Length(m)	1000	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	0
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	150000			
Pay & Use Toilet				Remarks	Nil			

Station Name : Howrah

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	291	6	84	OPS	1689	0	10	0		0	48	15	34	13	193	0	0	0	0	0	Y	0
10 & 11	BG	N	433	10	84	OPS	3885	0	20	0	437	465	38	0	0	106	272	15	2	0	0	0	Y	0
12 & 13	BG	Y	480	8	84	OPS	4008	0	20	0	515/515	0	0	14	42	116	358	10	2	0	0	0	Y	0
14 & 15	BG	Y	576	8	84	OPS	2623	4	10	0		0	16	0	0	25	142	8	0	0	1	1	Y	0
17 & 18	BG	Y	624	10	70	OPS	3370	0	10	0	535/535	0	44	0	0	58	360	3	5	0	1	1	Y	0
19 & 20	BG	Y	542	10	67	OPS	4040	0	12	0	535/535	0	40	8	4	66	568	3	5	0	0	1	Y	0
2 & 3	BG	Y	280	8	84	OPS	2144	0	4	0		0	0	0	0	49	141	10	1	0	0	0	Y	0
21	BG	N	535	10	70	CC	3376	0	4	0	535	0	40	0	0	31	291	3	5	0	0	1	Y	0
22	BG	N	630	9	84	CC	2836	0	12	0	630	0	400	0	0	60	297	0	4	0	0	1	Y	0
23	BG	N	630	9	84	CC	2801	0	13	0	630	0	300	9	16	74	376	0	4	0	0	1	Y	0
4 & 5	BG	Y	290	10	84	OPS	2983	0	4	0	0/0	0	0	0	0	66	241	15	1	0	0	0	Y	0
6 & 7	BG	Y	386	9	84	OPS	3325	0	4	0	130/130	0	0	0	0	60	206	16	2	0	0	0	Y	0
8	BG	N	555	9	84	CC	3734	0	10	0	330	0	182	0	6	80	327	12	4	0	0	0	Y	0
9	BG	N	605	7	84	CC	5064	0	9	0	611	540	253	0	0	77	514	11	4	0	0	0	Y	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Howrah

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	7000 sqm	280	12	12	2100	1 With Cover	High level	28	YES
As per Rec. norms	11233	105291	1074	40	40	3223			-	-
Actual	9796	45876.82	142	109	196	2579	1	See platform details	11	YES
Shortage, if any	-	-	138	-	-	-	-		17	-

Station Name : Howrah

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room		Waiting Room (with bathing facility)	
Cloak Room		Upper Class	
Enquiry Counter		Second Class	
NTES		For Ladies (combined upper & second class)	
IVRS		Public Address System/Computer based	
Refreshment Room		Book stall/other stalls of essential goods	
Parking/circulatory area with light		Washable apron with jet cleaning	
Public Phone Booth		Electronic Train Indicator Board	
Water Vending Machines		Touch Screen Enquiry System	
Water Coolers		Signage (standardized)	
Modular Catering Stall		Automatic Vending Machines	
UTS		Pay & Use Toilets on end platform & circulating area	
Foot Over Bridges		Computerization of Complaints	
Food Plaza		Provision of at least one AC VIP/Executive Lounge	
Train Coach Indication System		CCTV for announcement & security purpose	
Pre-paid Taxi Service		Coin operated Ticket Vending Machines	
Static Mobile Charging Facility		Facilities of station building including facade	

Desired Facility	Facility Available
Improvement in the facade of the station building Improvement in the circulating area so as to ensure proper entry and exit of A lighting tower at an appropriate place to be installed for proper illumination Improved modern, cost effective lighting arrangements at the platforms, Renovated water booths Renovated, modern, Pay & Use toilets Good Waiting and Retiring Rooms with modern furniture Good passenger guidance system including signages and coach indication Improvement to the passenger service Improvement of booking and enquiry offices to give them a facelift Lighting of booking offices, the queuing area in front of booking windows Engagement of reputed architects/consultants for beautification	

Passenger Amenities Details As on : 31/03/2014

Division : Hubli

Station Name	Hospet junction			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	HPT	FOB	1	(a) Per Day	4843	Developed As Adarsh	
Station Category	A	Subway	0	(b) Max. at any time	389	Identified for MFC	N
Railway	SWR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)			
Division	Hubli	Enquiry Office	1	2011-12	1038.97	Tourist Facilation Center	N
State	Karnataka	Public Address Sys.	Y	2012-13	1093.59	Touch Screen Enquiry System	Y
District	Bellary	Clock	Y	2013-14	1264.61	Electronic Train Indication	Y
Section	GDG-HPT	Wheel Chairs	Y	Length of longest stopping train(m)	520	ATMs	1
Km.	0143.22	Cloak Room	Y	MP Const.	Bellary	Food Plaza	Y
Route	Dspl	Refreshment Room(sq.m)	93	MP Name	B. Sriramulu	Budget Hotel	N
Electrified	Y			MLA Const.	Vijayanagara	Trains Halting	8
				MLA Name	Anand Singh	Station IInd Entry	N
Other Items	-						
Remarks for Station:	-						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sq.m.)	329	Area(sq.m)	54	54	Area(sq.m)	108	Retiring Room 2
(b) Seats(Nos.)	30	Seats(Nos.)	12	10	Seats(Nos.)	12	Dormitory 0
(c) Lav.(Nos.)	0	Lav.(Nos.)	3	2	Lav.(Nos.)	0	
(d) Urinals(Nos.)	0	Urinals(Nos.)	3	0	Urinals(Nos.)	0	
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	0	0	Bathing Cubicals(Nos.)	0	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	3500	Length(m)	0	Source	Railway Supply	Open Wells (Nos)	0
Surface	Other	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	4
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	360000		
Pay & Use Toilet				Remarks	-		

Station Name : Hospet junction

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	534	7	84	CC	2080	7	24	0	1	503	124	5	7	21	116	3	0	0	0	0	Y	0
2&3	BG	N	544	11	84	CC	2216	23	26	0		0	108	0	0	12	128	3	0	0	0	0	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Hospet junction

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	800 sqm	40	10	10	250	1 With Cover	High level	4	YES
As per Rec. norms	163	218	16	1	1	47			-	-
Actual	329.42	4295.93	50	10	10	296	1	See platform details	4	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Station Name : Hospet junction

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Tiolets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	Yes	Coin operated Ticket Vending Machines	Yes
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Hospet junction

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	Yes

Passenger Amenities Details As on : 31/03/2014

Division : Lucknow

Station Name	Gorakhpur jn.			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	GKP	FOB	2	(a) Per Day	38895	Developed As Adarsh	
Station Category	A1	Subway	0	(b) Max. at any time	15558	Identified for MFC	N
Railway	NER	Booking Windows	25	Pass. Earnings/Year(Rs. in Lac.)			
Division	Lucknow	Enquiry Office	1	2011-12	26297.12	Tourist Facilation Center	Y
State	Uttar Pradesh	Public Address Sys.	Y	2012-13	24441.19	Touch Screen Enquiry System	Y
District	Gorakhpur	Clock	Y	2013-14	29350.04	Electronic Train Indication	Y
Section	GKC-GD	Wheel Chairs	Y	Length of longest stopping train(m)	585	ATMs	4
Km.	0504.85	Cloak Room	Y	MP Const.	Gorakhpur	Food Plaza	N
Route	D	Refreshment Room(sq.m)	513.48	MP Name	Adityanath	Budget Hotel	N
Electrified	Y			MLA Const.	Gorakhpur Urban	Trains Halting	108
				MLA Name	Dr.Radhamohan dass	Station IInd Entry	N
Other Items	Low ht. shelter 10 Nos.						
Remarks for Station:	Condition of station building is sound & adequate.						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sq.m.)	2900	Area(sq.m)	140	94	Area(sq.m)	140	Retiring Room 17
(b) Seats(Nos.)	57	Seats(Nos.)	57	34	Seats(Nos.)	55	Dormitory 6
(c) Lav.(Nos.)	22	Lav.(Nos.)	6	3	Lav.(Nos.)	4	
(d) Urinals(Nos.)	6	Urinals(Nos.)	3	0	Urinals(Nos.)	2	
(e) Bathing Cubicals(Nos.)	10	Bathing Cubicals(Nos.)	3	1	Bathing Cubicals(Nos.)	2	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	14450	Length(m)	1000	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Other	Type	Piped	Bore Wells (Nos)	5
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	682500		
Pay & Use Toilet	Y			Remarks	One tubewells are reqd. on replacment account		

Station Name : Gorakhpur jn.

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)		
1	BG	N	595	9.6	84	PS	3373	0	33	0	570	570	195	0	3	22	35	5	1	0	0	1	Y	1		
2	BG	N	751	9.6	80	PS	4750	0	22	0	415	650	105	0	0	18	24	4	1	0	0	1	Y	1		
3 & 4	BG	N	664	10	84	OTH	5300	0	26	0	500	550	72	6	4	9	18	4	1	0	0	1	N	1		
5 & 6	BG	Y	664	9.6	76	OTH	5000	0	13	0	500/500	550	108	3	2	12	18	3	1	0	0	1	N	1		
7 & 8	BG	Y	605	9.5	84	CC	3192	0	28	0	500/500	500	210	0	0	32	104	5	1	0	0	1	Y	1		
9	BG	N	600	9.5	84	CC	2850	0	28	0	500	500	206	6	2	14	98	4	1	0	0	1	Y	1		
*Surface Type		CC-Cement Concrete					PS-Polished Stone					OPS-Other Pucca Surface					MOR-Moorum					OTH-Others				

Station Name : Gorakhpur jn.

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	3000 sqm	120	12	12	900	1 With Cover	High level	12	YES
As per Rec. norms	6506	26137	622	23	23	1867			-	-
Actual	2900	24464.47	161	50	22	1099	2	See platform details	11	YES
Shortage, if any	-	-	-	-	-	-	-		1	-

Station Name : Gorakhpur jn.

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	No	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	No
Train Coach Indication System	No	CCTV for announcement & security purpose	No
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Gorakhpur jn.

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building Improvement in the circulating area so as to ensure proper entry and exit of A lighting tower at an appropriate place to be installed for proper illumination Improved modern, cost effective lighting arrangements at the platforms, Renovated water booths Renovated, modern, Pay & Use toilets Good Waiting and Retiring Rooms with modern furniture Good passenger guidance system including signages and coach indication Improvement to the passenger service Improvement of booking and enquiry offices to give them a facelift Lighting of booking offices, the queuing area in front of booking windows Engagement of reputed architects/consultants for beautification	

Passenger Amenities Details As on : 31/03/2014

Division : Mughalsarai

Station Name	GAYA JN			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	GYA	FOB	2	(a) Per Day	21760	Developed As Adarsh	
Station Category	A	Subway	0	(b) Max. at any time	1068	Identified for MFC	Y
Railway	ECR	Booking Windows	19	Pass. Earnings/Year(Rs. in Lac.)		MFC Developed	N
Division	Mughalsarai	Enquiry Office	1	2011-12	6015.38	Tourist Facilation Center	Y
State	Bihar	Public Address Sys.	Y	2012-13		Touch Screen Enquiry System	Y
District	Gaya	Clock	Y	2013-14		Electronic Train Indication	Y
Section	GC	Wheel Chairs	Y	Length of longest stopping train(m)	560	ATMs	2
Km.	0469.64	Cloak Room	Y	MP Const.	Gaya	Food Plaza	N
Route	A	Refreshment Room(sq.m)	71	MP Name	Hari Manjhi	Budget Hotel	N
Electrified	Y			MLA Const.	Bodh Gaya	Trains Halting	
				MLA Name	Prem Kumar	Station IInd Entry	N
Other Items	-						
Remarks for Station:	-						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	555	Area(sq.m)	140	120	Area(sq.m)	145	Retiring Room	7
(b) Seats(Nos.)	250	Seats(Nos.)	95	60	Seats(Nos.)	35	Dormitory	2
(c) Lav.(Nos.)	10	Lav.(Nos.)	4	3	Lav.(Nos.)	1		
(d) Urinals(Nos.)	6	Urinals(Nos.)	2	0	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	6	Bathing Cubicals(Nos.)	2	2	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	7500	Length(m)	50	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped and Hand Pump	Bore Wells (Nos)	2
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	93495		
Pay & Use Toilet	Y			Remarks	-		

Station Name : GAYA JN

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	658	12.3	75	PS	4114	0	65	0	625	0	559	0	4	20	0	10	0	0	0	0	Y	0
2&3	BG	Y	603	9.2	84	CC	1863	4	34	0	615	0	228	4	1	20	0	6	0	0	0	0	Y	0
4&5	BG	Y	414	10	82	CC	1782	0	30	0	0	478	284	4	5	12	10	5	0	0	0	0	Y	0
6	BG	N	341	12.3	82	CC	390	0	0	0	0	307	0	0	0	12	0	0	0	0	0	0	N	0
7	BG	N	327	5.2	45	CC	165	1	0	0	0	307	110	0	3	0	0	0	0	0	0	0	N	0
8&9	BG	Y	307	6.5	76	CC	196	1	18	0	0	0	108	0	0	8	0	1	0	0	0	0	N	0
COACHING	BG	Y	51	6.3	76	OTH	10	0	0	0	0	58	0	0	0	0	0	0	0	0	0	0	N	0
PILGRIM	BG	N	307	13.1	76	OTH	10	1	0	0	0	307	50	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : GAYA JN

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5 Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	3200 sqm	160	10	10	1000	1 With Cover	High level	16	YES
As per Rec. norms	447	2392	43	2	2	128			-	-
Actual	555	8530	147	26	22	1779	2	See platform details	5	-
Shortage, if any	-	-	13	-	-	-	-		11	YES

Passenger Amenities Details As on : 31/03/2014

Division : Raipur

Station Name	Durg			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	DURG	FOB	2	(a) Per Day	16837	Developed As Adarsh	
Station Category	A	Subway	0	(b) Max. at any time	5000	Identified for MFC	Y
Railway	SECR	Booking Windows	15	Pass. Earnings/Year(Rs. in Lac.)		MFC Developed	Y
Division	Raipur	Enquiry Office	2	2011-12	4160.01	Tourist Facilitation Center	Y
State	Chhattisgarh	Public Address Sys.	Y	2012-13	4378.27	Touch Screen Enquiry System	N
District	Durg	Clock	Y	2013-14		Electronic Train Indication	Y
Section	R-DURG	Wheel Chairs	Y	Length of longest stopping train(m)	590	ATMs	1
Km.	865.50	Cloak Room	Y	MP Const.	Durg	Food Plaza	N
Route	A	Refreshment Room(sq.m)	120	MP Name	Tamradhwaj Sahu	Budget Hotel	N
Electrified	Y			MLA Const.	Durg City	Trains Halting	114
				MLA Name	Sri Hemchand Yadav	Station IInd Entry	Y
Other Items	STD,PCO,RMS, Eight stretchers.						
Remarks for Station:	As per Rly. Bd's instruction vide Lr. No. 94/LMB/2/175 Dt. 15.02.07, norms for MEA is to provide waiting hall 100 Sqm. This has been provided.						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sq.m.)	596	Area(sq.m)		179	93	Area(sq.m)	0
(b) Seats(Nos.)	51	Seats(Nos.)		53	40	Seats(Nos.)	0
(c) Lav.(Nos.)	5	Lav.(Nos.)		3	2	Lav.(Nos.)	0
(d) Urinals(Nos.)	3	Urinals(Nos.)		3	0	Urinals(Nos.)	0
(e) Bathing Cubicals(Nos.)	4	Bathing Cubicals(Nos.)		3	2	Bathing Cubicals(Nos.)	0
						Retiring Room	9
						Dormitory	1

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	12357.75	Length(m)	900	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	3
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	1097100		
Pay & Use Toilet				Remarks	Adequate, the work for provision of 2Nos of 200mm dia		

Station Name : Durg

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1 UP	BG	N	647	10.6	75	PS	2101	0	33	0	460	0	152	0	5	83	302	6	4	0	0	1	Y	0	
2&3 DN	BG	Y	606	9.5	75	PS	1739	0	42	0	606	0	197	4	2	34	178	7	5	0	0	1	Y	0	
4&5 DN	BG	Y	502	9.4	75	CC	1048	3	30	0		0	125	0	5	19	62	1	4	0	0	2	Y	0	
6	BG	Y	306	12.1	70	PS	3690	0	20	0		0	200	0	0	24	120	0	0	0	0	1	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station Name : Durg

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	1600 sqm	80	10	10	500	1 With Cover	High level	8	YES
As per Rec. norms	2091	5600	200	8	8	600			-	-
Actual	595.97	8578.23	125	14	18	818	2	See platform details	13	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Station Name : Durg

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	No	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	No
UTS	Yes	Pay & Use Tiolets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	No
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Durg

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	No

Passenger Amenities Details As on : 31/03/2014

Division : Delhi

Station Name	Delhi			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	DLI	FOB	3	(a) Per Day	70848	Developed As Adarsh	
Station Category	A1	Subway	1	(b) Max. at any time	21255	Identified for MFC	Y
Railway	NR	Booking Windows	30	Pass. Earnings/Year(Rs. in Lac.)		MFC Developed	N
Division	Delhi	Enquiry Office	3	2011-12	8100.00	Tourist Facilitation Center	Y
State	Delhi	Public Address Sys.	Y	2012-13		Touch Screen Enquiry System	Y
District	North East Delhi	Clock	Y	2013-14		Electronic Train Indication	Y
Section	DLI-TKD-PWL	Wheel Chairs	Y	Length of longest stopping train(m)	610	ATMs	1
Km.	0.00	Cloak Room	Y	MP Const.	Chandni Chowk	Food Plaza	N
Route	A	Refreshment Room(sq.m)	250	MP Name	Harsh Vardhan (Delhi politician)	Budget Hotel	N
Electrified	Y			MLA Const.	Chandni Chowk	Trains Halting	
				MLA Name	Sh Prahlad singh	Station IInd Entry	Y
Other Items	' '						
Remarks for Station:	UTS=25Nos.,STD/PCO=16,Computer.AutoAnnounce.Sys. Face to Face Enq.CoachGuidance,TrainInform.DisplayBoard,PlasmaBasedSeatAvailbl.Sys.forCurrentCount.						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sq.m.)	1410	Area(sq.m)		126	126	Area(sq.m)	280	Retiring Room	11
(b) Seats(Nos.)	80	Seats(Nos.)		10	10	Seats(Nos.)	30	Dormitory	1
(c) Lav.(Nos.)	46	Lav.(Nos.)		3	3	Lav.(Nos.)	6		
(d) Urinals(Nos.)	6	Urinals(Nos.)		4	0	Urinals(Nos.)	4		
(e) Bathing Cubicals(Nos.)	25	Bathing Cubicals(Nos.)		10	6	Bathing Cubicals(Nos.)	4		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	35607	Length(m)	300	Source	Railway Supply	Open Wells (Nos)	0
Surface	Cement Concrete	Surface	Other	Type	Piped	Bore Wells (Nos)	1
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	1250000		
Pay & Use Toilet	Y			Remarks	' '		

Station Name : Delhi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	Y	558	11	81	OPS	44000	0	32	0	558	558	150	0	0	67	483	0	0	0	0	0	Y	0
11-12	BG	Y	362	11	81	OPS	43835	0	16	0	376	376	100	0	1	0	0	5	4	0	0	0	Y	0
11-13	BG	Y	376	11	81	OPS	45540	0	17	0	376	376	145	0	0	43	454	5	1	0	0	0	Y	0
14-15	BG	Y	474	11	81	OPS	52250	0	14	0	474	474	154	0	1	29	363	6	2	0	0	0	Y	0
16	BG	N	600	11	81	OPS	39600	0	41	0	600	600	182	0	1	21	227	2	0	0	0	0	Y	0
2-3	BG	N	600	12	81	OPS	60552	0	44	0	600	600	200	0	0	35	476	4	1	0	0	0	Y	0
4-5	BG	Y	317	11	81	OPS	36553	0	10	0	317	317	108	0	0	14	182	4	1	0	0	0	Y	0
6-7	BG	Y	375	11	81	OPS	43318	0	16	0	375	375	138	0	0	16	290	4	1	0	0	0	Y	0
9-10	BG	Y	705	11	81	OPS	85294	0	31	0	705	705	240	0	2	33	403	10	4	0	0	0	Y	0
*Surface Type		:	CC-Cement Concrete	PS-Polished Stone	OPS-Other Pucca Surface	MOR-Moorum	OTH-Others																	

Station Name : Delhi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5 Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	4500 sqm	180	12	12	1350	1 With Cover	High level	18	YES
As per Rec. norms	8889	53563	850	32	32	2551			-	-
Actual	1410	450942	281	58	19	1547	3	See platform details	18	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Station Name : Delhi

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room		Waiting Room (with bathing facility)	
Cloak Room		Upper Class	
Enquiry Counter		Second Class	
NTES		For Ladies (combined upper & second class)	
IVRS		Public Address System/Computer based	
Refreshment Room		Book stall/other stalls of essential goods	
Parking/circulatory area with light		Washable apron with jet cleaning	
Public Phone Booth		Electronic Train Indicator Board	
Water Vending Machines		Touch Screen Enquiry System	
Water Coolers		Signage (standardized)	
Modular Catering Stall		Automatic Vending Machines	
UTS		Pay & Use Toilets on end platform & circulating area	
Foot Over Bridges		Computerization of Complaints	
Food Plaza		Provision of at least one AC VIP/Executive Lounge	
Train Coach Indication System		CCTV for announcement & security purpose	
Pre-paid Taxi Service		Coin operated Ticket Vending Machines	
Static Mobile Charging Facility		Facilities of station building including facade	

Passenger Amenities Details As on : 31/03/2014

Division : Chennai

Station Name	Chennai egmore			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	MS	FOB	1	(a) Per Day	97589	Developed As Adarsh	
Station Category	A1	Subway	0	(b) Max. at any time	14638	Identified for MFC	N
Railway	SR	Booking Windows	9	Pass. Earnings/Year(Rs. in Lac.)			
Division	Chennai	Enquiry Office	1	2011-12	26546.24	Tourist Facilation Center	Y
State	Tamil Nadu	Public Address Sys.	Y	2012-13	28729.97	Touch Screen Enquiry System	N
District	Chennai	Clock	Y	2013-14	32926.45	Electronic Train Indication	Y
Section	MS-TBM	Wheel Chairs	Y	Length of longest stopping train(m)	600	ATMs	4
Km.	4.32	Cloak Room	Y	MP Const.	Chennai Central	Food Plaza	Y
Route	B	Refreshment Room(sq	164	MP Name	S. R. Vijayakumar	Budget Hotel	N
Electrified	Y			MLA Const.	Egmore	Trains Halting	38
				MLA Name	K.Nallla Thambi	Station IInd Entry	Y
Other Items	Agency Lorry supply						
Remarks for Station:	Terminal						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sq	270	Area(sq	107	0	Area(sq	67	Retiring Room 17
(b) Seats(Nos.)	155	Seats(Nos.)	152	0	Seats(Nos.)	39	Dormitory 1
(c) Lav.(Nos.)	6	Lav.(Nos.)	2	1	Lav.(Nos.)	2	
(d) Urinals(Nos.)	2	Urinals(Nos.)	2	0	Urinals(Nos.)	0	
(e) Bathing Cubicals(Nos.)	4	Bathing Cubicals(Nos.)	1	1	Bathing Cubicals(Nos.)	2	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sq	15145	Length(m)	820	Source	Railway Supply	Open Wells (Nos)	2
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	11
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	200000		
Pay & Use Toilet				Remarks	METRO		

Station Name : Chennai egmore

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	399	8	84	CC	1134	0	10	0	399/399	310	99	0	0	0	108	0	0	0	0	1	N	0
10 & 11	BG	Y	356	10	84	CC	1773	0	19	0		0	177	2	6	7	30	4	0	0	0	1	N	1
3 & 4	BG	Y	615	11	84	PS	2890	0	26	0	615/399	612	575	10	4	17	109	8	1	0	1	1	Y	0
5 & 6	BG	Y	600	10	84	CC	1287	0	10	0	600/600	600	327	4	2	13	98	5	1	0	1	1	Y	0
7	BG	Y	600	10	84	CC	1953	0	8	0	600/600	470	456	0	0	12	17	0	1	0	0	1	N	0
8 & 9	BG	Y	600	10	84	CC	1674	0	4	0	600/600	465	437	0	0	5	95	1	0	0	0	1	N	1

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Chennai egmore

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	3000 sqm	120	12	12	900	1 With Cover	High level	12	YES
As per Rec. norms	6122	24592	586	22	22	1757			-	-
Actual	270	10711	77	27	16	2417	1	See platform details	10	YES
Shortage, if any	-	-	43	-	-	-	-		2	-

Station Name : Chennai egmore

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	No	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Toilets on end platform & circulating area	No
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	Yes	Coin operated Ticket Vending Machines	Yes
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Chennai egmore

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	No
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passanger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	Yes

Passenger Amenities Details As on : 31/03/2014

Division : Chennai

Station Name	Chennai central			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	MAS	FOB	0	(a) Per Day	115601	Developed As Adarsh	
Station Category	A1	Subway	0	(b) Max. at any time	17340	Identified for MFC	N
Railway	SR	Booking Windows	11	Pass. Earnings/Year(Rs. in Lac.)			
Division	Chennai	Enquiry Office	2	2011-12	60176.00	Tourist Facilitation Center	Y
State	Tamil Nadu	Public Address Sys.	Y	2012-13	65902.14	Touch Screen Enquiry System	N
District	Chennai	Clock	Y	2013-14	77192.37	Electronic Train Indication	Y
Section	MSB-MAS	Wheel Chairs	Y	Length of longest stopping train(m)	647.07	ATMs	1
Km.	0000.00	Cloak Room	Y	MP Const.	Chennai Central	Food Plaza	Y
Route	A	Refreshment Room(sq.m)	400	MP Name	S. R. Vijayakumar	Budget Hotel	Y
Electrified	Y			MLA Const.	Harbour	Trains Halting	50
				MLA Name	Pala. Karuppiyah	Station IInd Entry	N
Other Items	NIL						
Remarks for Station:	Battery Operated Car - 2Nos, ATM, 2 Food Plaza, Cyber cafe. Departmental JAN AHAR in Old concourse. 9 stalls in old and new concourses.						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	977	Area(sq.m)	350	125	Area(sq.m)	412	Retiring Room	10
(b) Seats(Nos.)	428	Seats(Nos.)	213	71	Seats(Nos.)	180	Dormitory	1
(c) Lav.(Nos.)	11	Lav.(Nos.)	6	2	Lav.(Nos.)	8		
(d) Urinals(Nos.)	15	Urinals(Nos.)	4	0	Urinals(Nos.)	4		
(e) Bathing Cubicals(Nos.)	21	Bathing Cubicals(Nos.)	4	4	Bathing Cubicals(Nos.)	21		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	4000	Length(m)	125	Source	Municipal Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	0
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	55000		
Pay & Use Toilet				Remarks	METRO WATER		

Station Name : Chennai central

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
2A & 3	BG	Y	584	7.5	84	PS	3142	0	12	0	580/530	425	250	0	0	14	143	3	1	0	0	0	Y	0
1	BG	N	515	6.8	84	PS	2807	0	15	0	515	500	105	0	0	26	246	1	2	0	0	0	Y	0
10&11	BG	Y	585	14.8	84	PS	7424	0	26	0	585/585	1100	305	0	0	60	434	3	1	0	0	0	Y	0
2&2A	BG	Y	460	6.3	84	CC	2642	0	13	0	460/460	500	164	0	0	33	95	0	1	0	0	0	Y	0
4 & 5	BG	Y	647	11	84	CC	5835	0	28	0	647/647	975	361	0	0	41	100	5	1	0	0	0	Y	0
6 & 7	BG	Y	624	16.2	84	PS	6600	1	48	0	624/624	1110	305	0	0	56	136	4	1	0	0	0	Y	0
8 & 9	BG	Y	610	14.8	84	CC	6934	0	23	0	610/610	1110	364	0	0	10	620	3	1	0	0	0	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Chennai central

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	3500 sqm	140	12	12	1050	1 With Cover	High level	14	YES
As per Rec. norms	7252	33986	694	26	26	2081			-	-
Actual	977	35383.35	165	27	23	2746	0	See platform details	15	YES
Shortage, if any	-	-	-	-	-	-	1		-	-

Station Name : Chennai central

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	No	Computerization of Complaints	Yes
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	Yes	Coin operated Ticket Vending Machines	Yes
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Passenger Amenities Details As on : 31/03/2014

Division : Bilaspur

Station Name	Bilaspur			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	BSP	FOB	3	(a) Per Day	28777	Developed As Adarsh	
Station Category	A1	Subway	0	(b) Max. at any time	5347	Identified for MFC	Y
Railway	SECR	Booking Windows	20	Pass. Earnings/Year(Rs. in Lac.)		MFC Developed	Y
Division	Bilaspur	Enquiry Office	1	2011-12	7987.50	Tourist Facilitation Center	Y
State	Chhattisgarh	Public Address Sys.	Y	2012-13	9157.65	Touch Screen Enquiry System	N
District	Bilaspur	Clock	Y	2013-14	10934.4	Electronic Train Indication	Y
Section	JSG-BSP	Wheel Chairs	Y	Length of longest stopping train(m)	542	ATMs	2
Km.	719.20	Cloak Room	Y	MP Const.	Bilaspur	Food Plaza	Y
Route	A	Refreshment Room(sqm)	408	MP Name	Lakhan Lal Sahu	Budget Hotel	N
Electrified	Y			MLA Const.	Bilaspur	Trains Halting	51
				MLA Name	Sri Amar Agrawal	Station IInd Entry	N
Other Items	2 Stretcher, RMS, 1ATM,Food Plaza, STD,VIP Room						
Remarks for Station:	Adequate and Good.						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sq.m.)	312	Area(sq.m)		0	0	Area(sq.m)	353
(b) Seats(Nos.)	114	Seats(Nos.)		0	0	Seats(Nos.)	144
(c) Lav.(Nos.)	6	Lav.(Nos.)		0	1	Lav.(Nos.)	5
(d) Urinals(Nos.)	4	Urinals(Nos.)		0	0	Urinals(Nos.)	2
(e) Bathing Cubicals(Nos.)	4	Bathing Cubicals(Nos.)		0	1	Bathing Cubicals(Nos.)	4
						Retiring Room	7
						Dormitory	1

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	17834	Length(m)	1500	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	3
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	1239420		
Pay & Use Toilet	Y			Remarks	Potable.		

Station Name : Bilaspur

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1DN	BG	N	580	12.3	84	PS	7134	1	33	0	582	582	263	0	5	62	405	5	14	0	0	2	Y	1
6	BG	Y	480	15.1	84	PS	6946	2	36	0	475/475	475	232	0	5	61	251	1	1	0	0	0	Y	0
2&3 UP	BG	Y	580	10.8	84	PS	4968	0	54	0	580/580	580	300	0	5	70	279	10	1	0	0	2	Y	1
4&5	BG	Y	571	10.8	84	CC	6048	0	56	0	0/0	1007	168	4	5	67	228	0	1	0	0	2	Y	1
7&8	BG	Y	550	9.9	84	PS	5396	0	34	0	550/550	550	300	0	5	40	273	0	1	0	0	0	Y	0
*Surface Type		: CC-Cement Concrete		PS-Polished Stone		OPS-Other Pucca Surface		MOR-Moorum		OTH-Others														

Station Name : Bilaspur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	2500 sqm	100	12	12	750	1 With Cover	High level	10	YES
As per Rec. norms	2236	7486	214	8	8	642			-	-
Actual	312	30491.5	213	16	31	1521	3	See platform details	14	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Station Name : Bilaspur

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	No	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	No	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	No
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	Yes	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Bilaspur

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	Yes

Passenger Amenities Details As on : 31/03/2014

Division : Khurda Road

Station Name	Bhubaneswar			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	BBS	FOB	2	(a) Per Day	22789	Developed As Adarsh	
Station Category	A1	Subway	0	(b) Max. at any time	4500	Identified for MFC	N
Railway	ECoR	Booking Windows	19	Pass. Earnings/Year(Rs. in Lac.)			
Division	Khurda Road	Enquiry Office	1	2011-12	17198.33	Tourist Facilitation Center	Y
State	Orissa	Public Address Sys.	Y	2012-13	8561.63	Touch Screen Enquiry System	Y
District	Khordha	Clock	Y	2013-14	9845.19	Electronic Train Indication	Y
Section	BHC-KUR	Wheel Chairs	Y	Length of longest stopping train(m)	575	ATMs	4
Km.	0436.43	Cloak Room	Y	MP Const.	Bhubaneswar	Food Plaza	Y
Route	B	Refreshment Room(sq.m)	54	MP Name	Prasanna Kumar Patasani	Budget Hotel	N
Electrified	Y			MLA Const.	Bhubaneswar Central	Trains Halting	158
				MLA Name	B.K.Mohanty	Station IInd Entry	Y
Other Items	Chilled water plant is available.57 stretchers sup						
Remarks for Station:	It is state capital of Odisha. Many beautiful places to visit like Khandagiri & Udaygiri cave, Nandankannan zoo, Dhauli stupa, Lingaraj Temple, Science Park, Planetorium. It is now becoming a educational hub of india.						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	252	Area(sq.m)		0	130	Area(sq.m)	288	Retiring Room 7
(b) Seats(Nos.)	160	Seats(Nos.)		0	70	Seats(Nos.)	80	Dormitory 6
(c) Lav.(Nos.)	4	Lav.(Nos.)		0	2	Lav.(Nos.)	4	
(d) Urinals(Nos.)	0	Urinals(Nos.)		0	2	Urinals(Nos.)	4	
(e) Bathing Cubicals(Nos.)	4	Bathing Cubicals(Nos.)		0	2	Bathing Cubicals(Nos.)	3	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	4352	Length(m)	70	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	3
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	30000		
Pay & Use Toilet	Y			Remarks	PVC 10000 Ltrs over station building		

Station Name : Bhubaneswar

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	578	17.4	84	PS	6920	4	20	0	578	578	873	2	8	60	741	14	0	0	1	0	Y	0
2&3	BG	Y	566	9	84	PS	5094	0	48	0	566/566	566	507	0	0	80	317	11	0	0	0	0	Y	0
4	BG	N	680	9.8	84	PS	3185	5	34	0	680	680	438	4	4	39	345	5	0	0	0	0	Y	0
*Surface Type		:	CC-Cement Concrete	PS-Polished Stone	OPS-Other Pucca Surface	MOR-Moorum	OTH-Others																	

Station Name : Bhubaneswar

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	1500 sqm	60	12	12	450	1 With Cover	High level	6	YES
As per Rec. norms	1882	3780	180	7	7	540			-	-
Actual	252	15198.9	102	16	18	2128	2	See platform details	5	YES
Shortage, if any	-	-	-	-	-	-	-		1	-

Station Name : Bhubaneswar

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	No
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Bhubaneswar

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	Yes

Passenger Amenities Details As on : 31/03/2014

Division : Bhopal

Station Name	Bhopal			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	BPL	FOB	1	(a) Per Day	60410	Developed As Adarsh	
Station Category	A1	Subway	0	(b) Max. at any time	3295	Identified for MFC	N
Railway	WCR	Booking Windows	10	Pass. Earnings/Year(Rs. in Lac.)			
Division	Bhopal	Enquiry Office	2	2011-12	18000.80	Tourist Facilitation Center	Y
State	Madhya Pradesh	Public Address Sys.	Y	2012-13	18621.35	Touch Screen Enquiry System	N
District	Bhopal	Clock	Y	2013-14	22154.23	Electronic Train Indication	Y
Section	BPL-BIN	Wheel Chairs	Y	Length of longest stopping train(m)	540	ATMs	4
Km.	836.78	Cloak Room	Y	MP Const.	Bhopal	Food Plaza	Y
Route	A	Refreshment Room(sq.m)	65	MP Name	Alok Sanjar	Budget Hotel	N
Electrified	Y			MLA Const.	Narela	Trains Halting	
				MLA Name	Vishwas Sarang	Station IInd Entry	Y
Other Items	BSNL Phone						
Remarks for Station:	Good						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sq.m.)	942	Area(sq.m)	459	182	Area(sq.m)	174	Retiring Room	11
(b) Seats(Nos.)	66	Seats(Nos.)	45	15	Seats(Nos.)	80	Dormitory	2
(c) Lav.(Nos.)	9	Lav.(Nos.)	6	5	Lav.(Nos.)	4		
(d) Urinals(Nos.)	7	Urinals(Nos.)	5	0	Urinals(Nos.)	2		
(e) Bathing Cubicals(Nos.)	6	Bathing Cubicals(Nos.)	6	3	Bathing Cubicals(Nos.)	6		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	12603	Length(m)	1000	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	0
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	700000		
Pay & Use Toilet				Remarks	Sufficient		

Station Name : Bhopal

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	575.7	9	65	PS	4766	0	62	0	536	530	240	0	0	35	263	7	2	0	0	1	Y	1
2 & 3	BG	Y	555	9	84	PS	3915	0	84	0	565/560	565	255	1	2	21	241	10	3	0	0	0	Y	1
4 & 5	BG	Y	568	10	80	PS	3294	0	90	0	570/570	370	177	1	2	9	185	5	1	0	0	0	Y	1
6	BG	N	500	10	79	PS	0	5	15	0	530	0	30	0	0	0	41	0	1	0	0	0	Y	0
*Surface Type :		CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others										

Station Name : Bhopal

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	2000 sqm	80	12	12	600	1 With Cover	High level	8	YES
As per Rec. norms	1378	3690	132	5	5	395			-	-
Actual	942.2	11974.5	251	26	18	908	1	See platform details	10	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Passenger Amenities Details As on : 31/03/2014

Division : Malda

Station Name	Bhagalpur			No. of passengers dealt with:		Identified as Adarsh	Y
Station Code	BGP	FOB	2	(a) Per Day	33498	Developed As Adarsh	N
Station Category	A	Subway	0	(b) Max. at any time	7260	Identified for MFC	Y
Railway	ER	Booking Windows	12	Pass. Earnings/Year(Rs. in Lac.)		MFC Developed	N
Division	Malda	Enquiry Office	2	2011-12	5072.00	Tourist Facilation Center	N
State	Bihar	Public Address Sys.	Y	2012-13	5269.4	Touch Screen Enquiry System	N
District	Bhagalpur	Clock	Y	2013-14	6099.96	Electronic Train Indication	Y
Section	SBG-KEU	Wheel Chairs	Y	Length of longest stopping train(m)	545	ATMs	1
Km.	305.60	Cloak Room	N	MP Const.	Bhagalpur	Food Plaza	N
Route	B	Refreshment Room(sq	35	MP Name	Bulo Mandal	Budget Hotel	N
Electrified	Y			MLA Const.	Bhagalpur	Trains Halting	22
				MLA Name	vacant	Station IInd Entry	N
Other Items	nil						
Remarks for Station:	It is identified as Adarsh station. Ph-I of Adarsh station completed. DOT in Rly. Enq. & SS/SM chamb,PRS,NTES,UTS,TIB,TMS/RMS.Comp.based announcement system,digital PF & tower clock, abbreviated dialing facility in Rly Exchang,PCO, At a glance coach guidance display board, CCTV,Eletronic Reservation Chart Display System, Bath facility in Waiting Hall & Waiting Room for Gents and ladies. RPF assistance booth.						

Resting Facility									
WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	386	Area(sqm)		285	49	Area(sqm)	90	Retiring Room	5
(b) Seats(Nos.)	88	Seats(Nos.)		50	20	Seats(Nos.)	72	Dormitory	1
(c) Lav.(Nos.)	6	Lav.(Nos.)		2	1	Lav.(Nos.)	2		
(d) Urinals(Nos.)	6	Urinals(Nos.)		2	1	Urinals(Nos.)	2		
(e) Bathing Cubicals(Nos.)	2	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	2		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	10443	Length(m)	0	Source	Railway Supply	Open Wells (Nos)	1
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	9
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	765000		
Pay & Use Toilet	Y			Remarks	Source of supply is deep tubewell. No water problem.		

Station Name : **Bhagalpur**

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav.Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	576	14	84	OPS	2810	3	100	0	576	0	775	0	0	95	262	4	1	0	0	2	Y	0
4&5	BG	Y	576	10	84	OPS	1800	1	40	0	448	448	262	0	0	43	139	5	0	0	0	2	Y	0
2&3	BG	Y	495	8	84	OTH	128	0	32	0		0	40	0	0	0	3	0	0	0	0	2	N	0
6	BG	N	293	10	84	OPS	340	0	16	0		0	78	0	0	0	0	0	0	0	0	0	N	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Bhagalpur

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5 Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	1600 sqm	80	10	10	500	1 With Cover	High level	8	YES
As per Rec. norms	3036	8131	290	11	11	871			-	-
Actual	386	5078	204	11	11	1385	2	See platform details	5	YES
Shortage, if any	-	-	-	-	-	-	-		3	-

Station Name : Bhagalpur

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	No
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	No
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	No
Food Plaza	No	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	No
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Passenger Amenities Details As on : 31/03/2014

Division : Hubli

Station Name	Belgaum(way-side)			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	BGM	FOB	1	(a) Per Day	7450	Developed As Adarsh	
Station Category	A	Subway	0	(b) Max. at any time	810	Identified for MFC	N
Railway	SWR	Booking Windows	5	Pass. Earnings/Year(Rs. in Lac.)			
Division	Hubli	Enquiry Office	1	2011-12	2208.54	Tourist Facilitation Center	N
State	Karnataka	Public Address Sys.	Y	2012-13	2444.9	Touch Screen Enquiry System	Y
District	Belgaum	Clock	Y	2013-14	3055.82	Electronic Train Indication	Y
Section	MRJ-BGM	Wheel Chairs	Y	Length of longest stopping train(m)	520	ATMs	2
Km.	0610.39	Cloak Room	Y	MP Const.	Belgaum	Food Plaza	Y
Route	D	Refreshment Room(sq.m)		MP Name	Angadi Suresh Channabasappa	Budget Hotel	N
Electrified	Y			MLA Const.	Belgaum Uttar	Trains Halting	36
				MLA Name	Firoz Nuruddin Sait	Station IInd Entry	N
Other Items	Aadaquate Twin open well with Eltri. Pump piped wat						
Remarks for Station:	-						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sq.m.)	193	Area(sq.m)		86	44	Area(sq.m)	130
(b) Seats(Nos.)	12	Seats(Nos.)		0	0	Seats(Nos.)	10
(c) Lav.(Nos.)	4	Lav.(Nos.)		2	2	Lav.(Nos.)	0
(d) Urinals(Nos.)	2	Urinals(Nos.)		2	2	Urinals(Nos.)	0
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	12
						Retiring Room	2
						Dormitory	7

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	4198	Length(m)	0	Source	Railway Supply	Open Wells (Nos)	2
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	0
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	249090		
Pay & Use Toilet				Remarks	Adequate twin open well with electrical pump piped water		

Station Name : Belgaum(way-side)

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	565	9	84	CC	3840	0	22	0	0	200	304	18	4	24	124	1	0	0	0	0	Y	0
2 & 3	BG	N	540	9	84	CC	3788	0	25	0		0	516	0	0	20	118	0	0	0	0	0	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Belgaum(way-side)

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	125	800 sqm	40	10	10	250	1 With Cover	High level	4	YES
As per Rec. norms	339	454	32	1	1	97			-	-
Actual	193	7627.92	47	26	10	842	1	See platform details	6	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Station Name : Belgaum(way-side)

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	Yes	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	Yes
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	Yes	Coin operated Ticket Vending Machines	Yes
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Belgaum(way-side)

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	Yes

Passenger Amenities Details As on : 31/03/2014

Division : Mumbai

Station Name	Bandra terminus			No. of passengers dealt with:		Identified as Adarsh	Y
Station Code	BDTS	FOB	1	(a) Per Day	19402	Developed As Adarsh	N
Station Category	A1	Subway	1	(b) Max. at any time	4500	Identified for MFC	N
Railway	WR	Booking Windows	14	Pass. Earnings/Year(Rs. in Lac.)			
Division	Mumbai	Enquiry Office	1	2011-12	24776.38	Tourist Facilation Center	N
State	Maharashtra	Public Address Sys.	Y	2012-13	26251.6	Touch Screen Enquiry System	N
District	Mumbai City	Clock	Y	2013-14		Electronic Train Indication	Y
Section	CCG-VR	Wheel Chairs	Y	Length of longest stopping train(m)	564	ATMs	2
Km.	15.29	Cloak Room	Y	MP Const.	Mumbai-North-Central	Food Plaza	Y
Route	A	Refreshment Room(sqm)	225	MP Name	Poonam Mahajan	Budget Hotel	N
Electrified	Y			MLA Const.	Vandre East	Trains Halting	33
				MLA Name	Prakash Bala Sawant	Station IInd Entry	Y
Other Items	As s/way is available at BDTS, prov.of FOB not req						
Remarks for Station:	Clock, PA,CA & PC based announcement system Arrival / Departure display boards, coach guidance display boards, Token display boards, UTS, PRS including Fare Display Board & ATVM.						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sqm.)	1084	Area(sqm)		159	157	Area(sqm)	152	Retiring Room 6
(b) Seats(Nos.)	48	Seats(Nos.)		30	20	Seats(Nos.)	25	Dormitory 0
(c) Lav.(Nos.)	11	Lav.(Nos.)		5	2	Lav.(Nos.)	1	
(d) Urinals(Nos.)	6	Urinals(Nos.)		9	0	Urinals(Nos.)	3	
(e) Bathing Cubicals(Nos.)	2	Bathing Cubicals(Nos.)		2	1	Bathing Cubicals(Nos.)	1	

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	5245	Length(m)	1100	Source	Municipal Supply	Open Wells (Nos)	0
Surface	Other	Surface	Cement Concrete	Type	Piped	Bore Wells (Nos)	0
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	250000		
Pay & Use Toilet	Y			Remarks	BMC supply.		

Station Name : **Bandra terminus**

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
2 & 3	BG	Y	621	11	84	OPS	6300	0	5	0	550/550	575	180	2	2	65	0	3	3	0	0	0	Y	0
4 & 5	BG	Y	575	15	84	PS	8500	0	24	0	575/575	575	420	0	0	57	0	0	0	0	0	0	Y	0
0 & 1	BG	Y	538	15	84	OPS	7700	0	22	0	420/420	584	295	0	0	52	0	7	3	0	0	0	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : **Bandra terminus**

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	1500 sqm	60	12	12	450	1 With Cover	High level	6	YES
As per Rec. norms	1882	3780	180	7	7	540			-	-
Actual	1083.86	22499.92	57	21	20	1018	1	See platform details	4	YES
Shortage, if any	-	-	3	-	-	-	-		2	-

Station Name : Bandra terminus

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room		Waiting Room (with bathing facility)	
Cloak Room		Upper Class	
Enquiry Counter		Second Class	
NTES		For Ladies (combined upper & second class)	
IVRS		Public Address System/Computer based	
Refreshment Room		Book stall/other stalls of essential goods	
Parking/circulatory area with light		Washable apron with jet cleaning	
Public Phone Booth		Electronic Train Indicator Board	
Water Vending Machines		Touch Screen Enquiry System	
Water Coolers		Signage (standardized)	
Modular Catering Stall		Automatic Vending Machines	
UTS		Pay & Use Toilets on end platform & circulating area	
Foot Over Bridges		Computerization of Complaints	
Food Plaza		Provision of at least one AC VIP/Executive Lounge	
Train Coach Indication System		CCTV for announcement & security purpose	
Pre-paid Taxi Service		Coin operated Ticket Vending Machines	
Static Mobile Charging Facility		Facilities of station building including facade	

Passenger Amenities Details As on : 31/03/2014

Division : Allahabad

Station Name	Allahabad			No. of passengers dealt with:		Identified as Adarsh	N
Station Code	ALD	FOB	4	(a) Per Day	36023	Developed As Adarsh	
Station Category	A1	Subway	0	(b) Max. at any time	4472	Identified for MFC	Y
Railway	NCR	Booking Windows	22	Pass. Earnings/Year(Rs. in Lac.)		MFC Developed	Y
Division	Allahabad	Enquiry Office	2	2011-12	20750.00	Tourist Facilitation Center	Y
State	Uttar Pradesh	Public Address Sys.	Y	2012-13	25874.02	Touch Screen Enquiry System	Y
District	Allahabad	Clock	Y	2013-14	26109.09	Electronic Train Indication	Y
Section	ALD-CNB	Wheel Chairs	Y	Length of longest stopping train(m)	572	ATMs	6
Km.	825.420	Cloak Room	Y	MP Const.	Allahabad	Food Plaza	Y
Route	A	Refreshment Room(sqm)	330	MP Name	Shyama Charan Gupta	Budget Hotel	N
Electrified	Y			MLA Const.	Allahabad North	Trains Halting	176
				MLA Name	Shri Anugrah Narayan Singh	Station IInd Entry	Y
Other Items	nill						
Remarks for Station:	This station is important for pilgrimage point of view. Confluence of 03 rivers Ganga, Jamunna & Saraswati occurs here called treveni/sangam. Holy site for Maha Kumbh mela.						

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM	
(a) Area(sqm.)	2582	Area(sqm)		145	160	Area(sqm)	127
(b) Seats(Nos.)	392	Seats(Nos.)		120	92	Seats(Nos.)	76
(c) Lav.(Nos.)	0	Lav.(Nos.)		2	2	Lav.(Nos.)	2
(d) Urinals(Nos.)	30	Urinals(Nos.)		5	2	Urinals(Nos.)	4
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		2	2	Bathing Cubicals(Nos.)	2
						Retiring Room	24
						Dormitory	3

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	30278	Length(m)	150	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	7
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	2074780			
Pay & Use Toilet	Y			Remarks	-No remarks			

Station Name : Allahabad

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	612	15	81	PS	7365	0	46	0	612	612	498	7	3	109	537	3	5	1	1	3	Y	1
2&3	BG	Y	568	15	82	PS	4290	0	68	0	550/550	550	328	0	8	21	342	2	2	0	0	3	Y	1
4&6	BG	Y	618	15	81	PS	7901	0	57	0	618/580	618	608	6	12	107	513	1	2	0	0	3	Y	1
5	BG	Y	177	12	82	CC	0	0	0	0	177/177	177	0	0	0	21	0	0	0	0	0	1	Y	1
7&8	BG	Y	585	10.5	76	PS	4431	0	63	0	587/587	587	200	10	4	34	386	3	1	0	0	2	Y	0
9&10	BG	Y	532	10	80	PS	5210	0	57	0	535/535	535	252	0	9	67	369	2	1	0	1	2	Y	0

*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Allahabad

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	250	3000 sqm	120	12	12	900	1 With Cover	High level	12	YES
As per Rec. norms	1870	7513	179	7	7	537			-	-
Actual	2582	29196.95	291	29	77	2566	4	See platform details	26	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Station Name : Allahabad

Summary As per Model Station

Desired Facility	Facility Available	Desired Facility	Facility Available
Retiring Room	Yes	Waiting Room (with bathing facility)	
Cloak Room	Yes	Upper Class	Yes
Enquiry Counter	Yes	Second Class	Yes
NTES	Yes	For Ladies (combined upper & second class)	Yes
IVRS	Yes	Public Address System/Computer based	Yes
Refreshment Room	Yes	Book stall/other stalls of essential goods	Yes
Parking/circulatory area with light	Yes	Washable apron with jet cleaning	Yes
Public Phone Booth	Yes	Electronic Train Indicator Board	Yes
Water Vending Machines	No	Touch Screen Enquiry System	Yes
Water Coolers	Yes	Signage (standardized)	Yes
Modular Catering Stall	Yes	Automatic Vending Machines	No
UTS	Yes	Pay & Use Toilets on end platform & circulating area	Yes
Foot Over Bridges	Yes	Computerization of Complaints	Yes
Food Plaza	Yes	Provision of at least one AC VIP/Executive Lounge	Yes
Train Coach Indication System	Yes	CCTV for announcement & security purpose	Yes
Pre-paid Taxi Service	No	Coin operated Ticket Vending Machines	Yes
Static Mobile Charging Facility	Yes	Facilities of station building including facade	Yes

Station Name : Allahabad

Summary As per Modern Station

Desired Facility	Facility Available
Improvement in the facade of the station building	Yes
Improvement in the circulating area so as to ensure proper entry and exit of	Yes
A lighting tower at an appropriate place to be installed for proper illumination	Yes
Improved modern, cost effective lighting arrangements at the platforms,	Yes
Renovated water booths	Yes
Renovated, modern, Pay & Use toilets	Yes
Good Waiting and Retiring Rooms with modern furniture	Yes
Good passenger guidance system including signages and coach indication	Yes
Improvement to the passenger service	Yes
Improvement of booking and enquiry offices to give them a facelift	Yes
Lighting of booking offices, the queuing area in front of booking windows	Yes
Engagement of reputed architects/consultants for beautification	Yes