

**GOVERNMENT OF INDIA/BHARAT SARKAR
MINISTRY OF RAILWAYS/RAIL MANTRALAYA
(RAILWAY BOARD)**

No. 2005/TG-III/600/41

New Delhi,

dated 11.8.2006

The General Managers, All Indian Railways.

(Commercial Circular No. 70 of 2006)

Sub: Minimum licence fee for Refreshment Rooms, Stalls and Trolleys at "D", "E" & "F" category stations.

Ref: Board's letter of even number dated 09.12.2005 (Commercial Circular No. 51 of 2005)


In supersession of Board's earlier instructions on the above subject contained in its letter under reference, it has now been decided to delegate the authority of fixation of minimum licence fee for Refreshment Rooms, Stalls and Trolleys at "D", "E" & "F" category stations to the Divisional Railway Managers (DRM) concerned.

2. The DRMs with the concurrence of FA & CAOs should fix minimum licence fee for Refreshment Rooms, Stalls and Trolleys at a station based on rational factors like, the State GDP, purchasing power, land value, type of clientele, number of passengers, location of units, sales turnover etc.

3. After fixation of minimum licence fee by the DRMs for all minor static units at "D", "E" & "F" category stations, the same should be communicated to the Chief Commercial Manager indicating the details of minimum licence fee as well as the rationale for fixing the same. Chief Commercial Manager after compiling the information received from Divisions will communicate the minimum licence fees so fixed to Railway Board. The minimum licence fee for reserved units will be at par with unreserved units at these stations.

This issues with the concurrence of Finance Directorate of Railway Board.

Kindly acknowledge receipt of this letter.


(Biplav Kumar)

Director (Tourism & Catering)
Railway Board.

Copy to:-

1. FA & CAO, all Indian Railways (with five spares) for information.
2. ADAR/Railways (with 36 spare copies)

 
For Financial Commissioner/Railways

Copy to:

- 1 Chief Commercial Managers, all Indian Railways.
- 2 DRMs, All Indian Railways.
- 3 MD, IRCTC, New Delhi.