

Government of India (Bharat Sarkar)
Ministry of Railways(Rail Mantralaya)
(Railway Board)

* * * *

No.2008/Stny./9/2

New Delhi – 110 001 Dated 19/04/2010

Tender Inquiry No. 2008/Stny./9/2

Due Date & Time: 19/04/2010 by 1500 Hrs.

Date & Time of Opening Tender: 19/04/2010 at 1530 Hrs.

Sub: Open Tender for supply of furniture & furnishing items.

On behalf of the President of India acting through the Secretary, Railway Board, Ministry of Railways, Rail Bhavan, New Delhi – 110 001, Sealed Tenders are invited from reputed firms for supply of all kinds of furniture & furnishing Items etc. in this Ministry as per specifications given in **Annexure-III**:

2. **Tenure of Contract:** Period of Rate Contract for supply of the material as per specifications given in **Annexure-III** shall be for a period of one year with effect from the date of award of Contract.

3. Bids should be submitted in sealed covers. The envelope containing the bid should also consist of the following documents:

- i) Bid Form (to be collected from Room No.139, Stationery Branch, Rail Bhavan, New Delhi – 110 001, or may be downloaded from **Annexure-I** of Railway Board tender enquiry floated on Indian Railway's official website <http://www.indianrailways.gov.in>;
- ii) Proof that the firm is supplying all kinds of furniture & furnishing items to various Government Departments, PSUs and reputed Business Organisations. Firms should have their own workshop in Delhi area and registered with MCD.
- iii) Copies of audited Profit & Loss Account along with Balance Sheet for the last financial year i.e. 2008-09 duly certified by the Chartered Accountant indicating the turnover of at least Rupees One Crore per annum;
- iv) A Demand Draft/Pay Order of Rs.500/- in favour of Secretary, Railway Board, payable at New Delhi, as cost of Bid Form (non-refundable) in case Bid Form has not been purchased from this Ministry. Such bids received without DD/Pay Order as cost of Bid Form shall be summarily rejected.
- v) Bid Security (EMD) of Rs. 1.80 lakh/- (Rupees One Lakh Eighty Thouand only) by way of DD/PO issued by any Commercial Bank or FDR issued by any Nationalized Bank, in favour of Secretary, Railway Board, payable at New Delhi. If a bidder is selected, the Bid Security (EMD) shall be refunded to the successful bidder. However, the successful bidder shall have to deposit a Performance Security to ensure successful completion of the contract. The amount deposited by unsuccessful bidders shall be refunded within a period of 45 days from the date of opening of Bids. No interest shall be payable by this Ministry on the Bid Security(EMD)/Performance Security;
- vi) Copy of this Tender Document duly signed with Seal of the Bidder in token of acceptance of the terms and conditions;
- vii) Copy of CST/VAT Registration Certificate and PAN Number allotted by respective authorities;
- viii) Documentary evidence about legal entity of the Bidder and the authorized person who would interact with Ministry of Railways must be enclosed;
- ix) Check List (**Annexure-II**) duly filled and signed by the authorized signatory of the Bidder.

4. The envelope containing the bid should also be superscribed as under:

“Open tender for supply of furniture & furnishing Items”

5. The Bids must be dropped in the Tender Box kept in Room No.139 at the above-stated address on or before the due date, i.e. 19.04.2010 by 1500 Hrs. The Bids received after due date and time are liable to be summarily rejected. In the event of due date being declared a Holiday for Central Government Offices, the date for submission of the bids will be on the

following working day at appointed time and venue. The bids shall be opened on the same day at 1530 Hrs. in the presence of representatives of the Bidders, if any.

6. The rates should be quoted in Indian Rupees for delivery at the premises of the Department and shall remain fixed for at least one year from the date of empanelment of suppliers and should not be subject to escalation of any description. The rates shall be inclusive of design of exterior/interior/ furniture items, excise duty, freight, transportation, packing, forwarding, handling, etc., but exclusive of Taxes as applicable. Incomplete Bids are liable to be rejected. Any correction/overwriting/ insertions in Bids should be signed in full. No alternate Brands may be quoted in lieu of specified Brands.

7. The Ministry reserves the right to accept or reject any bid or cancel the tender proceeding without assigning any reason whatsoever. In the event of emergence of confusing, unreasonable rates, this Ministry will be at liberty to take any suitable decision as deemed fit and necessary in the award of this contract in public interest. Further, the Ministry also reserves the right to purchase or not purchase the items in any category. Payment shall be made by the Ministry only on receipt of and satisfactory acceptance of the items upon submission of pre-receipted bills in Duplicate. The successful bidder must be capable of "very short-notice delivery" of furniture & furnishing items. In the event that any consignment is found not meeting the specifications or quality shall be rejected and the supplier shall replace the same without extra charge within the specified delivery schedule. Inability to make delivery of items prescribed in the Purchase Order shall attract liquidated damage @ 1.5 % of the cost of the Purchase Order for every week, where part of the week shall be taken as one week, subject to a maximum of 7.5% of delayed supply value to be deducted from any payment due to the Party.

8. Soliciting in any manner by the bidder, either directly or indirectly, with the authority with whom the bid has been submitted, will render the tender of the bidder void.

9. Bid Security is liable for forfeiture and bid liable to be rejected if the tenderer makes a breach of Agreement during the validity of the Agreement.

10. **Performance Security:** The successful bidder shall deposit Performance Security of Rs. 9.00 lakh/- (Rupees Nine Lakh only) by way of DD/PO issued by any Commercial Bank or FDR issued by any Nationalized Bank, in favour of Secretary, Railway Board, payable at New Delhi within 15 days of the issue of Acceptance of Bid letter by this Ministry. In the event of breach of Agreement by the successful bidder in any manner under the Agreement, the Performance Security deposited by the successful bidder is liable to be forfeited.

11. All disputes are subject to the jurisdiction of Courts in the NCR of Delhi and the Agreement shall be governed by the law of the land.

12. **Arbitration:** In the event of any dispute or disagreement with respect to this Agreement or over the interpretation of and of the terms hereinabove contained or any claim or liability of the party, the same shall be referred to the Sole Arbitrator to be nominated by mutual consent of both parties, therein. The intending party shall serve notice in writing upon the other party notifying its intention for appointment of the Arbitrator. The provisions of the Arbitration and Conciliation Act, 1996 will apply. The arbitration proceeding will be held in New Delhi. The Arbitrator will give reasons for his award and the award passed by the Arbitrator shall be final and binding upon the parties herein. Such reference shall be deemed to be a submission to arbitration under the Indian Arbitration and Conciliation Act, 1996, or of any modifications or reenactment thereof including the rules framed there under.

(P.S. Meena)
Deputy Secretary (G),
Railway Board.

BID FORM

1. Tender No. 2008/Stny./9/2 : Due Date 19 /04/2010
2. Name and Address of the Bidding Firm : _____

3. Name and Designation of the person signing the Bid : _____
4. Mobile/Land Line Telephone Number : _____
5. Earnest Money Deposit Details : _____
6. CST/VAT Registration Certificate No. (Self Attested Copy enclosed) : _____
7. PAN Number (Self Attested Copy enclosed) : _____
8. Annual Turnover of the last financial year(2008-09) : _____
(Copies of Profit & Loss A/c and Balance Sheet, duly Audited by Chartered Accountant enclosed)
9. Proof of supplying Furniture & Furnishing items including Interiors/exterior etc. to various Govt. Departments, PSUs and reputed business organizations. : _____
10. Terms and Conditions of Contract mentioned in the Invitation of Bid are ACCEPTABLE / NOT ACCEPTABLE. : _____
11. Deviation in Terms and Conditions/Specifications (If any) : _____
12. Capacity in which, Bid is signed by the Bidder (Proprietor/Partner/Director) : _____

Signature and seal of the Bidder : _____
Name in Block Letters : _____
Place: _____ Date : _____

CHECK LIST

Bidders must check whether documents have been enclosed in the cover and bid fulfills the following:

1.	Documentary evidence indicating that you are located in Delhi Area?	Yes/ No	
2.	Bid Form (as per annexure-I)	Yes/ No	
3.	Proof of supplying Furniture & Furnishing to various Govt. Departments, PSUs and reputed business organisations	Yes/ No	
4.	Copies of audited profit and loss account along with balance sheet for the last financial year 2008-09 indicating a turnover of at least Rs. One Crore per annum.	Yes/ No	
5.	Bid Security (EMD) of Rs. 1.80 lakh in the form of DD/PO issued by any commercial bank or FDR issued by any Nationalised Bank in favour of 'Secretary, Railway Board', payable at New Delhi.	Yes/ No	
6.	Copy of this tender document duly signed with seal of the bidder in token of acceptance of the terms and conditions.	Yes/ No	
7.	Copy of CST/VAT Registration Certificate and PAN number allotted by concerned authorities.	Yes/ No	
8.	A Demand Draft/ Pay order of Rs. 500/- in favour of "Secretary, Railway Board" payable at New Delhi, as a cost of bid document (non-refundable) in case the Bid Document has not been purchased from the Purchaser.	Yes/ No	
9.	Documentary evidence about legal entity of the bidder	Yes/ No	
10.	Have you seen the sample of items kept in Stationery Section before quoting?	Yes/ No	
11.	Whether the quotation is strictly as per tendered specification/ conditions?	Yes/ No.	
12.	If answer to Point 11 is No, have you spelt out deviations in the bid?	Yes/ No	
13.	Have you signed all pages of quotations, documents, specifications, etc. forwarded with the quotation?	Yes/ No.	
14.	Price Schedule indicating the complete list of items along with brand, make, and specification etc. offered for supply along with price per unit of each item.	Yes/ No	
15.	Have you quoted for all items of the quoted Categories?	Yes/ No	

Furniture Details:

S.No.	Items Details	Estimated Rates	Quoted Rates
1.	Steel Almirah of size 78"x36"x19" with 4 adjustable/fixed shelves making 4 compartment without locker. Door 20 gauge body and shelves 22 gauge conforming to ISI specifications 3312/84.	5500/-	
2.	Steel Almirah of size 78"x36"x19" with 4 adjustable/fixed shelves making 4 compartment with locker. Door 20 gauge body and shelves 22 gauge conforming to ISI specifications 3312/84.	5800/-	
3.	Steel Almirah of size 50"x30"x17" with 3 adjustable/fixed shelves making 3 compartments without locker. Door 20 gauge body and shelves 22 gauge.	3500/-	
4.	Steel Almirah of size 50"x30"x17" with 3 adjustable/fixed shelves making 3 compartments with locker. Door 20 gauge body and shelves 22 gauge.	3800/-	
5.	Steel Filing Cabinet with plastic handle as per specification ISI 3313/74 side and back top bottom 0.8 MM (18 gauge) lock mechanism shall be 1.6 mm (22 gauge) of sizes 1080 x 470 x 700 MM with 2 drawers.	4700/-	
6.	Steel Filing Cabinet with plastic handle as per specification ISI 3313/74 side and back top bottom 0.8 MM (18 gauge) lock mechanism shall be 1.6 mm (22 gauge) of sizes 1080 x 470 x 700 MM with 3 drawers.	5000/-	
7.	Steel Filing Cabinet with plastic handle as per specification ISI 3313/74 side and back top bottom 0.8 MM (18 gauge) lock mechanism shall be 1.6 mm (22 gauge) of sizes 1380 x 470 x 700 MM with 4 drawers.	6700/-	
8.	Steel Bookself side back bottom and shelves 0.8 MM (18 Gauge) thick lock 6 lever having transparent glass doors with rubber beading as per ISI specification No.7761/175 of sizes 1675x840x305 MM with 4 doors.	3600/-	
9.	Steel Bookself side back bottom and shelves 0.8 MM (18 Gauge) thick lock 6 lever having transparent glass doors with rubber beading as per ISI specification No.7761/175 of sizes 944x840x305 MM with 2 doors.	3500/-	
10.	Steel Locker Cabinets with Ticket Holders conforming to ISI 3314/76 will have internal locking arrangement. Door 20 gauge, body and shelves 22 gauge. Lockers shall be fitted with hasp and staples of overall sizes: (78"x36"x19") (6 lockers).	6100/-	
11.	Steel Locker Cabinets with Ticket Holders conforming to ISI 3314/76 will have internal locking arrangement. Lockers shall be fitted with hasp and staples of overall sizes: (78"x36"x19") (8 lockers).	6500/-	
12.	Steel Locker Cabinets with Ticket Holders conforming to ISI 3314/76 will have internal locking arrangement. Lockers shall be fitted with hasp and staples of overall sizes: (78"x36"x19") (12 lockers).	7000/-	
13.	Steel Table conforming to ISI 3498/75 drawers 0.63 MM, locker body and shelves 0.8 MM thick footrest 1.6 MM tubular frame 1.25 MM thick pre-laminated edge banded top of 18 MM thickness of sizes:	2500/-	

	36" x 24" x 30" (single pedestal)		
14.	Steel Table conforming to ISI 3498/75 drawers 0.63 MM, locker body and shelves 0.8 MM thick footrest 1.6 MM tubular frame 1.25 MM thick pre-laminated edge banded top of 18 MM thickness of sizes: 54" x 27" x 30" with 3 drawers on one side and one cupboard on the other side	2600/-	
15.	Steel Table conforming to ISI 3498/75 drawers 0.63 MM, locker body and shelves 0.8 MM thick footrest 1.6 MM tubular frame 1.25 MM thick pre-laminated edge banded top of 18 MM thickness of sizes: 48" x 24" x 30" (single pedestal)	2700/-	
16.	Steel Automation Table without side unit. Pipe box 5 panel 22 gauge, drawers 24 gauge, sectional pipe 2" x 1-1.8" x 1.25 MM with 18 MM novapan top of sizes: 72" x 36" x 30" with 3 drawers on one side with front and one cupboard on the other side.	6100/-	
17.	Steel Automation Table with side unit. Pipe box 5 panel 22 gauge, drawers 24 gauge, sectional pipe 2" x 1-1.8" x 1.25 MM with 18 MM novapan top of sizes: 72" x 36" x 30" with 3 drawers on one side with front and side covered with side unit of size 910x450x710MM.	6000/-	
18.	Steel Automation Table without side unit. Pipe box 5 panel 22 gauge, drawers 24 gauge, sectional pipe 2" x 1-1.8" x 1.25 MM with 18 MM novapan top of sizes: 60" x 36" x 30" with 3 drawers on one side with front and one cupboard on the other side.	5500/-	
19.	Steel Automation Table with side unit. Pipe box 5 panel 22 gauge, drawers 24 gauge, sectional pipe 2" x 1-1.8" x 1.25 MM with 18 MM novapan top of sizes: 60" x 36" x 30" with 3 drawers on one side with front and side covered with side unit of size 910x450x710MM.	5500/-	
20.	Steel Automation Table without side unit. Pipe box 5 panel 22 gauge, drawers 24 gauge, sectional pipe 2" x 1-1.8" x 1.25 MM with 18 MM novapan top of sizes: 48" x 27" x 30" with 3 drawers on one side with front and one cupboard on the other side.	3500/-	
21.	Steel Automation Table with side unit. Pipe box 5 panel 22 gauge, drawers 24 gauge, sectional pipe 2" x 1-1.8" x 1.25 MM with 18 MM novapan top of sizes: 48" x 27" x 30" with 3 drawers on one side with front and side covered with side unit of size 910x450x710MM.	4500/-	
22.	Computer Table ergonomically styled with slide in keyboard shelf and a storage shelf for CPU and other accessories, section pipe 2" x 1.18" x 125 MM with 18 MM novapan top of sizes: (Box panel 22 gauge drawer 24 gauge). 36" x 24"	2200/-	
23.	Computer Table ergonomically styled with slide in keyboard shelf and a storage shelf for CPU and other accessories, section pipe 2" x 1.18" x 125 MM with 18 MM novapan top of sizes: (Box panel 22 gauge drawer 24 gauge). 48" x 24"	2600/-	
24.	Computer Table ergonomically styled with slide in keyboard shelf and a storage shelf for CPU and other	4100/-	

	accessories, section pipe 2" x 1.18" x 125 MM with 18 MM novapan top of sizes: (Box panel 22 gauge drawer 24 gauge). 48" x 24" with drawer		
25.	Steel revolving chair confirming to ISI 3490/78 base metal sheet 1.25 MM frame with outer diameter 25 MM, arm rest 1 st class teakwood having caned seat and back.	2200/-	
26.	Computer chair without arms ergonomically designed having complete steel frame body of ¾" round CRC pipe, flat pipe to be used 16 gauge with cushioned seat and back are of superior rubber with high density foam with superior quality fabric/leatherite cloth with chrome plated/powder coated heave 5 pronged steel base of 12 gauge.	1500/-	
27.	Computer chair with arms ergonomically designed having complete steel frame body of ¾" round CRC pipe, flat pipe to be used 16 gauge with cushioned seat and back are of superior rubber with high density foam with superior quality fabric/leatherite cloth with chrome plated/powder coated heave 5 pronged steel base of 12 gauge with PU soft arms.	1700/-	
28.	Executive revolving chair low back ergonomically designed having complete steel frame body of ¾" round CRC pipe, flat pipe to be used 16 gauge with cushioned seat and back are of superior rubber with high density foam with superior quality fabric/leatherite cloth with chrome plated/powder coated heave 5 pronged steel base of 12 gauge, i.e. 25 MM, having fitted with manual lockable tilt mechanism and adjustable height control with PU soft arms.	2500/-	
29.	Executive revolving chair ergonomically designed having complete steel frame body of ¾" round CRC pipe, flat pipe to be used 16 gauge with cushioned seat and back are of superior rubber with high density foam with superior quality fabric/leatherite cloth with chrome plated/powder coated heave 5 pronged steel base of 12 gauge, i.e. 25 MM, having fitted with manual lockable tilt mechanism and adjustable height control with PU soft arms. (Low back fitted with gas lift cylinder mechanism).	3000/-	
30.	Executive revolving chair High Back ergonomically designed having complete steel frame body of ¾" round CRC pipe, flat pipe to be used 16 gauge with cushioned seat and back are of superior rubber with high density foam with superior quality fabric/leatherite cloth with chrome plated/powder coated heave 5 pronged steel base of 12 gauge, i.e. 25 MM, having fitted with manual lockable tilt mechanism and adjustable height control with PU soft arms.	3200/-	
31.	Executive revolving chair ergonomically designed having complete steel frame body of ¾" round CRC pipe, flat pipe to be used 16 gauge with cushioned seat and back are of superior rubber with high density foam with superior quality fabric/leatherite cloth with chrome plated/powder coated heave 5 pronged steel base of 12 gauge, i.e. 25 MM, having fitted with manual lockable tilt mechanism and adjustable height control with PU soft arms. (High back fitted with gas lift cylinder mechanism).	3500/-	
32.	Plastic moulded chair with arms of brand (Neel Kamal /	400/-	

	Italica / Vimal)		
33.	Plastic moulded chair without arms of brand (Neel Kamal/ Italica / Vimal)	360/-	
34.	Steel Cushioned Chair with Arms made from drawn section pipe 18 gauge U foam in seat and back upholstered neatly in superior fabric with PU arms.	1700/-	
35.	Wooden Cushioned Chair armed, made of 1 st Class teakwood (1½” x 1½” frame) having standard specifications with cushioned seats rubber cushion 3” seat and back U foam covering on seats and foam in back with superior quality tapestry cloth/leather foam.	2100/-	
36.	Wooden 3-fold screen made of teakwood of size 6 ft x 6 ft.	5000/-	
37.	Wooden 6 fold screen made of teakwood of size 6 ft x 12 ft.		
38.	Acrylic Sheet of thickness 6MM of size 4 ft x 3 ft. (Per Sq. ft.)	120/- sq.ft	
39.	Acrylic Sheet of thickness 6MM of size 6 ft x 4 ft. (Per Sq. ft.)	120/- sq.ft	
40.	Acrylic Sheet of thickness 6MM of size 8 ft x 4 ft. (Per Sq. ft.)	120/- sq.ft	
41.	Acrylic Sheet of thickness 6MM of size 7 ft x 4 ft. (Per Sq. ft.)	120/- sq.ft	
42.	Acrylic Sheet of thickness 6MM of size 7 ft x 3 ft. (Per Sq. ft.)	120/- sq.ft	
43.	Acrylic Sheet of thickness 6MM of size 6 ft x 6 ft. (Per Sq. ft.)	120/- sq.ft	
44.	Acrylic Sheet of thickness 6MM of size 5 ft x 5 ft. (Per Sq. ft.)	120/- sq.ft	
45.	Adjustable Writing Board made of acrylic sheet of 12 MM thickness of size 22” x 18” with brass fittings	1900/-	
46.	Adjustable Writing Board made of teak board 12 MM thickness of size 22” x 18” with brass fittings	1600/-	
47.	Wooden TV Trolley made of 19 MM thick commercial board/teak board with 1 MM thick Sunmica & teakwood fancy moulding glass, etc., fine lacquer polished 36” x 36” x 24”.	4300/-	
48.	Steel Frame TV Trolley as per design with storage system for 29” TV made of 16 gauge iron rod duly powder coated.	2500/-	
49.	Wooden chair cane with arms and made of teakwood 1½” x 1” frame (bait) with seat size 18”x10”.	2200/-	
50.	Wooden Notice Board/key board/pin up board made of 19 MM thick commercial board 1 st class teakwood frame blazer cloth cover on 12 MM thick soft cellotax board duly fine lacquer polished of size 3ft.x2ft.(per sq. ft).	300/-	
51.	Wooden Sofa Set (3 piece) with arms having a 3-seater, two single seaters made of quality hardwood having seats of rubber 4” cushions ISI mark completely covered. The arms and front having design finished in teakwood polish cloth will be used as per sample approved. (per seat)	2500/-	
52.	Elegant looking sofa with fully upholstered sofa with seasoned wooden frame with 4” pin hold ISI Cushion on seat and 50 MM cushion on back with HD foam covered with superior quality fabric Tapestry will be used as per sample approved (Five Seater).(Per Seat).	3600/-	
53.	Centre Table 36” x 18” x 18” made of 19 mm thick ISI	1600/-	

	Commercial Board top with 1mm laminated having bottom shelf and section legs of size 2 ¾ x1 ¼ x2” made of teakwood frame duly fine polished with bottom shelf for magazines.		
54.	Centre Table 36” x 24” x 18” made of 19 mm thick ISI Commercial Board top with 1mm laminated having bottom shelf and section legs of size 2 ¾ x1 ¼ x2” made of teakwood frame duly fine polished with bottom shelf for magazines.	2000/-	
55.	Centre Table 48” x 24” x 18” made of 19 mm thick ISI Commercial Board top with 1mm laminated having bottom shelf and section legs of size 2 ¾ x1 ¼ x2” made of teakwood frame duly fine polished with bottom shelf for magazines.	2400/-	
56.	Centre Table 36” x 18” x 18” having 8mm glass top fitted in 19 mm thick frame of teak wood with bottom shelf and section legs of size 2 ¾ x1 ¼ x2” made of teakwood frame duly fine polished with bottom shelf for magazines.	2300/-	
57.	Centre Table 36” x 24” x 18” having 8mm glass top fitted in 19 mm thick frame of teak wood with bottom shelf and section legs of size 2 ¾ x1 ¼ x2” made of teakwood frame duly fine polished with bottom shelf for magazines.	2500/-	
57 (A).	Stool of size 24”x24”x18” having 8mm glass top fitted with 19mm thick frame of teakwood with bottom self	2700/-	
58.	Centre Table 48” x 24” x 18” having 8mm glass top fitted in 19 mm thick frame of teak wood with bottom shelf and section legs of size 2 ¾ x1 ¼ x2” made of teakwood frame duly fine polished with bottom shelf for magazines.	3000/-	
59.	Stool Table of size 12”x12”x18” top of 19 mm ISI commercial board with 1 mm thick laminated and section legs of size 2 ¾ “x1 ¼ “x2” made of teakwood frame duly polished with bottom shelf for magazines.	700/-	
60.	Stool Table of size 15”x15”x18” top of 19 mm ISI commercial board with 1 mm thick laminated and section legs of size 2 ¾ “x1 ¼ “x2” made of teakwood frame duly polished with bottom shelf for magazines.	800/-	
61.	Stool Table of size 18”x18”x18” top of 19 mm ISI commercial board with 1 mm thick laminated and section legs of size 2 ¾ “x1 ¼ “x2” made of teakwood frame duly polished with bottom shelf for magazines.	850/-	
62.	Stool Table of size 24”x24”x18” top of 19 mm ISI commercial board with 1 mm thick laminated and section legs of size 2 ¾ “x1 ¼ “x2” made of teakwood frame duly polished with bottom shelf for magazines.	1150/-	
63.	White Marker non-magnetic board glossy/graph matt finish (Per Sq. ft).	160/-	
64.	White Board ceramic steel (Magnetic) glossy/graph matt finish (Per Sq. ft).	250/-	
65.	Acrylic Carpet (1000 grams per sq. mtr.) alongwith underlay foam of 6mm thickness and including laying charges. (per sq.ft.)	48/-	
66.	Acrylic Carpet (1250 grams per sq. mtr.) alongwith underlay foam of 6mm thickness and including laying charges. (per sq.ft.)	65/-	
67.	Wooden Flooring of 8mm thickness alongwith under lay foam and polythene including laying charges. (per sq.ft.)	90/-	
68.	Vitrified Tiles of Kazaria made of Grade V of size	95/-	

	24"x24" (per sq.ft.) including laying charges.		
69.	Design Jute doormat of 1 ½ inches thickness of size 3ft.x1 ½ ft.	260/-	
70.	<p>Providing & placing in position working workstation fabricated out of 19mm thick ISI marked commercial block board. Table/ Workstation edges are to be finished with teak wood fancy molding/plain beading as required. The top of the table will be made from 25 mm thick block board and 1 mm thick summica of approved colour and quality pasted on top side and front exposed surfaces are to be finished with Duco paint/ lacquer polished/melamine polish as desired drawer unit as per drawing shall be provide and the drawers will be running on telescopic channels of approved quality and with all necessary hardware fitting i.e. (Godrej/Harrison make multipurpose lock, brass/stainless steel finish handles, magnetic catchers hinges, cable manager etc. of superior quality and as per sample approved. The workstation will have a keyboard tray slides on telescope channel and footrest of standard size & specification complete in all respect and teak wood skirting fixed on the bottom of outer position of size 75"x12mm, if required.</p> <ol style="list-style-type: none"> 1. Modular workstation of size 3'x2'6"x7' with overhead storage of size 3'x1'6"x2' 10000/- 2. Modular workstation of size 3'6"x2'6"x7' with overhead storage of size 3'6"x1'6"x2'. 12000/- 3. Modular workstation of size 4'x2'6"x7' with overhead storage of size 4'x1'6"x2' 13000/- 4. Modular workstation of size 4'6"x2'6"x7' with overhead storage of size 4'6"x1'6"x2' 14000/- 5. Modular workstation of size 5'x2'6"x7' with overhead storage of size 5'x1'6"x2' 15000/- 6. Modular workstation of size 5'6"x2'6"x7' with overhead storage of size 5'x1'6"x2' 16500/- 		
71.	<p>Providing & placing in position modular table fabricated out of 19mm thick ISI marked teak board. Table/ Workstation edges are to be finished with teak wood fancy molding/plain beading as required. The top of table will 35 mm thick. All side teak wood beading duly PU coated polish as desired drawer unit as per drawing shall be provide and the drawers will be running on telescopic channels of approved quality and with all necessary hardware fitting i.e. (Godrej/Harrison make multipurpose lock, brass/stainless steel finish handles, magnetic catchers hinges, cable manager etc. of superior quality and as per sample approved. The table will have a keyboard tray slides on telescope channel and footrest of standard size & specification complete in all respect and teak wood skirting fixed on the bottom of outer position of size 75"x12mm, if required.</p> <ol style="list-style-type: none"> 1. 3 ft.x2 ft. with side rack 3'6"x1'6"x2'6". 7000/- 2. 4 ft.x2 ft. with side rack 3'6"x1'6"x2'6". 8500/- 3. 4½ ft.x2 ½ ft. with side rack 3'6"x1'6"x2'6". 9000/- 4. 5 ft.x3 ft. with side rack 3'6"x1'6"x2'6". 10000/- 5. 6 ft.x3 ft. with side rack 3'6"x1'6"x2'6". 10500/- 6. 6 ½ ft.x4 ft. with side rack 3'6"x1'6"x2'6". 11000/- 7. 7 ft.x3 ft. with side rack 3'6"x1'6"x2'6". 12000/- 8. 7 ft.x4 ft. with side rack 3'6"x1'6"x2'6". 13000/- 		

72.	Providing & placing in position modular overhead storage/cup board/storage rack/glass cabinet out of (BMP grade) ISI marked commercial block board. Storages edges are to be finished with teak wood fancy molding/plain beading as required. The storage will be made from 19mm thick block board and 1 mm thick sunmica of approved colour and quality pasted on top side and front exposed surfaces are to be finished with Duco paint/ lacquer polished/melamine polish as desired drawer unit as per drawing shall be provide and the drawers will be running on telescopic channels of approved quality and with all necessary hardware fitting i.e. (Godrej/Harrison make multipurpose lock, brass/stainless steel finish handles, magnetic catchers hinges, cable manager etc. of superior quality and as per sample approved. (per cubic feet).	330/-	
73.	Providing & fixing of low height/Full height of wooden partition as per drawing and direction of the room. The frame wook shall made of first class hardwood i.e. Mirandi/kail of size 2"x2" or as per requirement of partition. The frame shall be fixed on approximate distance 24"x24" vertically and horizontally both ways. The partition shall be finished with 12mm thick commercial ply wood (ISI marked) of approved quality and brand both faces of the ply shall be finished with 1 mm thick laminated of approved make and shade. It also includes making and finishing of the grooves as per direction of officer/Engineer in charged. A teakwood skirting of size 75 mmx12mm on bottom and a railing of size 75mmx12mm on top of the partition will be fixed on all around including teakwood molding in lay in approved desire. All wood work of frame work and inside surface of plywood shall coated with antitermite of approved brand and manufacturers. The partition sall be includes door windows partly/fully glassed/solid portions as required including all necessary hardware fitting like door licks, door closer, tower bolt, sliding bolt hingers, doorstopper etch of approved quality and designed, polishing/painting of approved shade, colour and quality etc. complete in all respect. (per sq.feet.).	230/- sq.ft.	
74.	Aluminum Partition made of 2 ½ x1 ½ section in 16gauge, thick finally fitted with 12 mm both side laminated board or 5 mm thick glass (per sq. ft.).	215/- per sq.ft.	